

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Dubbo

report date 04 Jul 2013

Yarding Change ²⁰⁴⁰
355

comparison date 27/06/2013

Consignments lifted and quality on average was the best yarded for some time. Vealer numbers doubled as yearling steers were well supplied. There were fair runs of yearling heifers, together with a better supply of grown steers. Around 520 good quality cows were penned and the usual buyers competed in a dearer market, however breed and quality did contribute in places.

Heavy vealers to the butchers ranged from 198c to 226c/kg. Yearling steers to lot feeder and restocker orders improved 15c, to sell from 180c to 205c/kg, depending on breed. Prime conditioned heavy weights to the trade and butchers gained 4c to top at 206c/kg. The lighter end of the yearling heifers to restocker sales lifted 10c, to sell from 142c to 171c/kg. Medium and heavy weights suitable for the butchers gained 2c, as the best reached 215c/kg.

Grown steers and bullocks to slaughter enjoyed price gains of around 9c to 10c, more in places because of quality, as prices ranged from 175c to 199c/kg. The heifer portion improved 3c to top at 175c/kg. Cows continued the dearer trend to gain from 5c to 12c/kg. The plainer 2 scores averaged 118c, as the better finished 3 and 4 scores ranged from 125c to 148c/kg. The best heavy weight bull reached 177c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
0-80	RS	C	2	1	196.2	- 196.2	196.2	N/Q	-			157	- 157	157
80+		C	2	1	154.0	- 154.0	154.0	N/Q	308	- 308	308	200	- 200	200
				2	154.0	196.2	175.0		308	308	308	157	200	179
Vealer Steer														
0-200	RS	C	2	3	162.0	- 172.2	168.8	6	-			258	- 292	269
200-280	RS	C	2	13	160.0	- 192.2	188.4	31	-			416	- 538	513
		C	2	5	150.0	- 160.0	157.0	5	294	- 308	303	336	- 390	348
	DA	D	1	11	88.2	- 88.2	88.2	N/Q	192	- 192	192	238	- 238	238
280-330	RS	C	2	26	160.0	- 199.0	190.9	N/Q	-			456	- 627	592
		C	2	2	165.0	- 165.0	165.0	N/Q	317	- 317	317	495	- 495	495
		C	3	1	180.0	- 180.0	180.0	N/Q	333	- 333	333	540	- 540	540
	RS	D	2	1	136.0	- 136.0	136.0	N/Q	-			388	- 388	388
330+		B	2	1	210.0	- 210.0	210.0	N/Q	389	- 389	389	777	- 777	777
		C	3	7	208.2	- 208.2	208.2	N/Q	379	- 379	379	843	- 843	843
				70	88.2	210.0	171.2		192	389	283	238	843	512
Vealer Heifer														
0-200	RS	C	2	15	138.0	- 168.0	149.1	N/Q	-			228	- 281	248
200-280	RS	C	2	24	140.0	- 149.2	145.4	N/Q	-			301	- 387	349
		C	2	24	140.0	- 160.0	152.9	8	280	- 308	297	319	- 424	371
	RS	D	2	4	131.0	- 134.6	131.9	3	-			301	- 323	307
280-330		C	2	2	160.0	- 160.0	160.0	N/Q	308	- 308	308	456	- 456	456
		C	3	5	170.0	- 219.2	201.5	-13	327	- 406	377	510	- 723	648
330+		C	3	16	198.0	- 226.0	220.1	N/Q	374	- 411	403	693	- 768	753
				90	131.0	226.0	164.2		280	411	342	228	768	427
Yearling Steer														
0-330	RS	C	1	5	140.0	- 145.0	143.0	N/Q	-			441	- 464	455

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
	RS	C	2	66	180.0	- 197.0	190.2	38	-			513	- 630	592
	RS	D	2	16	110.0	- 161.2	143.8	31	-			300	- 516	424
		D	2	6	128.0	- 128.0	128.0	N/Q	256	- 256	256	365	- 365	365
330-400	RS	C	1	14	173.2	- 173.2	173.2	N/Q	-			589	- 589	589
	RS	C	2	126	169.2	- 190.0	180.5	N/Q	-			575	- 708	633
	FD	C	2	66	194.0	- 205.0	200.3	15	-			679	- 708	695
		C	2	4	149.2	- 160.0	157.3	-19	298	- 308	305	507	- 560	547
	RS	C	3	4	186.2	- 186.2	186.2	N/Q	-			708	- 708	708
	DA	D	2	9	96.0	- 96.0	96.0	N/Q	209	- 209	209	326	- 326	326
	FD	D	2	2	115.2	- 130.0	122.6	N/Q	-			415	- 481	448
		D	2	1	120.0	- 120.0	120.0	N/Q	240	- 240	240	408	- 408	408
400+		C	2	1	140.0	- 140.0	140.0	N/Q	269	- 269	269	574	- 574	574
	FD	C	2	91	179.2	- 204.2	190.1	26	-			735	- 827	789
	RS	C	2	19	170.0	- 187.0	180.5	25	-			682	- 777	736
		C	3	58	178.2	- 206.0	191.5	4	330	- 380	354	748	- 968	826
				488	96.0	206.0	183.0		209	380	325	300	968	672
Yearling Heifer														
0-330	FD	C	2	22	144.2	- 144.2	144.2	-19	-			461	- 461	461
	RS	C	2	94	142.0	- 171.0	154.2	16	-			398	- 564	482
	RS	D	2	21	106.0	- 128.0	123.0	10	-			339	- 365	350
		D	2	1	102.2	- 102.2	102.2	N/Q	227	- 227	227	276	- 276	276
330-400		C	2	14	140.0	- 170.0	149.6	-17	280	- 327	295	476	- 595	548
	RS	C	2	12	130.0	- 166.2	161.0	N/Q	-			436	- 565	547
		C	3	24	161.2	- 215.0	201.9	4	304	- 398	376	548	- 817	765
	RS	D	2	10	120.0	- 135.0	128.7	N/Q	-			420	- 486	457
400+	RS	C	2	1	140.0	- 140.0	140.0	N/Q	-			574	- 574	574
		C	3	11	150.0	- 199.0	179.4	1	294	- 369	339	615	- 846	777
				210	102.2	215.0	155.4		227	398	342	276	846	521
Grown Steer														
0-400	FD	C	2	2	140.0	- 140.0	140.0	N/Q	-			490	- 490	490
	RS	C	2	3	133.2	- 140.0	137.7	N/Q	-			506	- 532	523
		D	2	1	110.0	- 110.0	110.0	N/Q	220	- 220	220	385	- 385	385
400-500	FD	C	2	13	160.2	- 168.0	166.0	1	-			673	- 743	701
		C	2	8	127.6	- 146.0	135.0	-20	245	- 281	264	536	- 672	574
500-600		C	2	19	140.0	- 172.0	164.5	14	269	- 331	316	728	- 955	926
	FD	C	2	17	179.0	- 179.0	179.0	N/Q	-			931	- 931	931
		C	3	124	175.2	- 199.0	193.3	32	324	- 355	348	972	- 1119	1052
		C	4	3	188.0	- 188.0	188.0	9	342	- 342	342	1053	- 1053	1053
600-750		C	3	20	165.0	- 186.0	182.4	N/Q	306	- 338	334	1073	- 1141	1122
		C	4	2	185.0	- 185.0	185.0	N/Q	336	- 336	336	1203	- 1203	1203
				212	110.0	199.0	182.8		220	355	338	385	1203	983
Grown Heifer														
0-540		C	2	4	132.0	- 140.0	135.3	N/Q	275	- 292	282	554	- 588	568
	RS	C	2	9	130.0	- 130.0	130.0	N/Q	-			455	- 455	455
		C	3	15	145.0	- 173.0	157.2	3	290	- 333	314	624	- 865	757

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
	FD	D	2	16	119.2	- 122.0	119.9	N/Q	-			415	- 417	417
	RS	D	2	4	109.0	- 109.0	109.0	-6	-			403	- 403	403
		D	2	17	108.0	- 120.2	115.8	N/Q	240	- 267	257	367	- 456	404
				65	108.0	173.0	129.1		240	333	284	367	865	506
Manufacturing Steer														
0-540	DA	D	2	4	135.0	- 135.0	135.0	N/Q	281	- 281	281	635	- 635	635
				4	135.0	135.0	135.0		281	281	281	635	635	635
Cows														
0-400	RS	D	1	12	90.0	- 104.0	101.0	N/Q	-			315	- 364	354
		D	1	2	89.6	- 91.2	90.4	N/Q	236	- 240	238	310	- 314	312
		D	2	13	108.2	- 111.0	109.3	18	264	- 271	267	411	- 422	415
	RS	E	1	1	50.0	- 50.0	50.0	N/Q	-			160	- 160	160
		E	1	1	70.0	- 70.0	70.0	N/Q	200	- 200	200	252	- 252	252
400-520		D	1	10	100.0	- 105.0	104.5	N/Q	263	- 276	275	405	- 441	437
		D	2	171	103.2	- 133.2	118.4	16	252	- 305	280	452	- 666	536
	DA	D	2	1	124.0	- 124.0	124.0	N/Q	295	- 295	295	558	- 558	558
	RS	D	2	21	125.0	- 125.0	125.0	15	-			625	- 625	625
		D	3	31	125.0	- 134.0	131.4	13	272	- 291	284	563	- 660	605
520+		C	2	2	136.0	- 136.0	136.0	N/Q	289	- 289	289	734	- 734	734
		C	3	45	145.0	- 148.2	146.9	N/Q	285	- 294	290	882	- 914	892
		C	4	17	144.0	- 146.2	144.2	N/Q	277	- 287	278	914	- 1080	1062
		D	2	8	132.0	- 132.0	132.0	N/Q	300	- 300	300	726	- 726	726
	DA	D	2	3	126.0	- 126.0	126.0	N/Q	238	- 238	238	706	- 706	706
		D	3	79	130.0	- 140.0	135.6	11	271	- 292	286	719	- 837	750
		D	4	56	135.0	- 142.0	139.9	4	287	- 296	293	759	- 1106	864
				473	50.0	148.2	127.6		200	305	283	160	1106	664
Bulls														
0-450	RS	C	2	15	157.0	- 157.0	157.0	N/Q	-			393	- 393	393
		C	2	30	139.0	- 141.2	140.6	N/Q	253	- 266	265	395	- 626	449
450-600		B	2	8	166.2	- 166.2	166.2	N/Q	292	- 292	292	914	- 914	914
		C	2	1	139.0	- 139.0	139.0	N/Q	253	- 253	253	792	- 792	792
600+		B	2	9	160.0	- 177.2	166.3	N/Q	276	- 295	286	1200	- 2215	1519
		C	2	5	146.0	- 154.2	149.2	10	261	- 280	268	941	- 1066	999
				68	139.0	177.2	151.3		253	295	272	393	2215	678

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2013. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.