

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Pakenham

report date 22 Jul 2013

Yarding Change 822
-420

comparison date 15/07/2013

There were approximately 250 grown and 570 young cattle penned. The usual buying group attended a slightly dearer market overall. The vealers only contained a handful of quality as many of the calves offered were showing the effects of the cold weather and a poor growing season. The yearling cattle contained a better selection of supplementary fed calves, pushing prices up 1c to 8c/kg on the well finished lines. A limited selection of grown steers and bullocks were mostly steer weights and sold slightly dearer.

There were some quality C3 and B muscled trade vealers which sold firm from 200c to 220c, with the secondary lines from 166c to 200c/kg. Yearling trade steers made between 192c and 232c, lifting 1c to 8c/kg. A wider selection of yearling 3 score heifers sold between 165c and 214c, up 3c to 7c/kg.

A limited selection of grown steers made from 186c to 196c, lifting 1c/kg. Most grown heifers sold from 145c to 170c/kg holding firm. A small selection of crossbred manufacturing steers made between 143c and 185c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Vealer Steer														
200-280		C	2	5	171.6	- 190.0	176.0	N/C	312	- 346	320	463	- 532	481
	FD	C	2	14	172.0	- 185.0	175.2	N/C	-	-	-	387	- 489	423
	RS	C	2	8	183.6	- 185.6	185.1	N/Q	-	-	-	477	- 483	481
	RS	D	2	1	176.0	- 176.0	176.0	N/Q	-	-	-	458	- 458	458
	FD	D	2	4	172.0	- 179.6	175.8	13	-	-	-	430	- 485	470
280-330		C	2	4	182.2	- 190.0	186.3	N/Q	331	- 346	339	547	- 570	559
	FD	C	2	1	173.6	- 173.6	173.6	N/Q	-	-	-	521	- 521	521
	RS	C	2	4	166.2	- 175.0	168.4	N/Q	-	-	-	499	- 525	505
		C	3	2	205.0	- 213.6	209.3	N/Q	373	- 388	381	615	- 641	628
	RS	D	2	2	181.6	- 181.6	181.6	N/Q	-	-	-	545	- 545	545
	FD	D	2	3	163.6	- 174.2	169.9	N/Q	-	-	-	491	- 568	539
330+		B	2	2	200.0	- 200.0	200.0	N/Q	357	- 357	357	720	- 720	720
		C	2	21	171.0	- 200.0	192.1	-1	311	- 364	349	616	- 728	680
	FD	C	2	1	177.2	- 177.2	177.2	N/Q	-	-	-	638	- 638	638
		C	3	7	202.0	- 220.0	213.1	-2	366	- 399	383	718	- 836	790
	FD	D	2	1	166.6	- 166.6	166.6	N/Q	-	-	-	583	- 583	583
				80	163.6	220.0	185.6		311	399	352	387	836	572
Vealer Heifer														
200-280		C	2	16	171.6	- 190.0	184.9	1	312	- 346	336	412	- 518	484
		D	2	2	165.0	- 170.0	167.5	N/Q	311	- 315	313	408	- 446	427
	FD	D	2	8	155.0	- 163.6	159.9	2	-	-	-	372	- 432	399
280-330		C	2	16	180.0	- 200.0	193.6	21	327	- 364	352	540	- 627	603
		C	3	1	200.0	- 200.0	200.0	N/Q	364	- 364	364	600	- 600	600
		D	2	1	170.0	- 170.0	170.0	N/Q	315	- 315	315	510	- 510	510
	FD	D	2	2	153.2	- 154.2	153.7	N/Q	-	-	-	460	- 463	461
	RS	D	2	2	155.0	- 164.0	159.5	N/Q	-	-	-	465	- 525	495
330+		C	2	1	172.2	- 172.2	172.2	N/Q	313	- 313	313	603	- 603	603

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
		C	3	7	202.0	- 219.6	208.7	4	366	- 399	376	707	- 769	731
	FD	D	2	1	158.0	- 158.0	158.0	N/Q	-			537	- 537	537
		D	3	1	180.0	- 180.0	180.0	N/Q	333	- 333	333	630	- 630	630
				58	153.2	219.6	183.4		311	399	346	372	769	540
Yearling Steer														
330-400		B	3	22	210.0	- 215.0	210.9	-5	368	- 377	370	798	- 817	801
		C	2	1	165.0	- 165.0	165.0	N/Q	300	- 300	300	627	- 627	627
		C	3	23	196.6	- 230.0	209.4	7	358	- 411	377	729	- 863	806
		D	2	5	140.6	- 170.0	154.8	N/Q	265	- 321	292	492	- 680	587
	GF	D	3	5	182.0	- 182.0	182.0	N/Q	331	- 331	331	728	- 728	728
		D	3	5	174.0	- 190.0	186.8	1	322	- 346	341	661	- 760	740
400+		B	2	1	220.0	- 220.0	220.0	N/Q	367	- 367	367	924	- 924	924
		B	3	3	201.6	- 231.6	221.6	N/Q	354	- 386	375	857	- 973	934
	GF	B	3	1	210.0	- 210.0	210.0	N/Q	368	- 368	368	998	- 998	998
		C	3	48	192.0	- 206.0	198.2	1	343	- 368	356	836	- 980	877
		D	2	4	159.0	- 175.0	169.5	16	300	- 330	320	716	- 744	726
	GF	D	3	6	175.0	- 196.6	193.0	N/Q	318	- 358	351	788	- 826	819
		D	3	24	171.6	- 196.0	185.4	2	312	- 356	340	755	- 891	829
				148	140.6	231.6	196.9		265	411	354	492	998	822
Yearling Heifer														
0-330		C	3	4	210.0	- 210.0	210.0	N/Q	375	- 375	375	693	- 693	693
		D	2	3	120.0	- 160.0	143.3	N/Q	231	- 308	276	336	- 495	426
	FD	D	2	6	143.0	- 148.0	146.6	-8	-			405	- 488	452
	RS	D	2	6	155.0	- 155.0	155.0	4	-			434	- 512	473
		D	3	3	170.0	- 177.6	175.1	2	315	- 329	324	561	- 586	578
330-400		B	3	4	210.0	- 210.0	210.0	-6	368	- 368	368	840	- 840	840
		C	3	12	200.0	- 214.0	202.0	5	357	- 389	362	750	- 838	797
		D	2	7	135.0	- 157.2	146.5	-8	260	- 302	282	497	- 620	554
	FD	D	2	10	147.6	- 168.0	155.8	-5	-			518	- 588	567
	RS	D	2	19	145.6	- 164.0	159.0	N/Q	-			510	- 599	575
	GF	D	3	6	157.2	- 186.0	181.2	N/Q	286	- 338	330	597	- 744	720
		D	3	23	166.0	- 196.0	181.9	4	307	- 356	332	646	- 770	692
400+		B	3	16	210.0	- 212.0	211.3	N/Q	350	- 366	360	882	- 933	924
		C	2	1	175.0	- 175.0	175.0	N/Q	318	- 318	318	831	- 831	831
		C	3	1	189.6	- 189.6	189.6	N/Q	345	- 345	345	1043	- 1043	1043
		D	2	9	142.0	- 163.0	152.6	-1	273	- 314	293	613	- 711	653
		D	3	53	165.0	- 196.0	179.9	3	306	- 356	331	723	- 862	795
		D	4	2	159.2	- 161.6	160.4	N/Q	295	- 299	297	716	- 727	722
				185	120.0	214.0	176.9		231	389	333	336	1043	708
Grown Steer														
400-500		D	2	6	166.0	- 176.6	173.1	20	319	- 340	333	697	- 883	821
		D	3	8	170.0	- 186.0	183.7	-1	315	- 344	339	765	- 930	902
500-600		C	3	14	192.0	- 196.0	195.6	4	348	- 356	355	1056	- 1170	1083
		C	4	3	190.0	- 190.0	190.0	-5	346	- 346	346	1140	- 1140	1140

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
600-750		D	2	4	181.6	- 181.6	181.6	N/Q	343	- 343	343	1017	- 1017	1017
		D	3	53	186.0	- 191.6	188.1	1	340	- 348	345	983	- 1128	1037
		C	4	5	188.0	- 188.0	188.0	-2	336	- 336	336	1166	- 1166	1166
		D	3	7	181.2	- 184.0	182.8	-2	330	- 335	332	1123	- 1196	1170
750+		D	4	8	162.0	- 162.0	162.0	N/Q	289	- 289	289	1296	- 1296	1296
				108	162.0	196.0	185.4		289	356	340	697	1296	1057
Grown Heifer														
0-540		D	2	5	138.6	- 157.6	150.2	6	277	- 315	300	693	- 758	739
		D	3	18	155.0	- 165.6	160.1	1	298	- 319	308	720	- 856	801
	DA	D	3	20	155.0	- 169.6	163.8	N/Q	298	- 326	315	744	- 848	806
		D	4	2	165.6	- 165.6	165.6	N/Q	319	- 319	319	795	- 795	795
540+		D	2	2	168.6	- 168.6	168.6	N/Q	318	- 318	318	1012	- 1012	1012
		D	3	2	159.6	- 168.6	164.1	N/C	307	- 324	316	944	- 958	951
	DA	D	3	7	158.6	- 158.6	158.6	N/Q	305	- 305	305	904	- 904	904
		D	4	5	163.6	- 163.6	163.6	15	315	- 315	315	982	- 982	982
		D	5	1	145.0	- 145.0	145.0	N/Q	290	- 290	290	798	- 798	798
				62	138.6	169.6	160.9		277	326	310	693	1012	835
Manufacturing Steer														
0-540		D	1	3	142.6	- 142.6	142.6	N/Q	285	- 285	285	542	- 542	542
		D	2	2	145.6	- 177.6	161.6	N/Q	280	- 335	308	641	- 959	800
		D	3	5	184.0	- 185.0	184.8	N/Q	341	- 343	342	874	- 999	907
540+		D	2	2	154.0	- 154.0	154.0	N/Q	291	- 291	291	1001	- 1001	1001
	DA	D	3	1	156.2	- 156.2	156.2	N/Q	289	- 289	289	1132	- 1132	1132
		D	3	21	163.2	- 182.6	176.1	6	300	- 338	326	1001	- 1238	1098
		D	4	8	153.6	- 166.6	161.7	N/Q	284	- 309	300	1229	- 1250	1242
				42	142.6	185.0	169.8		280	343	316	542	1250	1045
Bulls														
0-450		C	2	4	140.0	- 150.0	143.8	-22	255	- 273	261	462	- 580	519
				4	140.0	150.0	143.8		255	273	262	462	580	519

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2013. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.