

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Warwick

report date 23 Jul 2013

Yarding Change 800
-275

comparison date 16/07/2013

Useful falls of rain reduced numbers by 25%. A fair panel of export buyers was present and there was extra wholesale support in the young cattle section. Butchers and wholesalers lifted the better end of the young cattle prices by up to 10c/kg in places, while lesser quality lines experienced very little change in price. Heavy grown steers and bullocks were scarce and a fair sample of cows improved in value by 1c to 5c/kg, and considerably more on plain condition lines.

A couple of vealer steers sold to the local meat trade at 203c/kg. Vealer heifers mostly sold in the high 140c to early 150c range, while top quality lines sold to butchers at 195c to average close to 180c/kg. Lightweight yearling steers returning to the paddock averaged 183c and sold to 188c/kg. Medium weights to feed averaged 161c, while the heavy weights averaged 154c/kg. Heavy classes to the trade made to 188c to average 171c/kg. A good run of light weight yearling heifers returned to the paddock at an average of 153c and sold to 159c/kg. A fair sample of medium weight yearling heifers sold to the trade at 167c, with sales to 180c/kg.

Heavy grown steers averaged 160c and sold to 163c, while a few full mouth bullocks averaged close to 159c/kg. Medium weight 2 score cows averaged 106c, and 3 scores 116c/kg. Good heavy cows made to an isolated 140c, with most at 126c/kg. Heavy bulls made to 151c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
80+	RS	C	2	13	137.2	- 160.2	141.5	-15	-	-	-	199	- 280	234
		D	2	6	133.2	- 133.2	133.2	N/Q	251	- 251	251	220	- 220	220
	RS	D	2	25	123.2	- 136.2	133.0	N/C	-	-	-	154	- 238	205
				44	123.2	160.2	135.5		251	251	251	154	280	216
Vealer Steer														
200-280		C	2	6	148.2	- 148.2	148.2	N/Q	270	- 270	270	348	- 348	348
	RS	C	2	3	146.2	- 146.2	146.2	-16	-	-	-	344	- 344	344
330+		C	3	2	203.2	- 203.2	203.2	N/Q	370	- 370	370	681	- 681	681
				11	146.2	203.2	157.6		270	370	295	344	681	407
Vealer Heifer														
200-280		C	2	7	148.0	- 161.2	149.9	4	274	- 299	278	370	- 427	378
	FD	C	2	8	147.2	- 149.2	148.5	-12	-	-	-	336	- 393	364
		C	3	3	180.0	- 180.0	180.0	3	333	- 333	333	450	- 450	450
	RS	D	2	4	139.0	- 139.0	139.0	N/Q	-	-	-	285	- 285	285
		D	2	2	135.0	- 135.0	135.0	N/Q	250	- 250	250	277	- 277	277
280-330	FD	C	2	8	154.2	- 154.2	154.2	N/Q	-	-	-	439	- 439	439
		C	2	18	144.2	- 165.0	155.3	N/Q	267	- 306	288	411	- 470	443
		C	3	15	169.2	- 195.2	179.7	-7	313	- 362	333	482	- 558	526
				65	135.0	195.2	158.9		250	362	302	277	558	430
Yearling Steer														
0-330	FD	C	2	10	163.2	- 172.0	168.5	4	-	-	-	367	- 456	420
	RS	C	2	11	171.2	- 188.2	183.6	13	-	-	-	368	- 423	408
	FD	D	2	11	140.0	- 150.0	146.4	2	-	-	-	329	- 398	373
		D	3	1	142.0	- 142.0	142.0	N/Q	258	- 258	258	426	- 426	426
330-400	FD	C	2	17	150.0	- 170.0	161.1	-8	-	-	-	548	- 621	588

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400+	RS	C	2	6	165.0	- 165.0	165.0	N/Q	-			602	- 602	602
	FD	C	3	7	167.2	- 170.0	168.8	-3	-			587	- 610	597
		C	3	5	170.2	- 185.0	178.5	9	310	- 336	325	621	- 731	695
	RS	C	3	7	178.2	- 178.2	178.2	N/Q	-			650	- 650	650
	RS	D	2	3	130.0	- 130.0	130.0	10	-			475	- 475	475
	FD	C	2	1	155.0	- 155.0	155.0	N/Q	-			659	- 659	659
	FD	C	3	19	150.0	- 157.2	154.1	-12	-			653	- 762	696
		C	3	30	153.2	- 188.0	170.9	-1	279	- 342	311	666	- 900	762
	RS	C	3	1	150.0	- 150.0	150.0	N/Q	-			638	- 638	638
				129	130.0	188.2	164.8		258	342	311	329	900	603
Yearling Heifer														
0-330	RS	C	2	65	137.2	- 159.2	152.9	13	-			309	- 367	352
		C	2	5	138.0	- 145.0	142.2	N/Q	256	- 269	263	311	- 326	320
		D	2	2	128.2	- 128.2	128.2	N/Q	237	- 237	237	340	- 340	340
330-400		C	2	1	140.0	- 140.0	140.0	N/Q	259	- 259	259	511	- 511	511
	FD	C	2	17	142.2	- 155.2	148.2	6	-			476	- 520	496
	FD	C	3	3	155.0	- 155.0	155.0	N/Q	-			519	- 519	519
		C	3	83	149.2	- 180.2	167.7	11	276	- 334	311	500	- 694	598
		D	2	3	136.2	- 136.2	136.2	4	252	- 252	252	497	- 497	497
	FD	D	2	12	127.2	- 145.2	133.4	2	-			439	- 501	467
	RS	D	2	12	120.0	- 140.0	125.0	9	-			414	- 483	431
400+		C	3	26	141.2	- 166.2	151.1	-3	262	- 308	280	614	- 747	662
				229	120.0	180.2	154.5		237	334	299	309	747	501
Grown Steer														
0-400	RS	D	2	7	108.2	- 114.2	111.6	N/Q	-			395	- 417	407
400-500	RS	C	3	7	147.2	- 147.2	147.2	N/Q	-			662	- 662	662
		C	3	2	140.2	- 140.2	140.2	N/Q	255	- 255	255	610	- 610	610
500-600		C	4	3	158.2	- 163.2	159.9	3	283	- 291	286	819	- 894	869
	RS	D	3	2	130.0	- 130.0	130.0	N/Q	-			696	- 696	696
600-750		C	3	1	137.2	- 137.2	137.2	N/Q	250	- 250	250	830	- 830	830
		C	4	2	160.2	- 167.2	163.7	N/Q	286	- 299	292	1001	- 1045	1023
				24	108.2	167.2	137.3		250	299	275	395	1045	649
Grown Heifer														
0-540		C	4	4	171.2	- 171.2	171.2	22	323	- 323	323	728	- 728	728
		D	3	1	135.2	- 135.2	135.2	N/Q	260	- 260	260	723	- 723	723
540+		C	4	2	150.2	- 150.2	150.2	N/C	289	- 289	289	879	- 879	879
				7	135.2	171.2	160.0		260	323	304	723	879	770
Manufacturing Steer														
540+		C	4	12	158.2	- 159.2	158.8	6	283	- 284	284	1098	- 1131	1112
		D	2	1	110.0	- 110.0	110.0	N/Q	200	- 200	200	770	- 770	770
				13	110.0	159.2	155.1		200	284	277	770	1131	1086
Cows														
0-400		D	1	3	70.0	- 73.2	72.1	3	175	- 183	180	256	- 267	263
	DA	E	2	1	90.0	- 90.0	90.0	N/Q	200	- 200	200	347	- 347	347
400-520		D	1	3	60.0	- 85.0	76.7	-1	150	- 213	192	261	- 361	328

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
520+	DA	D	1	1	65.0	- 65.0	65.0	N/Q	163	- 163	163	276	- 276	276
		D	2	52	100.0	- 116.2	106.2	15	217	- 253	231	425	- 522	464
		D	3	12	115.2	- 117.2	116.4	5	235	- 239	238	545	- 559	551
		D	4	20	120.2	- 122.6	121.4	2	236	- 240	238	583	- 595	589
		C	3	2	122.2	- 122.2	122.2	N/Q	244	- 244	244	715	- 715	715
	DA	D	1	14	85.0	- 100.0	92.6	N/Q	213	- 250	231	456	- 595	533
	DA	D	2	3	113.2	- 113.2	113.2	1	246	- 246	246	679	- 679	679
		D	3	13	115.0	- 120.0	116.6	4	235	- 245	238	615	- 642	624
	D	4	31	120.2	- 140.0	126.7	1	236	- 275	248	648	- 798	735	
				155	60.0	140.0	111.4		150	275	235	256	798	560
Bulls														
0-450		C	2	7	119.2	- 146.2	129.8	N/Q	217	- 266	236	344	- 556	460
	RS	D	1	1	104.2	- 104.2	104.2	N/Q		-		380	- 380	380
	RS	D	2	1	110.0	- 110.0	110.0	N/Q		-		424	- 424	424
	FD	D	2	10	100.2	- 108.2	104.2	N/Q		-		351	- 417	384
		D	2	6	93.2	- 129.2	110.4	N/Q	170	- 235	201	377	- 472	453
450-600		C	3	1	138.2	- 138.2	138.2	N/Q	251	- 251	251	739	- 739	739
600+		C	3	18	130.0	- 150.6	137.9	-5	232	- 269	248	813	- 1234	911
				44	93.2	150.6	123.8		170	269	236	344	1234	630

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2013. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.