

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Pakenham

report date 12 Aug 2013

Yarding Change $\frac{1117}{365}$

comparison date 05/08/2013

There were approximately 450 grown and 650 young cattle penned. The usual buying group attended a mixed but mostly firm market. The mixed offering of veal slipped in quality but sold to generally firm demand. Demand was generally firm for most yearling cattle although the secondary heavy weight steers were a few cents stronger. The supplementary fed yearlings were fewer in number and did not contain the same level of quality as last weeks offering. Grown steers were a little dearer while the bullocks sold slightly easier. Demand for the limited number of Fresian manufacturing steers was very strong continuing the recent trend.

A handful of good C3 vealers to the trade sold from 200c to 220c with the secondary lines from 172c to 208c/kg. Yearling trade steers made between 186c and 213c with the secondary lines between 176c and 196c lifting 4c/kg. The well finished yearling heifers sold between 172c and 205c lifting 1c to 2c/kg on most sales.

Grown steers made from 182c to 200c lifting 2c to 3c/kg. Bullocks sold from 176c to 195c slipping 1c to 2c/kg. Fresian manufacturing steers made between 155c and 175c lifting 15c/kg in the heavy weights. Crossbred manufacturing steers sold between 155c and 182c holding firm.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
80+	FD	C	2	2	180.0	- 180.0	180.0	N/Q	-			270	- 270	270
				2	180.0	180.0	180.0		0	0		270	270	270
Vealer Steer														
200-280		C	2	3	186.6	- 198.6	190.6	19	339	- 361	347	497	- 504	501
	RS	C	2	3	175.6	- 175.6	175.6	N/Q	-			386	- 386	386
	FD	C	2	10	184.2	- 186.0	185.4	2	-			463	- 502	497
		C	3	2	219.6	- 219.6	219.6	N/Q	399	- 399	399	571	- 571	571
	FD	D	2	2	157.2	- 166.0	161.6	N/Q	-			424	- 448	436
280-330		C	2	5	172.0	- 200.0	189.2	-2	313	- 364	344	516	- 640	595
	FD	C	2	5	185.6	- 186.0	185.9	N/Q	-			558	- 612	569
	RS	C	2	3	182.0	- 182.0	182.0	N/Q	-			546	- 546	546
		C	3	12	205.0	- 210.0	209.2	N/Q	373	- 375	375	630	- 656	634
	FD	D	2	2	172.0	- 182.0	177.0	N/Q	-			516	- 601	558
	RS	D	2	3	176.0	- 176.0	176.0	-4	-			528	- 528	528
330+	RS	C	2	2	182.0	- 182.0	182.0	N/Q	-			619	- 619	619
		C	2	4	182.0	- 207.6	192.9	3	331	- 378	351	619	- 747	676
		C	3	5	212.0	- 220.0	216.6	2	379	- 393	390	748	- 792	767
				61	157.2	220.0	192.6		313	399	368	386	792	577
Vealer Heifer														
0-200		C	2	1	175.6	- 175.6	175.6	N/Q	319	- 319	319	351	- 351	351
	FD	D	2	4	155.6	- 155.6	155.6	-10	-			311	- 311	311
200-280		C	2	12	185.0	- 198.6	186.7	4	336	- 361	339	497	- 518	504
	FD	C	2	3	172.6	- 172.6	172.6	1	-			466	- 466	466
		D	2	2	175.0	- 190.6	182.8	N/Q	324	- 347	335	455	- 534	494
	FD	D	2	3	170.0	- 172.0	171.3	9	-			442	- 482	457

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
280-330	RS	D	2	4	165.0	- 165.0	165.0	-6	-			462	- 462	462
		C	2	4	184.0	- 200.0	188.0	4	335	- 364	342	589	- 640	602
	FD	C	2	3	186.0	- 186.0	186.0	-3	-			558	- 558	558
330+		C	3	2	200.0	- 200.0	200.0	N/Q	364	- 364	364	600	- 600	600
		C	2	7	176.6	- 196.6	190.7	-9	321	- 358	347	618	- 688	662
		C	3	1	215.0	- 215.0	215.0	N/Q	384	- 384	384	753	- 753	753
				46	155.6	215.0	181.7		319	384	344	311	753	520
Yearling Steer														
0-330	FD	D	2	13	155.0	- 185.0	177.7	6	-			438	- 540	461
330-400	RS	D	2	13	164.6	- 175.6	173.0	-11	-			395	- 562	528
	FD	C	2	2	172.6	- 178.0	175.3	N/C	-			641	- 656	648
		C	2	6	182.0	- 190.0	187.8	-2	331	- 346	342	619	- 760	686
400+		C	3	47	195.0	- 212.0	204.0	1	354	- 379	365	741	- 824	784
	RS	D	1	2	154.6	- 154.6	154.6	N/Q	-			541	- 541	541
	FD	D	2	9	160.0	- 182.0	173.2	-10	-			560	- 728	622
		D	2	10	157.6	- 189.6	169.4	12	303	- 358	321	591	- 680	646
	RS	D	2	20	170.0	- 181.6	177.1	1	-			594	- 718	668
		D	3	12	186.6	- 196.0	193.1	8	346	- 356	353	686	- 745	727
	FD	D	3	1	188.0	- 188.0	188.0	N/Q	-			752	- 752	752
		C	2	1	160.0	- 160.0	160.0	N/Q	302	- 302	302	704	- 704	704
		C	3	48	186.0	- 212.6	201.1	-1	344	- 380	361	781	- 1050	915
		D	2	1	170.0	- 170.0	170.0	N/Q	321	- 321	321	714	- 714	714
	D	3	51	176.0	- 195.0	187.8	4	326	- 361	345	739	- 922	856	
				236	154.6	212.6	189.8		302	380	354	395	1050	763
Yearling Heifer														
0-330		C	3	6	205.0	- 205.0	205.0	N/Q	373	- 373	373	677	- 677	677
		D	1	10	110.0	- 152.6	117.9	-26	220	- 305	236	297	- 458	358
		D	2	11	145.0	- 164.6	151.0	-3	279	- 317	290	362	- 492	450
330-400	FD	D	2	7	160.0	- 165.6	164.8	7	-			352	- 497	476
	RS	D	2	11	165.6	- 165.6	165.6	2	-			530	- 530	530
		D	3	5	172.6	- 174.0	173.4	N/Q	320	- 322	321	522	- 552	534
		C	2	11	192.0	- 192.0	192.0	N/Q	356	- 356	356	672	- 672	672
		C	3	4	195.0	- 205.0	197.5	-5	348	- 366	354	779	- 780	780
		D	1	2	151.6	- 151.6	151.6	N/Q	303	- 303	303	561	- 561	561
	RS	D	1	1	147.6	- 147.6	147.6	N/Q	-			502	- 502	502
400+	FD	D	2	12	155.0	- 162.0	159.9	N/C	-			543	- 591	576
	RS	D	2	28	145.0	- 166.0	156.3	3	-			537	- 606	573
		D	2	26	144.0	- 180.0	165.5	-2	277	- 346	318	526	- 688	609
		D	3	46	172.0	- 192.0	184.6	1	319	- 349	338	626	- 746	720
		C	3	4	190.0	- 198.0	196.0	-4	339	- 354	350	808	- 832	826
		D	2	1	155.0	- 155.0	155.0	N/Q	298	- 298	298	698	- 698	698
		D	3	37	172.0	- 190.0	179.0	2	319	- 346	330	722	- 925	815
				222	110.0	205.0	170.8		220	373	326	297	925	642
Grown Steer														
400-500		D	1	1	154.0	- 154.0	154.0	N/Q	308	- 308	308	724	- 724	724

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
500-600	FD	D	2	11	178.0	- 178.0	178.0	N/Q	336	- 336	336	890	- 890	890	
		D	2	3	165.0	- 165.0	165.0	N/Q		-		743	- 743	743	
		D	3	22	188.0	- 195.0	191.2	9	342	- 361	351	940	- 975	956	
		C	3	72	190.0	- 200.0	197.1	3	346	- 364	358	1026	- 1162	1112	
		C	4	6	199.2	- 199.2	199.2	7	362	- 362	362	1076	- 1076	1076	
600-750		D	3	63	182.0	- 195.0	191.1	2	336	- 356	349	963	- 1168	1070	
		C	3	19	194.6	- 194.6	194.6	-1	348	- 354	350	1216	- 1304	1244	
		D	3	62	175.6	- 193.2	187.7	-2	319	- 345	340	1124	- 1314	1227	
				259	154.0	200.0	191.4		308	364	349	724	1314	1110	
Grown Heifer															
0-540		D	2	7	138.6	- 153.6	149.3	-4	277	- 307	299	624	- 768	727	
		D	3	6	165.0	- 180.6	172.8	9	317	- 341	331	838	- 948	918	
		D	4	1	166.6	- 166.6	166.6	N/Q	320	- 320	320	833	- 833	833	
540+		D	3	14	160.6	- 178.6	172.9	9	309	- 334	329	915	- 1143	991	
		D	4	2	155.0	- 164.2	159.6	N/Q	298	- 316	307	884	- 936	910	
				30	138.6	180.6	166.3		277	341	320	624	1143	904	
Manufacturing Steer															
0-540	FD	D	1	1	145.0	- 145.0	145.0	N/Q		-		580	- 580	580	
		RS	1	5	136.0	- 136.0	136.0	N/Q		-		544	- 544	544	
		DA	2	24	155.0	- 169.2	163.2	N/Q	298	- 325	314	698	- 846	756	
		D	2	9	162.0	- 178.6	169.1	-3	312	- 337	322	689	- 964	893	
		D	3	2	170.0	- 175.0	172.5	N/Q	315	- 324	319	850	- 875	863	
540+	DA	D	3	3	175.0	- 175.0	175.0	N/Q	330	- 330	330	831	- 831	831	
		D	2	13	165.0	- 173.6	172.3	15	317	- 334	331	924	- 1111	1082	
		D	2	4	162.6	- 176.0	169.3	1	307	- 339	323	968	- 976	972	
		D	3	25	154.6	- 182.0	177.9	N/C	286	- 337	330	1001	- 1313	1093	
		D	4	1	172.0	- 172.0	172.0	N/Q	319	- 319	319	998	- 998	998	
				87	136.0	182.0	168.6		286	339	324	544	1313	919	
Bulls															
0-450		C	2	1	170.0	- 170.0	170.0	N/Q	309	- 309	309	476	- 476	476	
		D	1	6	140.6	- 140.6	140.6	N/Q	260	- 260	260	506	- 506	506	
450-600		C	2	3	163.6	- 169.6	167.6	6	292	- 308	303	883	- 1018	973	
		C	3	1	164.6	- 164.6	164.6	N/Q	294	- 294	294	988	- 988	988	
600+		C	2	2	152.6	- 152.6	152.6	N/Q	273	- 273	273	954	- 954	954	
				13	140.6	170.0	152.8		260	309	278	476	1018	718	

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2013. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.