

## Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

### CTLX

report date 03 Sep 2013

Yarding Change <sup>1959</sup>  
474

comparison date 27/08/2013

There was a slight increase in numbers and the quality was mixed. Yearlings were best supplied and the majority of these went to feeder orders. Grown steers were limited and there was only a few pens of heavy bullocks. Around 350 cows were also offered to a smaller than usual buying group in a cheaper market.

Heavy butcher steer vealers remained firm selling from 182c to 218.2c/kg. The medium and heavy feeder steers slipped 15c to 18c on a plainer run of cattle to range from 156c to 186c averaging 179.6c/kg. Trade steers were 9c easier receiving between 164c and 205c to average 182c/kg and the heifers to the trade sold 3c to 6c stronger 165c to 195c/kg. Feeder heifers eased 8c selling from 142c to 171c/kg.

Grown steers slipped 1c to range from 178c to 194c and the heavy bullocks averaged 195c/kg. The 2 and 4 tooth grown heifers lifted 7c/kg. Cows were 2c to 5c cheaper with the medium weight 2 scores 119c to 128c and the heavy 3 and 4 scores 133c to 150.6c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
<b>Calves</b>														
0-80		C	1	1	140.0	- 140.0	140.0	N/Q	280	- 280	280	105	- 105	105
	RS	C	1	17	130.0	- 130.0	130.0	N/Q				78	- 78	78
80+	RS	C	1	15	130.0	- 153.2	133.1	N/Q				111	- 245	128
		C	1	6	125.0	- 125.0	125.0	N/Q	240	- 240	240	106	- 106	106
	RS	C	2	8	80.0	- 80.0	80.0	N/Q				96	- 96	96
				<b>47</b>	<b>80.0</b>	<b>153.2</b>	<b>122.0</b>		<b>240</b>	<b>280</b>	<b>246</b>	<b>78</b>	<b>245</b>	<b>101</b>
<b>Vealer Steer</b>														
0-200	RS	C	2	2	140.0	- 140.0	140.0	N/Q				252	- 252	252
	RS	D	1	7	105.0	- 105.0	105.0	N/Q				168	- 168	168
200-280		C	2	7	150.0	- 180.0	167.1	2	289	- 346	321	330	- 441	393
	FD	C	2	1	130.0	- 130.0	130.0	N/Q				299	- 299	299
		C	3	2	160.0	- 160.0	160.0	N/Q	302	- 302	302	392	- 392	392
	FD	D	2	4	140.0	- 140.0	140.0	N/Q				308	- 308	308
280-330	FD	C	2	2	182.0	- 182.0	182.0	N/Q				582	- 582	582
		C	2	1	182.0	- 182.0	182.0	N/Q	350	- 350	350	582	- 582	582
330+		C	2	12	189.2	- 189.2	189.2	N/Q	350	- 350	350	681	- 681	681
		C	3	10	200.0	- 218.2	203.6	-1	370	- 404	377	753	- 760	759
				<b>48</b>	<b>105.0</b>	<b>218.2</b>	<b>167.6</b>		<b>289</b>	<b>404</b>	<b>349</b>	<b>168</b>	<b>760</b>	<b>505</b>
<b>Vealer Heifer</b>														
0-200		C	2	2	140.0	- 140.0	140.0	N/Q	280	- 280	280	252	- 252	252
	RS	D	1	8	125.6	- 125.6	125.6	N/Q				226	- 226	226
200-280		C	2	6	145.0	- 190.0	164.5	-3	279	- 359	315	305	- 463	370
		C	3	6	180.0	- 195.0	186.7	6	333	- 361	347	468	- 532	492
	FD	D	1	6	96.2	- 96.2	96.2	N/Q				197	- 197	197
	FD	D	2	14	170.0	- 170.0	170.0	N/Q				357	- 357	357
	RS	D	2	1	120.0	- 120.0	120.0	N/Q				270	- 270	270
		D	2	5	135.0	- 162.0	154.2	N/Q	260	- 312	297	284	- 389	362

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
280-330		C	3	6	175.0	- 175.0	175.0	-15	324	- 324	324	560	- 560	560
				<b>54</b>	<b>96.2</b>	<b>195.0</b>	<b>153.5</b>		<b>260</b>	<b>361</b>	<b>318</b>	<b>197</b>	<b>560</b>	<b>354</b>
<b>Yearling Steer</b>														
0-330		C	2	12	168.4	- 170.0	168.5	N/Q	327	- 330	330	442	- 539	531
	FD	C	2	43	150.0	- 196.8	174.4	N/Q	-	-	-	385	- 610	495
	RS	C	2	8	166.0	- 195.0	191.4	N/Q	-	-	-	432	- 605	583
	FD	C	3	5	170.0	- 170.0	170.0	N/Q	-	-	-	544	- 544	544
		C	3	3	195.0	- 195.0	195.0	N/Q	361	- 361	361	634	- 634	634
	FD	D	2	21	108.0	- 165.0	131.3	N/Q	-	-	-	243	- 536	401
	RS	D	2	11	126.0	- 163.0	156.6	17	-	-	-	273	- 403	382
330-400	FD	B	2	18	182.8	- 182.8	182.8	N/Q	-	-	-	640	- 640	640
	FD	C	2	93	156.0	- 186.2	179.6	-18	-	-	-	593	- 648	619
	RS	C	2	13	180.0	- 190.6	189.0	N/Q	-	-	-	684	- 724	718
	FD	C	3	11	174.2	- 180.0	177.0	-19	-	-	-	617	- 675	641
		C	3	43	175.0	- 205.0	188.5	-11	324	- 380	350	621	- 779	692
	FD	D	1	1	110.0	- 110.0	110.0	N/Q	-	-	-	380	- 380	380
	FD	D	2	18	146.0	- 146.0	146.0	N/Q	-	-	-	555	- 555	555
		D	2	1	128.0	- 128.0	128.0	N/Q	251	- 251	251	429	- 429	429
400+		C	2	3	165.0	- 195.0	175.0	N/Q	317	- 355	330	792	- 819	801
	FD	C	2	50	150.0	- 183.2	177.9	-19	-	-	-	630	- 769	749
	RS	C	2	15	193.2	- 193.2	193.2	N/Q	-	-	-	850	- 850	850
	FD	C	3	21	173.6	- 180.0	177.9	-15	-	-	-	828	- 833	830
	RS	C	3	18	192.6	- 192.6	192.6	N/Q	-	-	-	809	- 809	809
		C	3	97	164.0	- 195.0	182.8	-9	309	- 361	339	689	- 1131	844
		C	4	15	185.0	- 190.2	189.9	N/Q	343	- 352	352	851	- 1103	1086
				<b>520</b>	<b>108.0</b>	<b>205.0</b>	<b>177.8</b>		<b>251</b>	<b>380</b>	<b>342</b>	<b>243</b>	<b>1131</b>	<b>689</b>
<b>Yearling Heifer</b>														
0-330		C	2	20	155.0	- 175.0	160.1	5	298	- 337	309	464	- 569	500
	FD	C	2	65	125.0	- 180.6	166.0	-2	-	-	-	394	- 578	503
	RS	C	2	1	165.0	- 165.0	165.0	N/Q	-	-	-	495	- 495	495
		C	3	12	165.0	- 195.0	181.8	-8	311	- 368	343	470	- 570	539
		D	1	1	70.0	- 70.0	70.0	N/Q	149	- 149	149	161	- 161	161
	RS	D	1	13	100.0	- 116.6	111.5	N/Q	-	-	-	185	- 309	278
	FD	D	1	5	99.0	- 105.2	100.2	N/Q	-	-	-	267	- 295	273
	FD	D	2	19	135.0	- 152.0	141.4	N/Q	-	-	-	365	- 471	436
	RS	D	2	8	110.0	- 110.0	110.0	7	-	-	-	204	- 204	204
		D	2	14	117.0	- 155.0	145.9	46	244	- 310	289	304	- 435	419
		D	3	8	140.0	- 172.0	159.8	30	280	- 331	311	392	- 550	493
		E	1	2	54.0	- 54.0	54.0	N/Q	115	- 115	115	130	- 130	130
330-400	FD	C	2	149	142.2	- 171.2	158.6	-8	-	-	-	476	- 651	561
	FD	C	3	30	171.6	- 171.6	171.6	N/C	-	-	-	618	- 618	618
		C	3	83	165.0	- 195.0	182.1	3	306	- 368	339	578	- 683	641
		D	2	3	110.0	- 120.0	116.7	N/Q	229	- 235	233	408	- 418	411
	FD	D	2	9	145.0	- 145.0	145.0	N/Q	-	-	-	500	- 522	505

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400+	RS	D	2	15	120.0	- 142.0	140.5	N/Q	-			456	- 483	481
	RS	D	3	3	142.0	- 142.0	142.0	N/Q	-			540	- 540	540
		D	3	3	143.0	- 143.0	143.0	15	275	- 275	275	543	- 543	543
		D	4	1	120.0	- 120.0	120.0	N/Q	235	- 235	235	438	- 438	438
		C	2	2	188.0	- 188.0	188.0	N/Q	348	- 348	348	790	- 790	790
		C	3	18	160.0	- 167.2	164.0	-11	296	- 316	307	736	- 800	764
	FD	C	3	17	186.4	- 186.4	186.4	6	-			755	- 755	755
		C	4	1	160.0	- 160.0	160.0	N/Q	296	- 296	296	768	- 768	768
		D	2	9	145.0	- 157.2	155.8	N/Q	290	- 308	306	609	- 692	682
		RS	D	2	1	132.0	- 132.0	132.0	N/Q	-			554	- 554
	FD	D	3	6	140.0	- 150.0	146.7	-2	-			588	- 630	616
		D	3	16	145.0	- 170.0	165.4	13	274	- 321	312	597	- 765	725
				<b>534</b>	<b>54.0</b>	<b>195.0</b>	<b>160.5</b>		<b>115</b>	<b>368</b>	<b>318</b>	<b>130</b>	<b>800</b>	<b>557</b>
<b>Grown Steer</b>														
0-400		D	1	7	70.0	- 70.0	70.0	N/Q	149	- 149	149	245	- 245	245
		D	2	2	80.0	- 80.0	80.0	N/Q	160	- 160	160	288	- 288	288
400-500	FD	C	2	21	150.0	- 172.0	165.6	N/Q	-			645	- 791	711
	FD	C	3	21	175.0	- 182.6	177.5	-8	-			840	- 886	855
		C	3	13	160.0	- 170.0	163.3	-24	296	- 321	303	694	- 816	774
500-600		C	3	9	178.2	- 180.0	179.2	-2	332	- 336	333	914	- 962	922
		C	4	8	194.0	- 194.0	194.0	1	359	- 359	359	1048	- 1048	1048
600-750		C	4	29	193.2	- 197.6	195.5	N/Q	358	- 366	362	1236	- 1304	1271
				<b>110</b>	<b>70.0</b>	<b>197.6</b>	<b>171.0</b>		<b>149</b>	<b>366</b>	<b>319</b>	<b>245</b>	<b>1304</b>	<b>898</b>
<b>Grown Heifer</b>														
0-540		C	2	7	130.0	- 130.0	130.0	N/Q	260	- 260	260	559	- 559	559
		C	3	21	165.0	- 178.0	172.4	7	311	- 336	325	726	- 819	779
	FD	C	3	2	156.2	- 156.2	156.2	N/Q	-			719	- 719	719
	RS	D	1	2	112.0	- 112.0	112.0	N/Q	-			336	- 336	336
	RS	D	2	5	136.0	- 136.0	136.0	49	-			571	- 571	571
		D	2	34	115.0	- 138.0	131.1	7	240	- 282	269	414	- 662	549
	FD	D	3	3	139.6	- 139.6	139.6	N/Q	-			586	- 586	586
		D	3	37	120.0	- 150.0	143.4	N/Q	240	- 294	278	432	- 810	690
		D	4	2	130.0	- 130.0	130.0	N/Q	250	- 250	250	676	- 676	676
540+		D	3	2	150.0	- 150.0	150.0	N/Q	289	- 289	289	840	- 840	840
		D	4	4	146.0	- 154.0	151.0	-9	281	- 296	290	862	- 934	890
				<b>119</b>	<b>112.0</b>	<b>178.0</b>	<b>143.6</b>		<b>240</b>	<b>336</b>	<b>283</b>	<b>336</b>	<b>934</b>	<b>654</b>
<b>Manufacturing Steer</b>														
0-540		C	3	2	160.0	- 160.0	160.0	N/Q	308	- 308	308	816	- 816	816
	DA	D	1	1	140.0	- 140.0	140.0	N/Q	304	- 304	304	588	- 588	588
				<b>3</b>	<b>140.0</b>	<b>160.0</b>	<b>153.3</b>		<b>304</b>	<b>308</b>	<b>306</b>	<b>588</b>	<b>816</b>	<b>740</b>
<b>Cows</b>														
0-400		D	1	7	112.0	- 112.0	112.0	45	238	- 238	238	426	- 426	426
		E	1	2	55.0	- 55.0	55.0	N/Q	122	- 122	122	209	- 209	209
400-520		C	4	1	140.0	- 140.0	140.0	N/Q	280	- 280	280	714	- 714	714
		D	1	54	80.0	- 118.0	110.0	N/Q	170	- 251	231	324	- 557	481

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
520+	D	2	51	119.6	- 128.0	124.2	7	239	- 267	256	502	- 614	568	
	D	3	129	128.0	- 148.0	137.9	-1	256	- 304	276	614	- 754	682	
	D	4	16	114.0	- 143.0	132.1	-13	243	- 280	266	479	- 744	644	
	C	3	3	143.6	- 143.6	143.6	-16	282	- 282	282	775	- 775	775	
	D	2	1	105.0	- 105.0	105.0	N/Q	219	- 219	219	567	- 567	567	
	D	3	6	133.0	- 140.0	136.3	-2	266	- 280	273	705	- 756	743	
	D	4	64	141.6	- 150.6	144.5	-5	278	- 294	284	801	- 1024	848	
	D	5	5	115.0	- 148.0	141.4	20	226	- 290	277	736	- 1154	1071	
			<b>339</b>	<b>55.0</b>	<b>150.6</b>	<b>131.3</b>		<b>122</b>	<b>304</b>	<b>265</b>	<b>209</b>	<b>1154</b>	<b>662</b>	
<b>Bulls</b>														
0-450	C	2	3	192.2	- 192.2	192.2	N/Q	356	- 356	356	865	- 865	865	
450-600	B	2	7	207.2	- 207.2	207.2	N/Q	384	- 384	384	995	- 995	995	
	C	2	3	155.0	- 161.0	157.0	2	282	- 293	287	837	- 899	858	
600+	B	2	14	159.2	- 172.6	165.5	N/Q	286	- 311	299	1102	- 1726	1362	
	C	2	8	147.8	- 159.6	155.3	6	269	- 296	285	962	- 1241	1086	
	D	2	1	142.0	- 142.0	142.0	N/Q	258	- 258	258	1448	- 1448	1448	
			<b>36</b>	<b>142.0</b>	<b>207.2</b>	<b>172.2</b>		<b>258</b>	<b>384</b>	<b>315</b>	<b>837</b>	<b>1726</b>	<b>1148</b>	

#### Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

#### Disclaimer:

© MLA 2013. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.