

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

CTLX

report date 10 Sep 2013

Yarding Change 1531
-428

comparison date 03/09/2013

Cattle numbers decreased and quality was mixed but did contain good numbers of well finished cattle. Yearlings were well supplied and there was a very mixed selection of aged steers. Around 200 cows were also penned to a larger field of buyers but not all operated.

Medium weight vealers were stronger and sold from 170c to 215c/kg. Light weight steers returning to the paddock or going to onto feed fell 14c to 20c and the heifers were back 6c to 8c/kg. Yearling steers to feed eased 2c to 3c ranging from 155c to 187c and those to the trade gained 7c/kg on the heavy weights and remained unchanged on the medium weights. Prices ranged from 170c to 202c/kg. The heifer portion slipped 5c to 6c, ranging from 148c to 185c with light weights to 190c/kg.

Medium weight grown steers remained steady ranging from 172c to 192c, to average 185c/kg. Cows lost 12c to 16c/kg, with not all processors operating. Medium weight 2 score cows sold from 80c to 115c and the heavy 3 and 4 score cows sold from 110c to 145c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
80+		C	1	1	198.2	- 198.2	198.2	N/Q	396	- 396	396	168	- 168	168
	RS	C	1	8	168.0	- 168.0	168.0	35		-		202	- 202	202
				9	168.0	198.2	171.3		396	396	396	168	202	198
Vealer Steer														
200-280		C	2	1	167.2	- 167.2	167.2	N/C	316	- 316	316	418	- 418	418
	FD	C	2	4	165.0	- 165.0	165.0	35		-		380	- 380	380
		C	3	5	190.0	- 195.0	194.0	34	352	- 361	359	513	- 546	539
280-330		C	3	14	190.0	- 215.2	193.5	N/Q	352	- 399	369	570	- 646	596
330+		C	3	2	174.0	- 174.0	174.0	N/Q	322	- 322	322	583	- 583	583
				26	165.0	215.2	186.7		316	399	360	380	646	544
Vealer Heifer														
200-280		C	2	55	149.0	- 187.2	161.6	-3	287	- 360	307	358	- 487	404
		C	3	14	190.0	- 201.6	200.8	14	352	- 373	372	494	- 524	522
	RS	D	2	7	110.0	- 130.0	127.1	7		-		242	- 312	302
		D	2	4	147.6	- 147.6	147.6	-7	284	- 284	284	354	- 354	354
280-330		C	3	11	170.0	- 214.2	207.0	32	321	- 397	384	510	- 661	636
330+		C	3	1	180.0	- 180.0	180.0	N/Q	333	- 333	333	612	- 612	612
				92	110.0	214.2	170.0		284	397	327	242	661	442
Yearling Steer														
0-330	FD	C	2	22	145.0	- 179.6	160.5	-14		-		398	- 575	471
	RS	C	2	20	171.6	- 171.6	171.6	-20		-		463	- 463	463
	FD	C	3	4	182.0	- 182.0	182.0	12		-		582	- 582	582
		C	3	6	190.0	- 190.0	190.0	-5	352	- 352	352	608	- 608	608
	RS	D	1	5	84.0	- 99.0	93.0	N/Q		-		218	- 238	230
	RS	D	2	7	98.0	- 164.2	154.7	-2		-		304	- 411	395
330-400		B	2	2	197.0	- 197.0	197.0	N/Q	365	- 365	365	709	- 709	709
	FD	C	2	96	155.0	- 187.6	176.4	-3		-		535	- 683	629

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400+	RS	C	2	4	187.2	- 187.2	187.2	-2	-			646	- 646	646
		C	3	20	170.0	- 201.2	187.3	-1	321	- 373	348	603	- 749	694
		C	4	9	198.6	- 198.6	198.6	N/Q	368	- 368	368	715	- 715	715
		D	2	3	100.0	- 100.0	100.0	-28	192	- 192	192	380	- 380	380
		B	2	4	145.0	- 145.0	145.0	N/Q	269	- 269	269	667	- 667	667
		C	2	1	153.2	- 153.2	153.2	N/Q	284	- 284	284	735	- 735	735
	FD	C	2	20	140.0	- 188.0	169.8	-8	-			630	- 790	722
	FD	C	3	13	179.2	- 179.2	179.2	1	-			735	- 735	735
		C	3	69	167.2	- 201.6	189.7	7	310	- 373	351	738	- 965	868
	C	4	7	180.0	- 182.0	181.4	-8	333	- 337	336	837	- 846	840	
				312	84.0	201.6	176.6		192	373	344	218	965	668
Yearling Heifer														
0-330		C	2	30	135.0	- 180.0	155.3	-5	250	- 346	297	336	- 576	460
	FD	C	2	48	135.0	- 163.2	149.1	-17	-			378	- 476	408
		C	3	25	149.2	- 190.0	177.2	-5	276	- 352	330	425	- 608	540
		C	4	19	183.4	- 185.0	184.6	N/Q	340	- 343	342	587	- 592	591
		D	1	17	75.0	- 75.0	75.0	5	156	- 156	156	195	- 195	195
	RS	D	1	21	100.0	- 136.6	117.4	6	-			260	- 301	279
	RS	D	2	9	105.0	- 106.2	106.1	-4	-			266	- 284	268
	FD	D	2	56	80.0	- 145.6	140.9	-1	-			184	- 448	367
		D	3	3	132.6	- 132.6	132.6	-27	255	- 255	255	424	- 424	424
330-400	FD	C	2	47	125.0	- 166.0	144.1	-14	-			449	- 631	520
		C	2	31	150.0	- 170.0	161.0	N/Q	289	- 327	310	510	- 578	564
		C	3	24	150.0	- 185.0	177.0	-5	278	- 343	330	510	- 666	626
		D	2	3	135.0	- 135.0	135.0	18	260	- 260	260	459	- 459	459
	RS	D	2	5	108.0	- 130.0	125.6	-15	-			389	- 455	442
400+		C	2	2	145.2	- 145.2	145.2	N/Q	279	- 279	279	624	- 624	624
		C	3	14	148.6	- 173.2	156.0	-8	275	- 327	292	630	- 762	684
		C	4	7	145.0	- 172.0	152.7	-7	269	- 319	283	595	- 757	641
	RS	D	2	2	110.0	- 110.0	110.0	N/Q	-			451	- 451	451
	FD	D	3	24	140.0	- 164.0	154.5	8	-			602	- 689	654
		D	3	13	110.0	- 142.0	133.2	-32	212	- 273	255	462	- 675	598
				400	75.0	190.0	147.5		156	352	294	184	762	479
Grown Steer														
0-400	FD	C	2	6	154.2	- 154.2	154.2	N/Q	-			586	- 586	586
	FD	D	2	1	110.0	- 110.0	110.0	N/Q	-			374	- 374	374
400-500	RS	C	2	2	130.0	- 175.0	152.5	N/Q	-			546	- 735	641
	FD	C	2	13	145.0	- 145.0	145.0	-21	-			624	- 624	624
		C	3	29	135.0	- 188.0	168.9	6	250	- 348	314	601	- 902	782
		C	4	2	160.0	- 160.0	160.0	N/Q	302	- 302	302	768	- 768	768
	RS	D	2	1	115.0	- 115.0	115.0	N/Q	-			477	- 477	477
		D	2	1	110.0	- 110.0	110.0	N/Q	220	- 220	220	457	- 457	457
500-600		B	2	10	150.0	- 150.0	150.0	N/Q	273	- 273	273	840	- 840	840
		C	2	1	165.0	- 165.0	165.0	N/Q	317	- 317	317	858	- 858	858
		C	3	81	172.0	- 188.0	184.0	5	319	- 348	341	954	- 1042	982

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
600-750		C	4	40	185.0	- 192.0	189.6	-4	343	- 356	351	979	- 1036	999
		C	4	3	170.0	- 170.0	170.0	-25	315	- 315	315	1054	- 1054	1054
				190	110.0	192.0	175.4		220	356	333	374	1054	896
Grown Heifer														
0-540		C	2	1	150.0	- 150.0	150.0	N/Q	283	- 283	283	720	- 720	720
	FD	C	2	1	135.0	- 135.0	135.0	N/Q	-	-	-	513	- 513	513
	FD	C	3	12	165.0	- 165.0	165.0	9	-	-	-	710	- 710	710
		C	4	6	140.0	- 150.0	143.3	N/Q	269	- 278	272	714	- 720	716
		D	1	1	90.0	- 90.0	90.0	N/Q	192	- 192	192	288	- 288	288
	RS	D	1	5	75.6	- 75.6	75.6	-36	-	-	-	257	- 257	257
	RS	D	2	2	100.0	- 110.0	105.0	N/Q	-	-	-	380	- 462	421
		D	2	37	109.8	- 120.0	114.2	-17	220	- 250	230	414	- 487	448
		D	3	20	120.0	- 159.0	135.6	-8	231	- 306	268	445	- 806	579
		D	4	7	131.6	- 150.0	141.7	12	258	- 289	273	684	- 780	745
540+		D	3	1	145.0	- 145.0	145.0	N/Q	274	- 274	274	812	- 812	812
		D	4	7	143.0	- 145.6	144.0	-7	275	- 280	277	815	- 893	844
				100	75.6	165.0	128.9		192	306	251	257	893	566
Manufacturing Steer														
0-540		D	1	1	118.0	- 118.0	118.0	N/Q	251	- 251	251	496	- 496	496
		D	3	2	130.0	- 130.0	130.0	N/Q	250	- 250	250	631	- 631	631
540+		C	3	3	140.0	- 140.0	140.0	N/Q	259	- 259	259	784	- 784	784
				6	118.0	140.0	133.0		250	259	255	496	784	685
Cows														
0-400		D	1	18	51.6	- 65.0	57.2	-55	112	- 138	123	165	- 247	197
		D	2	4	80.0	- 105.0	86.3	N/Q	170	- 219	182	304	- 399	328
400-520		D	1	18	74.0	- 90.0	87.3	-23	161	- 192	183	318	- 432	410
	FD	D	1	7	55.0	- 55.0	55.0	N/Q	-	-	-	226	- 226	226
		D	2	37	80.0	- 115.0	105.0	-19	170	- 240	216	328	- 552	481
		D	3	47	114.0	- 130.0	121.3	-17	228	- 260	243	552	- 676	611
		D	4	13	124.0	- 138.0	131.8	N/C	248	- 271	260	632	- 718	682
520+		D	2	2	110.0	- 110.0	110.0	N/Q	229	- 229	229	583	- 583	583
		D	3	4	110.0	- 125.0	120.8	-16	216	- 250	240	594	- 663	644
		D	4	45	125.0	- 145.0	132.0	-12	245	- 284	259	691	- 919	762
		D	5	6	112.0	- 132.0	123.5	-18	220	- 259	245	650	- 950	780
				201	51.6	145.0	109.5		112	284	225	165	950	557
Bulls														
0-450	RS	C	2	1	100.0	- 100.0	100.0	N/Q	-	-	-	360	- 360	360
		C	2	7	100.0	- 155.0	112.7	-79	185	- 287	213	378	- 682	464
		C	3	1	165.0	- 165.0	165.0	N/Q	306	- 306	306	726	- 726	726
450-600		B	2	1	160.0	- 160.0	160.0	N/Q	286	- 286	286	928	- 928	928
		C	2	5	110.0	- 135.0	121.8	-35	204	- 250	226	528	- 756	626
		C	3	1	185.4	- 185.4	185.4	N/Q	343	- 343	343	890	- 890	890
600+		B	2	17	140.0	- 160.0	146.2	-19	250	- 281	262	1013	- 1472	1258
		C	2	8	110.0	- 135.0	126.1	-29	204	- 250	233	832	- 1026	904
				41	100.0	185.4	134.2		185	343	247	360	1472	924

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2013. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.