

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Dubbo

report date 19 Sep 2013

Yarding Change 3720
-210

comparison date 12/09/2013

Despite the good falls of rain earlier in the week numbers remained high. It was a good quality yarding with a good selection of prime cattle in all sections along with good numbers of plainer types from the far West. All the regular buyers were in attendance and operating.

Vealers and yearlings to the processors were 4c to 8c dearer with vealers selling to 216c/kg. The C3 yearling steers sold from 170c to 218c while prime heifer yearlings sold from 150c to 211c/kg. Restocker and feeder steers were 5c to 10c dearer with the better quality lines selling from 158c to 190c/kg.

Grown steers were 8c to 10c dearer with the C3 and C4 s selling from 165c to 204c which resulted in the heavy weights averaging 197c/kg. Grown heifers also enjoyed solid competition selling to 182c/kg. Cows were 12c to 16c dearer with 2 score cows to the processors selling from 94c to 116c/kg. The better medium and heavy weight cows sold from 116c to 158c with the 4 score heavy weights averaging 151c/kg. Southern restockers were keen to secure suitable lines with 1 and 2 score cows selling from 68c to 113c/kg. The best bull sold for 165c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
0-80	RS	D	3	1	220.0	- 220.0	220.0	N/Q	-	-	-	99	- 99	99
80+	RS	C	2	5	206.0	- 206.0	206.0	53	-	-	-	185	- 185	185
		C	2	1	199.2	- 199.2	199.2	N/Q	376	- 376	376	239	- 239	239
	RS	D	3	2	110.0	- 110.0	110.0	N/Q	-	-	-	105	- 105	105
				9	110.0	220.0	185.4		376	376	376	99	239	164
Vealer Steer														
0-200	RS	C	2	4	170.0	- 170.0	170.0	N/Q	-	-	-	332	- 332	332
200-280		C	2	5	160.0	- 160.0	160.0	N/Q	302	- 302	302	440	- 440	440
	RS	D	3	5	142.2	- 142.2	142.2	N/Q	-	-	-	391	- 391	391
280-330	FD	C	2	24	171.2	- 186.2	180.6	21	-	-	-	531	- 556	540
		C	3	17	170.0	- 198.2	190.2	10	309	- 360	347	551	- 644	595
330+		C	3	53	174.2	- 205.2	194.3	-3	317	- 366	350	618	- 749	696
		D	4	19	148.0	- 148.0	148.0	N/Q	290	- 290	290	777	- 777	777
				127	142.2	205.2	180.1		290	366	335	332	777	632
Vealer Heifer														
0-200	RS	C	2	8	158.0	- 158.0	158.0	N/Q	-	-	-	316	- 316	316
200-280	RS	D	3	8	127.2	- 127.2	127.2	1	-	-	-	299	- 299	299
280-330		C	2	1	150.0	- 150.0	150.0	N/Q	278	- 278	278	488	- 488	488
		D	3	1	120.0	- 120.0	120.0	N/Q	226	- 226	226	390	- 390	390
330+		C	3	49	169.2	- 216.2	202.1	9	308	- 393	367	567	- 789	724
		D	3	5	144.2	- 144.2	144.2	N/Q	262	- 262	262	526	- 526	526
				72	120.0	216.2	183.0		226	393	354	299	789	610
Yearling Steer														
0-330	FD	C	2	42	166.2	- 185.2	175.9	-11	-	-	-	465	- 543	503
	RS	C	2	124	167.6	- 190.4	183.3	17	-	-	-	451	- 536	508
	RS	D	2	20	122.0	- 122.0	122.0	18	-	-	-	226	- 226	226

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
330-400	RS	D	3	58	125.0	- 154.2	131.1	N/Q	-			287	- 439	332	
	FD	D	3	15	120.2	- 120.2	120.2	N/Q	-			343	- 343	343	
	FD	C	2	78	151.2	- 184.2	168.0	-7	-			507	- 692	609	
	RS	C	2	47	158.2	- 180.2	172.3	N/Q	-			577	- 712	662	
	RS	C	3	6	170.0	- 170.0	170.0	-13	-			570	- 570	570	
	FD	C	3	66	179.6	- 185.0	181.2	4	-			657	- 694	687	
		C	3	85	170.0	- 218.2	202.3	5	309	- 390	368	618	- 862	744	
400+	FD	D	3	45	140.0	- 142.0	140.8	30	-			476	- 497	488	
	RS	D	3	15	150.0	- 150.0	150.0	2	-			593	- 593	593	
	FD	C	2	5	168.2	- 168.2	168.2	8	-			732	- 732	732	
	FD	C	3	35	170.0	- 195.6	190.4	13	-			714	- 890	838	
		C	3	130	180.0	- 210.6	196.3	4	327	- 376	355	765	- 1061	909	
					771	120.2	218.2	175.0		309	390	360	226	1061	630
Yearling Heifer															
0-330		C	2	6	138.2	- 138.2	138.2	-21	261	- 261	261	428	- 428	428	
	FD	C	2	48	141.2	- 157.2	147.5	N/Q	-			402	- 511	445	
	RS	C	2	18	138.2	- 150.0	145.4	13	-			352	- 390	375	
		C	3	10	185.0	- 185.0	185.0	32	343	- 343	343	592	- 592	592	
	RS	D	1	16	68.2	- 68.2	68.2	N/Q	-			133	- 133	133	
	RS	D	2	64	120.2	- 131.2	124.3	N/Q	-			270	- 308	285	
	RS	D	3	105	115.0	- 128.0	122.9	-1	-			276	- 314	301	
330-400	FD	D	3	41	115.2	- 139.2	137.4	5	-			328	- 397	392	
		D	3	10	130.6	- 130.6	130.6	31	246	- 246	246	424	- 424	424	
		B	3	6	210.6	- 210.6	210.6	N/Q	383	- 383	383	832	- 832	832	
		C	2	15	148.2	- 151.2	149.0	26	280	- 280	280	496	- 552	511	
	FD	C	2	25	133.6	- 145.0	142.3	12	-			474	- 529	516	
	FD	C	3	59	160.2	- 180.0	170.2	19	-			617	- 657	642	
		C	3	179	160.0	- 211.2	180.8	-1	296	- 380	331	568	- 826	691	
		D	3	22	119.2	- 138.0	129.2	7	221	- 260	242	435	- 524	499	
	FD	D	3	14	133.2	- 153.2	136.1	11	-			473	- 605	492	
	RS	D	3	8	101.2	- 101.2	101.2	N/Q	-			349	- 349	349	
400+	FD	C	3	34	181.2	- 188.2	184.3	29	-			788	- 800	793	
		C	3	89	150.0	- 205.0	177.3	10	283	- 366	324	653	- 889	789	
	RS	D	3	7	119.2	- 119.2	119.2	N/Q	-			495	- 495	495	
					776	68.2	211.2	153.6		221	383	318	133	889	538
Grown Steer															
0-400	FD	C	3	19	178.2	- 178.2	178.2	N/Q	-			677	- 677	677	
	FD	D	3	26	152.2	- 157.2	154.9	N/Q	-			495	- 511	503	
	RS	D	3	14	147.2	- 147.2	147.2	N/Q	-			478	- 478	478	
400-500		D	3	1	140.0	- 140.0	140.0	N/Q	264	- 264	264	539	- 539	539	
	FD	C	2	16	171.2	- 171.2	171.2	N/Q	-			745	- 745	745	
	FD	C	3	21	174.2	- 178.2	175.7	-4	-			740	- 811	767	
		C	3	59	176.0	- 199.2	198.5	48	326	- 350	349	748	- 966	962	
		C	4	36	192.0	- 198.2	195.3	9	349	- 357	353	867	- 949	906	
	D	3	19	130.0	- 140.0	135.3	-4	245	- 264	253	566	- 637	590		

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
500-600		C	3	16	165.0	- 201.2	175.3	10	308	- 359	324	842	- 1076	913
		C	4	135	186.0	- 204.2	197.0	11	336	- 371	354	987	- 1174	1097
600-750		C	3	1	160.0	- 160.0	160.0	N/Q	302	- 302	302	1000	- 1000	1000
		C	4	50	200.2	- 202.2	201.6	14	361	- 364	362	1251	- 1264	1260
				413	130.0	204.2	186.4		245	371	346	478	1264	940
Grown Heifer														
0-540		C	3	2	165.0	- 165.0	165.0	N/Q	306	- 306	306	767	- 767	767
		C	4	41	158.0	- 182.0	174.9	11	304	- 337	322	751	- 956	899
		D	3	43	111.0	- 150.0	132.7	6	214	- 283	256	427	- 743	582
	RS	D	3	16	120.0	- 120.0	120.0	3	-	-	-	522	- 522	522
		D	4	6	125.0	- 125.0	125.0	N/Q	227	- 227	227	656	- 656	656
540+		C	4	38	162.2	- 182.0	174.3	22	300	- 337	320	937	- 1075	1018
				146	111.0	182.0	154.1		214	337	295	427	1075	783
Manufacturing Steer														
0-540		D	3	24	147.2	- 150.2	148.7	21	283	- 300	292	714	- 789	751
540+		D	3	33	145.0	- 148.6	145.9	6	274	- 286	277	819	- 1122	893
				57	145.0	150.2	147.1		274	300	283	714	1122	833
Cows														
0-400	RS	D	1	9	68.0	- 68.0	68.0	18	-	-	-	167	- 167	167
	RS	D	2	54	107.2	- 113.0	109.8	N/Q	-	-	-	289	- 446	359
		D	2	47	94.2	- 112.0	111.1	28	214	- 255	252	372	- 431	429
400-520		D	2	11	116.2	- 116.2	116.2	14	264	- 264	264	494	- 494	494
		D	3	94	116.2	- 141.6	132.1	12	247	- 301	282	540	- 653	590
		D	4	36	135.2	- 148.6	144.2	10	276	- 303	292	615	- 729	677
520+	B	3	3	158.0	- 158.0	158.0	N/Q	298	- 298	298	893	- 893	893	
		D	3	20	135.0	- 144.0	143.6	15	281	- 306	305	709	- 756	754
		D	4	161	140.2	- 158.2	151.3	15	280	- 310	297	750	- 988	848
				435	68.0	158.2	134.1		214	310	286	167	988	645
Bulls														
0-450		C	2	6	135.0	- 135.0	135.0	N/Q	250	- 250	250	520	- 520	520
		D	2	16	108.2	- 108.2	108.2	22	212	- 212	212	352	- 352	352
		D	3	12	107.2	- 107.2	107.2	N/Q	210	- 210	210	306	- 306	306
600+		C	2	2	146.0	- 148.0	147.0	N/C	270	- 279	275	925	- 1533	1229
		C	3	18	143.6	- 165.0	157.0	3	271	- 300	283	941	- 1650	1270
				54	107.2	165.0	128.6		210	300	242	306	1650	699

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2013. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.