

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

CTLX

report date 24 Sep 2013

Yarding Change ¹⁹¹⁹/₉₄₄

comparison date 17/09/2013

Cattle numbers more than doubled and the quality remained good with plenty of crop finished and supplementary fed lines along with the secondary cattle more suited to restocking and feeder orders. Vealers were limited and yearlings made up the majority of the offering. Grown steers were also in good numbers and around 260 cows were penned. A smaller buying group were operating in a cheaper domestic market and dearer export.

Vealers ranged from 170c to 212c for the medium and heavy steers and up to 205c/kg for heifers. Light and medium weight feeder yearling steers lost 3c to 6c with medium weights selling from 160c to 187c/kg. The C3 and C4 trade steers and heifers were back 3c to 4c on average with the steers ranging from 170c to 202.6c and the heifers from 166c to 190c/kg.

Grown steers were fully firm with the better supplied medium weights 180c to 200c/kg. Heavy grown heifers lifted 4c selling between 165c and 174.2c/kg. Cows lifted 3c to 5c with medium weight 2 score cows 115c to 130c and the heavy 3 and 4 scores 142c to 156.2c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Vealer Steer														
200-280	RS	C	2	11	170.0	- 170.0	170.0	-21	-	-	-	374	- 374	374
280-330		C	2	1	190.0	- 190.0	190.0	N/Q	352	- 352	352	542	- 542	542
	FD	C	2	1	188.0	- 188.0	188.0	N/Q	-	-	-	602	- 602	602
		C	3	8	188.0	- 212.2	194.1	-18	348	- 386	358	602	- 637	610
330+		C	3	4	200.0	- 200.0	200.0	N/Q	370	- 370	370	690	- 690	690
				25	170.0	212.2	184.0		348	386	361	374	690	516
Vealer Heifer														
0-200		C	3	1	170.0	- 170.0	170.0	N/Q	309	- 309	309	340	- 340	340
	RS	D	2	11	155.0	- 155.0	155.0	N/C	-	-	-	279	- 279	279
200-280		C	2	4	150.0	- 165.0	161.3	-13	300	- 317	313	360	- 429	395
	RS	C	2	3	140.0	- 140.0	140.0	-30	-	-	-	294	- 294	294
		C	3	12	170.0	- 183.6	180.2	-5	315	- 346	339	374	- 496	477
	RS	D	1	18	140.0	- 140.2	140.1	N/Q	-	-	-	294	- 294	294
	RS	D	2	1	120.0	- 120.0	120.0	N/Q	-	-	-	264	- 264	264
	FD	D	2	9	155.0	- 155.0	155.0	N/Q	-	-	-	419	- 419	419
		D	2	4	140.0	- 155.0	147.5	N/Q	264	- 293	278	364	- 403	384
		D	3	9	170.0	- 170.0	170.0	N/Q	321	- 321	321	442	- 442	442
280-330		C	2	6	155.0	- 165.0	163.3	N/Q	287	- 306	303	496	- 536	530
		C	3	7	176.6	- 205.2	192.1	12	333	- 380	358	530	- 616	576
		C	4	2	155.0	- 200.2	177.6	N/Q	282	- 371	326	496	- 641	568
330+		C	3	4	175.0	- 175.0	175.0	-23	324	- 324	324	604	- 604	604
	RS	D	3	1	135.0	- 135.0	135.0	N/Q	-	-	-	486	- 486	486
				92	120.0	205.2	160.6		264	380	324	264	641	410
Yearling Steer														
0-330		C	2	2	170.0	- 170.0	170.0	N/C	327	- 327	327	544	- 544	544
	FD	C	2	24	150.0	- 183.6	180.2	-5	-	-	-	476	- 588	563
	RS	C	2	31	165.0	- 195.0	184.8	14	-	-	-	476	- 547	492

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
330-400	RS	D	1	12	80.0	- 80.0	80.0	N/Q	-			144	- 144	144
		D	1	1	90.0	- 90.0	90.0	N/Q	192	- 192	192	216	- 216	216
	RS	D	2	22	130.0	- 185.0	169.2	1	-			312	- 426	400
	FD	D	2	6	140.0	- 140.0	140.0	-3	-			448	- 448	448
		C	2	7	170.0	- 170.0	170.0	N/Q	327	- 327	327	578	- 578	578
	FD	C	2	59	160.0	- 187.6	177.1	-6	-			544	- 686	633
	RS	C	2	29	182.2	- 197.6	191.3	N/Q	-			619	- 761	711
	FD	C	3	4	178.0	- 178.0	178.0	10	-			676	- 676	676
		C	3	9	185.0	- 202.6	194.8	-4	343	- 375	361	689	- 760	732
400+		C	4	1	160.0	- 160.0	160.0	N/Q	296	- 296	296	592	- 592	592
	FD	D	2	1	135.0	- 135.0	135.0	N/Q	-			466	- 466	466
		C	2	15	160.0	- 160.0	160.0	N/Q	302	- 302	302	688	- 688	688
	FD	C	2	24	170.0	- 189.8	182.3	2	-			714	- 797	756
	RS	C	2	22	194.8	- 194.8	194.8	N/Q	-			818	- 818	818
		C	3	73	170.2	- 198.2	191.9	-3	315	- 367	355	715	- 1042	907
		C	4	7	180.0	- 180.0	180.0	-13	333	- 333	333	936	- 936	936
		D	2	1	137.0	- 137.0	137.0	N/Q	259	- 259	259	562	- 562	562
					350	80.0	202.6	178.3		192	375	343	144	1042
Yearling Heifer														
0-330		B	3	1	215.2	- 215.2	215.2	N/Q	391	- 391	391	689	- 689	689
		C	2	9	145.0	- 170.0	157.8	18	279	- 327	300	464	- 544	509
	FD	C	2	20	140.0	- 173.2	152.1	12	-			381	- 537	428
	RS	C	2	9	140.0	- 153.2	150.3	10	-			368	- 420	379
		C	3	11	185.0	- 200.0	186.4	21	349	- 370	355	555	- 640	573
		D	1	2	110.0	- 110.0	110.0	N/Q	220	- 220	220	286	- 286	286
	RS	D	1	1	105.0	- 105.0	105.0	N/Q	-			273	- 273	273
	FD	D	1	8	129.2	- 129.2	129.2	N/Q	-			310	- 310	310
	FD	D	2	33	135.0	- 162.2	143.7	14	-			351	- 462	387
	RS	D	2	39	110.0	- 140.2	129.2	-27	-			286	- 365	317
330-400		D	2	4	120.0	- 165.0	136.3	N/Q	240	- 311	265	330	- 512	407
		D	3	4	160.0	- 160.0	160.0	N/Q	320	- 320	320	528	- 528	528
		B	3	1	211.0	- 211.0	211.0	N/Q	384	- 384	384	717	- 717	717
	FD	C	2	57	145.0	- 164.6	151.5	-2	-			486	- 578	542
	FD	C	3	4	165.0	- 165.0	165.0	N/Q	-			561	- 561	561
		C	3	56	162.0	- 191.6	172.5	-7	300	- 355	320	562	- 729	633
		D	2	8	128.6	- 137.2	135.2	-2	252	- 269	265	443	- 519	489
	FD	D	2	4	145.0	- 150.0	148.8	-11	-			500	- 503	502
	RS	D	2	4	139.6	- 139.6	139.6	8	-			524	- 524	524
	FD	D	3	3	155.0	- 155.0	155.0	N/Q	-			558	- 558	558
400+		D	3	24	150.0	- 175.0	159.1	-4	283	- 330	300	525	- 665	576
		C	3	42	166.6	- 177.6	172.7	-4	309	- 329	320	700	- 791	736
		C	4	2	188.0	- 190.0	189.0	N/Q	348	- 352	350	790	- 874	832
	FD	D	2	8	136.6	- 136.6	136.6	N/Q	-			574	- 574	574
	FD	D	3	8	166.0	- 166.0	166.0	N/Q	-			730	- 730	730

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
					362	105.0	215.2	155.1		220	391	314	273	874	529
Grown Steer															
400-500	FD	C	2	70	150.0	- 189.2	185.1	25	-				630	- 866	820
	RS	C	2	20	188.6	- 188.6	188.6	N/Q	-				849	- 849	849
		C	3	52	176.2	- 197.2	182.1	1	333	- 365	341		828	- 947	863
		D	1	1	125.0	- 125.0	125.0	N/Q	240	- 240	240		525	- 525	525
	FD	D	2	16	155.0	- 155.0	155.0	N/Q	-				636	- 636	636
500-600		C	2	1	179.6	- 179.6	179.6	N/Q	339	- 339	339		934	- 934	934
		C	3	132	180.0	- 198.8	191.6	N/C	333	- 368	355		918	- 1150	1019
		C	4	101	178.0	- 200.0	193.0	N/Q	330	- 370	357		1018	- 1138	1075
600-750		C	4	24	182.0	- 195.2	185.6	N/Q	337	- 362	344		1128	- 1210	1166
					417	125.0	200.0	187.6		240	370	352	525	1210	964
Grown Heifer															
0-540		C	3	1	172.0	- 172.0	172.0	N/Q	319	- 319	319		826	- 826	826
		D	2	1	135.6	- 135.6	135.6	N/Q	271	- 271	271		624	- 624	624
	RS	D	2	5	132.0	- 142.0	134.0	N/Q	-				540	- 554	551
	FD	D	3	1	148.2	- 148.2	148.2	N/Q	-				637	- 637	637
		D	3	64	136.0	- 174.2	161.3	1	268	- 329	306		529	- 888	771
		D	4	6	155.0	- 172.0	167.9	4	293	- 325	317		837	- 929	907
540+		D	3	3	165.0	- 172.2	167.4	N/Q	306	- 325	312		924	- 1137	995
		D	4	19	165.0	- 172.6	166.1	13	311	- 326	314		924	- 1105	943
					100	132.0	174.2	161.1		268	329	308	529	1137	805
Manufacturing Steer															
0-540		C	3	9	172.2	- 180.0	179.1	N/Q	331	- 333	333		895	- 936	931
		C	4	6	175.0	- 175.0	175.0	N/Q	324	- 324	324		945	- 945	945
	FD	D	2	4	115.0	- 115.0	115.0	N/Q	-				472	- 472	472
		D	2	3	90.0	- 118.2	108.8	N/Q	180	- 223	209		288	- 378	348
540+		C	3	1	175.0	- 175.0	175.0	N/Q	324	- 324	324		1015	- 1015	1015
					23	90.0	180.0	157.5		180	333	310	288	1015	783
Cows															
0-400		D	1	1	80.0	- 80.0	80.0	N/Q	170	- 170	170		304	- 304	304
		D	2	2	115.0	- 115.0	115.0	N/Q	240	- 240	240		322	- 322	322
		D	3	10	122.0	- 140.4	129.4	N/Q	244	- 281	259		435	- 464	452
		E	1	4	95.0	- 95.0	95.0	25	207	- 207	207		361	- 361	361
400-520		C	3	20	152.6	- 152.6	152.6	N/Q	294	- 294	294		778	- 778	778
		D	1	10	95.0	- 118.0	112.7	N/Q	202	- 251	240		390	- 478	458
		D	2	35	125.0	- 130.0	128.1	4	260	- 271	267		561	- 638	607
		D	3	77	120.0	- 153.2	140.6	-7	240	- 306	281		552	- 770	683
		D	4	15	137.0	- 155.2	151.1	3	274	- 310	300		712	- 807	774
520+		C	4	4	142.0	- 142.0	142.0	N/Q	273	- 273	273		824	- 824	824
		D	3	10	143.6	- 148.0	147.3	5	282	- 296	293		799	- 813	801
		D	4	54	142.0	- 156.2	148.6	-3	278	- 306	291		791	- 990	831
		D	5	9	141.6	- 146.2	145.2	15	272	- 281	279		793	- 1053	995
					251	80.0	156.2	139.9		170	310	279	304	1053	708
Bulls															

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
0-450		C	2	2	130.0	- 130.2	130.1	N/Q	241	- 245	243	416	- 547	481
		D	1	2	109.2	- 109.2	109.2	N/Q	210	- 210	210	415	- 415	415
450-600		C	2	12	148.2	- 160.0	155.6	16	274	- 296	288	711	- 894	819
600+		B	2	30	157.0	- 174.6	165.8	7	280	- 310	296	1005	- 1639	1355
		C	2	8	150.0	- 162.0	155.5	16	273	- 295	285	942	- 1394	1190
				54	109.2	174.6	158.6		210	310	287	415	1639	1144

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2013. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.