

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Warwick

report date 08 Oct 2013

Yarding Change ¹³¹²/₃₅₆

comparison date 01/10/2013

There was an increased offering and the usual buyers attended. Young cattle were well supplied as were cows in the export section. Heavy grown steers were in limited numbers, although condition was quite good. Quality through the young cattle was very mixed, along with condition. Those quality variations were a factor in some price falls through the young cattle, with plain quality lightweights selling to a cheaper trend. The better quality yearlings to restock and feed held reasonably firm. This trend carried through to the well finished trade cattle. Heavy grown steers sold firm to slightly dearer, while the cow market was generally firm with odd quality related price changes.

The well finished trade vealers sold from 170c to 207c/kg. Yearling steers to restock and feed sold from 143c to 177c/kg. Well finished medium and heavy yearling steers to the trade sold from 171c to 184c, while a line of B muscle heavy yearlings sold from 195c to 199c/kg. The 3 score trade yearling heifers sold from 160c to 180c/kg. An increased supply of plain quality and condition heifer yearlings sold from 90c to 143c/kg.

Heavy grown steers sold from 160c to 187c/kg depending on age and yield potential with the younger milk and two tooth steers attracting a premium. Plain condition cows sold from 70c to 114c, with restockers operating on a few PTIC lots at a premium. There was little change in the market for 3 and 4 score cows to process, with heavy 3 and 4 scores selling from 133c to 147.6c/kg. Heavy bulls topped at 168c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Vealer Steer														
0-200	RS	D	1	6	132.2	- 132.2	132.2	N/Q	-			172	- 172	172
	RS	D	2	1	148.2	- 148.2	148.2	N/Q	-			193	- 193	193
		D	2	1	156.2	- 156.2	156.2	N/Q	312	- 312	312	281	- 281	281
200-280		C	2	16	145.0	- 155.0	148.0	N/Q	279	- 298	285	357	- 406	381
	FD	C	2	6	155.0	- 155.0	155.0	-18	-			357	- 357	357
	RS	C	2	28	150.0	- 190.2	169.1	N/Q	-			375	- 533	436
280-330	RS	D	2	16	152.2	- 179.2	175.8	N/Q	-			350	- 448	404
		C	3	2	170.0	- 170.0	170.0	N/Q	327	- 327	327	527	- 527	527
	RS	C	3	1	180.0	- 180.0	180.0	N/Q	-			576	- 576	576
330+	RS	D	2	2	158.2	- 158.2	158.2	N/Q	-			459	- 459	459
		C	3	1	194.2	- 194.2	194.2	N/Q	353	- 353	353	660	- 660	660
				80	132.2	194.2	162.2		279	353	294	172	660	395
Vealer Heifer														
0-200		C	2	1	145.0	- 145.0	145.0	N/Q	279	- 279	279	261	- 261	261
		D	1	2	110.0	- 110.0	110.0	N/Q	220	- 220	220	198	- 198	198
		D	2	2	113.2	- 140.2	126.7	N/Q	226	- 280	253	181	- 252	217
200-280	RS	E	1	5	105.2	- 105.2	105.2	N/Q	-			132	- 132	132
		C	2	42	140.0	- 165.0	151.0	-8	269	- 317	290	328	- 454	399
	FD	C	2	3	150.0	- 150.0	150.0	-12	-			360	- 360	360
280-330		C	3	1	191.2	- 191.2	191.2	N/Q	354	- 354	354	535	- 535	535
	RS	D	2	11	114.2	- 138.2	129.7	N/Q	-			251	- 345	307
		D	2	1	130.0	- 130.0	130.0	N/Q	260	- 260	260	293	- 293	293
280-330	RS	C	2	1	145.2	- 145.2	145.2	N/Q	-			421	- 421	421
		C	2	7	148.2	- 155.0	150.1	-15	285	- 298	289	445	- 465	450

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
		C	3	19	170.0	- 207.0	199.5	23	327	- 376	366	522	- 677	616
				95	105.2	207.0	154.4		220	376	307	132	677	411
Yearling Steer														
0-330		C	2	4	143.2	- 154.2	147.0	N/Q	275	- 297	283	365	- 478	418
	FD	C	2	61	143.2	- 175.0	159.1	-12		-		446	- 578	501
	RS	C	2	39	150.0	- 175.0	157.1	-19		-		420	- 525	459
	RS	D	2	4	120.0	- 158.2	139.1	N/Q		-		312	- 419	366
	FD	D	2	7	120.0	- 138.0	131.2	N/Q		-		360	- 449	414
		D	2	4	130.0	- 135.2	133.9	-4	260	- 270	268	297	- 338	308
330-400		C	2	3	150.0	- 165.0	159.4	N/Q	289	- 317	307	518	- 627	569
	FD	C	2	42	148.2	- 172.2	159.3	-14		-		541	- 640	601
	RS	C	2	17	150.0	- 177.2	165.8	-1		-		518	- 673	603
		C	3	1	171.2	- 171.2	171.2	N/Q	317	- 317	317	591	- 591	591
	RS	D	2	1	155.2	- 155.2	155.2	N/Q		-		528	- 528	528
400+		B	2	20	195.2	- 199.2	197.2	N/Q	349	- 356	352	867	- 976	921
	FD	C	2	30	160.0	- 175.0	164.5	-2		-		669	- 840	711
		C	2	1	168.2	- 168.2	168.2	N/Q	312	- 312	312	774	- 774	774
		C	3	6	184.2	- 184.2	184.2	6	329	- 329	329	893	- 893	893
				240	120.0	199.2	162.1		260	356	327	297	976	583
Yearling Heifer														
0-330		C	2	43	142.2	- 156.0	147.3	5	274	- 300	283	368	- 506	418
	FD	C	2	8	135.2	- 149.2	144.1	-2		-		377	- 475	440
	RS	C	2	11	144.2	- 154.2	150.7	N/Q		-		411	- 479	446
		C	3	14	162.0	- 179.2	164.9	N/Q	306	- 338	311	462	- 561	478
	RS	D	1	11	135.2	- 135.2	135.2	N/Q		-		270	- 270	270
	RS	D	2	17	118.2	- 138.2	132.8	N/Q		-		304	- 390	331
		D	2	12	90.0	- 143.2	130.7	N/Q	180	- 286	261	279	- 423	351
330-400		C	2	16	148.0	- 158.2	152.5	N/Q	285	- 304	293	518	- 601	544
	FD	C	2	19	140.0	- 148.0	145.5	N/C		-		518	- 540	533
		C	3	51	159.2	- 181.2	170.2	19	300	- 342	320	578	- 656	605
		D	2	6	121.2	- 127.2	122.2	N/Q	242	- 254	244	448	- 483	454
400+	FD	C	2	3	143.2	- 143.2	143.2	N/Q		-		587	- 587	587
		C	3	4	160.0	- 169.2	164.6	-1	302	- 319	311	694	- 720	707
				215	90.0	181.2	151.0		180	342	297	270	720	479
Grown Steer														
0-400		C	2	1	149.2	- 149.2	149.2	N/Q	287	- 287	287	567	- 567	567
	FD	C	2	13	150.0	- 161.2	151.7	N/Q		-		548	- 645	582
	FD	D	2	6	120.0	- 140.0	130.0	N/Q		-		408	- 532	503
	RS	D	2	1	135.0	- 135.0	135.0	N/Q		-		513	- 513	513
400-500	RS	C	2	3	142.2	- 160.0	154.1	N/Q		-		597	- 768	711
	FD	C	2	38	150.0	- 170.2	162.3	N/Q		-		677	- 759	706
		C	2	5	128.0	- 168.0	153.6	N/Q	256	- 311	290	538	- 815	712
	FD	C	3	5	168.0	- 168.0	168.0	N/Q		-		815	- 815	815
		D	2	5	127.2	- 134.2	130.0	N/Q	254	- 268	260	550	- 636	602
500-600		C	2	5	167.2	- 170.0	169.4	N/Q	310	- 315	314	867	- 869	867

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
600-750		C	3	47	160.0	- 186.2	181.9	16	296	- 335	329	858	- 1089	999
	FD	C	3	3	172.2	- 172.2	172.2	9		-		913	- 913	913
	RS	D	2	6	113.2	- 113.2	113.2	N/Q		-		577	- 577	577
		B	3	4	187.2	- 187.2	187.2	N/Q	334	- 334	334	1170	- 1170	1170
		C	3	12	187.2	- 187.2	187.2	N/Q	334	- 334	334	1217	- 1217	1217
		C	4	7	178.2	- 184.2	179.9	1	329	- 330	330	1114	- 1253	1153
750+		C	3	1	170.2	- 170.2	170.2	N/Q	304	- 304	304	1302	- 1302	1302
				162	113.2	187.2	166.3		254	335	322	408	1302	848
Grown Heifer														
0-540		C	2	8	135.2	- 145.0	139.9	N/Q	265	- 279	274	575	- 689	632
	FD	C	2	13	124.2	- 135.0	134.2	N/Q		-		473	- 596	482
	FD	C	3	1	166.2	- 166.2	166.2	N/Q		-		565	- 565	565
		C	3	12	141.2	- 154.2	151.4	N/Q	272	- 295	288	623	- 817	746
		D	1	13	70.0	- 83.2	74.1	N/Q	146	- 166	152	245	- 291	263
		D	2	3	125.2	- 128.2	126.2	20	250	- 251	251	501	- 558	520
	FD	D	2	3	105.2	- 105.2	105.2	N/Q		-		400	- 400	400
	RS	D	2	1	121.2	- 121.2	121.2	N/Q		-		485	- 485	485
		D	3	7	135.2	- 143.2	140.9	N/C	265	- 281	276	568	- 695	643
540+		C	4	4	150.2	- 165.2	157.5	-7	283	- 306	294	901	- 933	916
				65	70.0	166.2	126.8		146	306	245	245	933	549
Manufacturing Steer														
0-540		C	2	4	126.2	- 126.2	126.2	N/Q	243	- 243	243	681	- 681	681
		D	2	3	116.2	- 116.2	116.2	N/Q	224	- 224	224	558	- 558	558
540+		C	3	1	166.2	- 166.2	166.2	N/Q	308	- 308	308	1138	- 1138	1138
		C	4	3	158.0	- 169.2	161.7	-2	287	- 308	294	1082	- 1083	1082
				11	116.2	169.2	136.8		224	308	257	558	1138	799
Cows														
0-400		D	1	14	70.0	- 91.2	83.8	4	175	- 217	202	252	- 347	315
	RS	D	1	5	90.2	- 90.2	90.2	2		-		361	- 361	361
		D	2	4	95.2	- 107.2	98.2	8	212	- 238	218	381	- 429	393
400-520	RS	D	1	6	100.2	- 100.2	100.2	-2		-		426	- 426	426
		D	1	2	73.2	- 73.2	73.2	N/Q	183	- 183	183	304	- 304	304
	RS	D	2	7	99.2	- 99.2	99.2	N/Q		-		417	- 417	417
		D	2	16	90.0	- 114.0	105.2	-5	200	- 253	234	378	- 536	467
		D	3	61	115.0	- 138.2	123.4	2	245	- 288	262	495	- 670	590
520+	DA	D	2	3	109.2	- 109.2	109.2	-4	243	- 243	243	710	- 710	710
		D	3	23	133.2	- 138.2	136.0	13	272	- 288	283	706	- 817	764
	DA	D	3	3	116.2	- 116.2	116.2	-9	247	- 247	247	697	- 697	697
		D	4	41	133.2	- 147.6	139.1	4	276	- 295	283	706	- 997	816
		D	5	4	132.2	- 132.2	132.2	N/Q	275	- 275	275	767	- 767	767
				189	70.0	147.6	120.1		175	295	260	252	997	612
Bulls														
0-450		C	2	3	111.2	- 145.0	122.5	-21	214	- 269	232	473	- 508	484
450-600		C	2	1	125.0	- 125.0	125.0	N/Q	232	- 232	232	656	- 656	656
		D	2	1	85.2	- 85.2	85.2	N/Q	170	- 170	170	490	- 490	490

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
600+		B	2	1	168.0	- 168.0	168.0	N/Q	290	- 290	290	1411	- 1411	1411
		C	2	24	100.0	- 150.0	138.9	23	185	- 268	252	800	- 1523	1124
		D	1	1	90.0	- 90.0	90.0	N/Q	180	- 180	180	689	- 689	689
				31	85.2	168.0	134.5		170	290	246	473	1523	1022

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2013. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.