

## Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

### Dubbo

report date 24 Oct 2013

Yarding Change 5550  
-2190

comparison date 17/10/2013

It was a mixed quality yarding with some good runs of well finished trade cattle and grown steers throughout along with good numbers of cows, however there was a larger presence of plainer conditioned cattle from the Far West. Not all the regular buyers were in attendance with the absence of some Southern export operators.

Trade cattle were 2c to 6c cheaper with vealers selling to 193c/kg. The C3 yearling steers sold from 145c to 192c, with B muscle yearlings steers selling to 203c/kg. Prime yearling heifers sold from 120c to 182c/kg. Light weight feeder steers were up to 12c cheaper, while the heavier weights were back 2c to 6c/kg. The better quality lines sold from 124c to 175c/kg.

Grown steers were 9c to 12c cheaper, with C3 and C4 medium and heavy weights selling from 132c to 185c and the 4 score heavy weights averaging 176c/kg. Grown heifers were also cheaper, selling to 166c/kg. Cows were 1c to 4c cheaper, with 2 score cows selling from 80c to 114c/kg. Southern restockers were active on suitable lines, paying from 80c to 114.2c/kg. The D3 and D4 medium and heavy weight cows sold from 104c to 140c, with C muscle cows selling to 150c/kg. The best bull sold for 172c/kg.

| Category Weight      | Sale Prefix | Muscle Score | Fat Score | Head       | Live Weight c/kg |              |              |        | Estimated Carcase Weight c/kg |            |            | Estimated \$/Head |            |            |
|----------------------|-------------|--------------|-----------|------------|------------------|--------------|--------------|--------|-------------------------------|------------|------------|-------------------|------------|------------|
|                      |             |              |           |            | Low              | High         | Avg          | Change | Low                           | High       | Avg        | Low               | High       | Avg        |
| <b>Calves</b>        |             |              |           |            |                  |              |              |        |                               |            |            |                   |            |            |
| 0-80                 |             | C            | 2         | 2          | 150.0            | - 150.0      | 150.0        | N/Q    | 283                           | - 283      | 283        | 98                | - 98       | 98         |
|                      |             | RS           | D         | 2          | 6                | 148.0        | - 148.0      | 148.0  | N/Q                           | -          | -          | 74                | - 74       | 74         |
| 80+                  |             | C            | 2         | 10         | 100.0            | - 140.0      | 136.0        | 16     | 189                           | - 269      | 261        | 120               | - 154      | 151        |
|                      |             | RS           | C         | 2          | 28               | 120.0        | - 156.0      | 138.6  | -8                            | -          | -          | 124               | - 226      | 149        |
|                      |             | RS           | D         | 2          | 12               | 120.0        | - 120.0      | 120.0  | N/Q                           | -          | -          | 114               | - 114      | 114        |
|                      |             |              |           | <b>58</b>  | <b>100.0</b>     | <b>156.0</b> | <b>135.7</b> |        | <b>189</b>                    | <b>283</b> | <b>265</b> | <b>74</b>         | <b>226</b> | <b>132</b> |
| <b>Vealer Steer</b>  |             |              |           |            |                  |              |              |        |                               |            |            |                   |            |            |
| 0-200                | RS          | D            | 3         | 17         | 120.0            | - 120.0      | 120.0        | N/Q    | -                             | -          | 234        | - 234             | 234        |            |
| 200-280              | RS          | C            | 2         | 63         | 110.0            | - 150.6      | 134.5        | -38    | -                             | -          | 248        | - 369             | 322        |            |
| 280-330              | RS          | C            | 2         | 15         | 140.0            | - 160.0      | 150.7        | 3      | -                             | -          | 399        | - 456             | 429        |            |
|                      |             | C            | 2         | 6          | 155.2            | - 155.2      | 155.2        | 5      | 287                           | - 287      | 287        | 442               | - 442      | 442        |
|                      |             | FD           | C         | 2          | 37               | 140.0        | - 160.2      | 146.1  | 10                            | -          | -          | 399               | - 521      | 437        |
| 330+                 |             | C            | 3         | 3          | 183.2            | - 183.2      | 183.2        | N/Q    | 333                           | - 333      | 333        | 595               | - 595      | 595        |
|                      |             | C            | 2         | 3          | 130.0            | - 156.0      | 138.7        | N/Q    | 236                           | - 284      | 252        | 501               | - 569      | 523        |
|                      |             | FD           | C         | 3          | 2                | 168.0        | - 168.0      | 168.0  | N/Q                           | -          | -          | 596               | - 596      | 596        |
|                      |             | C            | 3         | 43         | 154.2            | - 193.2      | 173.9        | -33    | 275                           | - 351      | 316        | 584               | - 751      | 641        |
|                      |             |              |           | <b>189</b> | <b>110.0</b>     | <b>193.2</b> | <b>147.6</b> |        | <b>236</b>                    | <b>351</b> | <b>310</b> | <b>234</b>        | <b>751</b> | <b>432</b> |
| <b>Vealer Heifer</b> |             |              |           |            |                  |              |              |        |                               |            |            |                   |            |            |
| 0-200                | RS          | C            | 2         | 8          | 110.0            | - 110.0      | 110.0        | N/Q    | -                             | -          | 204        | - 204             | 204        |            |
|                      |             | RS           | D         | 3          | 2                | 118.2        | - 118.2      | 118.2  | N/Q                           | -          | -          | 219               | - 219      | 219        |
| 200-280              | RS          | C            | 2         | 18         | 100.0            | - 134.0      | 113.2        | N/Q    | -                             | -          | 255        | - 369             | 299        |            |
|                      |             | C            | 2         | 77         | 135.0            | - 157.2      | 143.2        | N/Q    | 250                           | - 297      | 270        | 290               | - 401      | 337        |
|                      |             | FD           | C         | 2          | 7                | 109.2        | - 135.0      | 123.9  | -13                           | -          | -          | 268               | - 304      | 288        |
|                      |             | C            | 3         | 18         | 154.2            | - 189.2      | 171.7        | N/Q    | 286                           | - 350      | 318        | 409               | - 501      | 455        |
|                      |             | D            | 2         | 6          | 90.0             | - 90.0       | 90.0         | N/Q    | 170                           | - 170      | 170        | 203               | - 203      | 203        |
|                      | RS          | D            | 3         | 15         | 112.0            | - 112.0      | 112.0        | N/Q    | -                             | -          | 263        | - 263             | 263        |            |

| Category Weight        | Sale Prefix | Muscle Score | Fat Score | Head        | Live Weight c/kg |              |              |        | Estimated Carcase Weight c/kg |            |            | Estimated \$/Head |            |            |     |
|------------------------|-------------|--------------|-----------|-------------|------------------|--------------|--------------|--------|-------------------------------|------------|------------|-------------------|------------|------------|-----|
|                        |             |              |           |             | Low              | High         | Avg          | Change | Low                           | High       | Avg        | Low               | High       | Avg        |     |
| 280-330                |             | D            | 3         | 6           | 110.0            | - 110.0      | 110.0        | N/Q    | 204                           | - 204      | 204        | 237               | - 237      | 237        |     |
|                        |             | C            | 2         | 5           | 135.6            | - 135.6      | 135.6        | -2     | 251                           | - 251      | 251        | 441               | - 441      | 441        |     |
|                        |             | C            | 3         | 16          | 130.0            | - 163.6      | 153.5        | 9      | 245                           | - 303      | 285        | 423               | - 504      | 458        |     |
| 330+                   | FD          | C            | 2         | 4           | 124.2            | - 124.2      | 124.2        | N/Q    | -                             | -          | -          | 422               | - 422      | 422        |     |
|                        |             | C            | 3         | 29          | 140.0            | - 170.6      | 148.7        | -23    | 259                           | - 316      | 275        | 483               | - 589      | 528        |     |
|                        |             |              |           | <b>211</b>  | <b>90.0</b>      | <b>189.2</b> | <b>137.3</b> |        | <b>170</b>                    | <b>350</b> | <b>271</b> | <b>203</b>        | <b>589</b> | <b>364</b> |     |
| <b>Yearling Steer</b>  |             |              |           |             |                  |              |              |        |                               |            |            |                   |            |            |     |
| 0-330                  |             | B            | 2         | 5           | 194.2            | - 194.2      | 194.2        | N/Q    | 360                           | - 360      | 360        | 631               | - 631      | 631        |     |
|                        |             | C            | 2         | 36          | 118.2            | - 165.0      | 132.9        | 15     | 227                           | - 308      | 253        | 301               | - 536      | 350        |     |
|                        |             | RS           | C         | 2           | 206              | 118.2        | - 156.2      | 135.9  | -12                           | -          | -          | 233               | - 403      | 300        |     |
|                        |             | FD           | C         | 2           | 168              | 140.0        | - 168.2      | 155.3  | -14                           | -          | -          | 422               | - 498      | 471        |     |
|                        |             | FD           | D         | 3           | 24               | 110.0        | - 110.0      | 110.0  | -23                           | -          | -          | 314               | - 314      | 314        |     |
| 330-400                |             | B            | 2         | 4           | 203.2            | - 203.2      | 203.2        | N/Q    | 363                           | - 363      | 363        | 803               | - 803      | 803        |     |
|                        |             | C            | 2         | 1           | 125.0            | - 125.0      | 125.0        | N/Q    | 232                           | - 232      | 232        | 444               | - 444      | 444        |     |
|                        |             | FD           | C         | 2           | 177              | 130.0        | - 170.2      | 156.2  | 2                             | -          | -          | 462               | - 638      | 566        |     |
|                        |             | RS           | C         | 2           | 29               | 144.2        | - 144.2      | 144.2  | 1                             | -          | -          | 555               | - 555      | 555        |     |
|                        |             | FD           | C         | 3           | 87               | 158.2        | - 175.2      | 164.0  | -6                            | -          | -          | 561               | - 641      | 610        |     |
|                        |             |              | C         | 3           | 45               | 155.0        | - 191.6      | 170.2  | 1                             | 282        | - 348      | 310               | 552        | - 728      | 632 |
|                        |             | FD           | D         | 2           | 11               | 124.2        | - 124.2      | 124.2  | N/Q                           | -          | -          | 472               | - 472      | 472        |     |
|                        |             | FD           | D         | 3           | 3                | 131.2        | - 131.2      | 131.2  | 3                             | -          | -          | 512               | - 512      | 512        |     |
| 400+                   |             | B            | 2         | 3           | 201.0            | - 201.0      | 201.0        | 20     | 366                           | - 366      | 366        | 854               | - 854      | 854        |     |
|                        |             | FD           | C         | 2           | 75               | 135.0        | - 169.2      | 161.6  | -4                            | -          | -          | 554               | - 736      | 689        |     |
|                        |             | FD           | C         | 3           | 190              | 140.0        | - 167.2      | 160.1  | -1                            | -          | -          | 596               | - 769      | 697        |     |
|                        |             |              | C         | 3           | 180              | 145.0        | - 184.2      | 171.6  | -2                            | 264        | - 331      | 310               | 616        | - 902      | 782 |
|                        |             | FD           | D         | 3           | 11               | 124.2        | - 124.2      | 124.2  | N/Q                           | -          | -          | 528               | - 528      | 528        |     |
|                        |             |              |           | <b>1255</b> | <b>110.0</b>     | <b>203.2</b> | <b>154.8</b> |        | <b>227</b>                    | <b>366</b> | <b>304</b> | <b>233</b>        | <b>902</b> | <b>562</b> |     |
| <b>Yearling Heifer</b> |             |              |           |             |                  |              |              |        |                               |            |            |                   |            |            |     |
| 0-330                  | FD          | C            | 2         | 43          | 110.0            | - 127.0      | 118.5        | -14    | -                             | -          | 270        | - 413             | 357        |            |     |
|                        |             | RS           | C         | 2           | 87               | 120.2        | - 135.2      | 126.5  | -8                            | -          | -          | 271               | - 385      | 296        |     |
|                        |             | C            | 2         | 126         | 100.0            | - 137.2      | 113.9        | -9     | 192                           | - 254      | 217        | 255               | - 391      | 303        |     |
|                        |             | C            | 3         | 7           | 145.0            | - 155.0      | 150.2        | 1      | 269                           | - 287      | 278        | 437               | - 504      | 471        |     |
|                        | FD          | C            | 3         | 16          | 138.6            | - 138.6      | 138.6        | N/Q    | -                             | -          | 457        | - 457             | 457        |            |     |
|                        | FD          | D            | 3         | 11          | 80.0             | - 80.0       | 80.0         | -30    | -                             | -          | 188        | - 188             | 188        |            |     |
|                        |             | D            | 3         | 8           | 105.2            | - 105.2      | 105.2        | N/Q    | 199                           | - 199      | 199        | 268               | - 268      | 268        |     |
|                        |             | RS           | D         | 3           | 12               | 100.0        | - 100.0      | 100.0  | N/Q                           | -          | -          | 255               | - 255      | 255        |     |
| 330-400                | FD          | C            | 2         | 27          | 133.2            | - 140.0      | 138.7        | 4      | -                             | -          | 460        | - 511             | 501        |            |     |
|                        | RS          | C            | 2         | 6           | 133.0            | - 133.0      | 133.0        | 12     | -                             | -          | 485        | - 485             | 485        |            |     |
|                        |             | C            | 2         | 7           | 120.0            | - 136.2      | 133.2        | 6      | 222                           | - 250      | 245        | 453               | - 531      | 466        |     |
|                        |             | C            | 3         | 217         | 120.0            | - 182.2      | 143.5        | -6     | 226                           | - 331      | 265        | 426               | - 665      | 540        |     |
|                        | FD          | C            | 3         | 71          | 120.0            | - 148.2      | 138.6        | 2      | -                             | -          | 462        | - 578             | 508        |            |     |
|                        | FD          | D            | 2         | 11          | 80.0             | - 80.0       | 80.0         | -22    | -                             | -          | 284        | - 284             | 284        |            |     |
|                        | FD          | D            | 3         | 5           | 107.2            | - 107.2      | 107.2        | -4     | -                             | -          | 423        | - 423             | 423        |            |     |
| 400+                   |             | D            | 3         | 20          | 115.0            | - 133.2      | 132.3        | 16     | 217                           | - 247      | 245        | 443               | - 446      | 446        |     |
|                        | FD          | C            | 3         | 20          | 135.2            | - 148.0      | 146.1        | 1      | -                             | -          | 575        | - 629             | 621        |            |     |
|                        |             | C            | 3         | 193         | 135.0            | - 167.2      | 148.0        | -1     | 250                           | - 310      | 273        | 559               | - 811      | 664        |     |

| Category Weight            | Sale Prefix | Muscle Score | Fat Score | Head       | Live Weight c/kg |              |              |        | Estimated Carcase Weight c/kg |            |            | Estimated \$/Head |             |            |
|----------------------------|-------------|--------------|-----------|------------|------------------|--------------|--------------|--------|-------------------------------|------------|------------|-------------------|-------------|------------|
|                            |             |              |           |            | Low              | High         | Avg          | Change | Low                           | High       | Avg        | Low               | High        | Avg        |
|                            |             | D            | 3         | 18         | 110.0            | - 120.0      | 118.3        | N/Q    | 212                           | - 226      | 224        | 479               | - 510       | 505        |
|                            |             |              |           | <b>905</b> | <b>80.0</b>      | <b>182.2</b> | <b>133.5</b> |        | <b>192</b>                    | <b>331</b> | <b>254</b> | <b>188</b>        | <b>811</b>  | <b>479</b> |
| <b>Grown Steer</b>         |             |              |           |            |                  |              |              |        |                               |            |            |                   |             |            |
| 0-400                      | FD          | C            | 2         | 11         | 138.2            | - 147.2      | 142.3        | N/Q    | -                             | -          | -          | 504               | - 567       | 533        |
|                            | FD          | C            | 3         | 9          | 165.0            | - 165.0      | 165.0        | N/Q    | -                             | -          | -          | 635               | - 635       | 635        |
|                            | RS          | D            | 3         | 11         | 100.0            | - 100.0      | 100.0        | N/Q    | -                             | -          | -          | 355               | - 355       | 355        |
|                            |             | D            | 3         | 23         | 116.2            | - 116.2      | 116.2        | 6      | 219                           | - 219      | 219        | 424               | - 424       | 424        |
| 400-500                    |             | C            | 2         | 35         | 130.0            | - 155.0      | 148.6        | 9      | 241                           | - 293      | 280        | 592               | - 721       | 674        |
|                            | RS          | C            | 2         | 19         | 110.0            | - 120.0      | 113.7        | N/Q    | -                             | -          | -          | 479               | - 510       | 490        |
|                            | FD          | C            | 2         | 19         | 133.0            | - 160.0      | 145.3        | -12    | -                             | -          | -          | 552               | - 680       | 640        |
|                            | FD          | C            | 3         | 52         | 141.2            | - 148.6      | 147.2        | -11    | -                             | -          | -          | 632               | - 731       | 668        |
|                            |             | C            | 3         | 175        | 132.2            | - 175.0      | 155.7        | -15    | 245                           | - 319      | 290        | 648               | - 834       | 743        |
|                            |             | C            | 4         | 2          | 174.0            | - 174.0      | 174.0        | N/Q    | 311                           | - 311      | 311        | 861               | - 861       | 861        |
| 500-600                    |             | C            | 2         | 31         | 130.0            | - 135.0      | 132.9        | N/Q    | 241                           | - 255      | 249        | 663               | - 709       | 690        |
|                            |             | C            | 3         | 91         | 140.0            | - 166.2      | 154.7        | -13    | 259                           | - 306      | 286        | 735               | - 873       | 809        |
|                            | FD          | C            | 3         | 32         | 158.2            | - 164.2      | 161.2        | -10    | -                             | -          | -          | 799               | - 862       | 830        |
|                            |             | C            | 4         | 255        | 153.6            | - 184.6      | 176.0        | -9     | 274                           | - 330      | 315        | 799               | - 1078      | 994        |
| 600-750                    |             | C            | 4         | 17         | 160.0            | - 173.2      | 168.9        | -10    | 286                           | - 309      | 303        | 1053              | - 1215      | 1117       |
|                            |             |              |           | <b>782</b> | <b>100.0</b>     | <b>184.6</b> | <b>157.7</b> |        | <b>219</b>                    | <b>330</b> | <b>295</b> | <b>355</b>        | <b>1215</b> | <b>806</b> |
| <b>Grown Heifer</b>        |             |              |           |            |                  |              |              |        |                               |            |            |                   |             |            |
| 0-540                      | FD          | C            | 3         | 19         | 143.6            | - 143.6      | 143.6        | 13     | -                             | -          | -          | 696               | - 696       | 696        |
|                            |             | C            | 3         | 102        | 120.0            | - 163.2      | 136.7        | -10    | 222                           | - 302      | 254        | 479               | - 792       | 623        |
|                            |             | C            | 4         | 101        | 130.2            | - 166.2      | 146.8        | -11    | 246                           | - 302      | 271        | 566               | - 848       | 719        |
|                            |             | D            | 2         | 1          | 90.0             | - 90.0       | 90.0         | N/Q    | 173                           | - 173      | 173        | 383               | - 383       | 383        |
|                            | FD          | D            | 3         | 8          | 127.2            | - 127.2      | 127.2        | 9      | -                             | -          | -          | 541               | - 541       | 541        |
|                            |             | D            | 3         | 53         | 113.2            | - 136.0      | 126.0        | -8     | 214                           | - 272      | 246        | 391               | - 655       | 550        |
|                            |             | D            | 4         | 4          | 136.2            | - 136.2      | 136.2        | N/Q    | 257                           | - 257      | 257        | 661               | - 661       | 661        |
| 540+                       |             | C            | 4         | 5          | 150.0            | - 160.0      | 152.0        | -6     | 278                           | - 291      | 280        | 878               | - 936       | 889        |
|                            |             |              |           | <b>293</b> | <b>90.0</b>      | <b>166.2</b> | <b>138.5</b> |        | <b>173</b>                    | <b>302</b> | <b>259</b> | <b>383</b>        | <b>936</b>  | <b>650</b> |
| <b>Manufacturing Steer</b> |             |              |           |            |                  |              |              |        |                               |            |            |                   |             |            |
| 0-540                      |             | D            | 2         | 15         | 112.0            | - 112.0      | 112.0        | N/Q    | 224                           | - 224      | 224        | 554               | - 554       | 554        |
|                            | FD          | D            | 3         | 12         | 118.0            | - 118.0      | 118.0        | N/Q    | -                             | -          | -          | 584               | - 584       | 584        |
|                            |             | D            | 4         | 1          | 130.0            | - 130.0      | 130.0        | N/Q    | 241                           | - 241      | 241        | 644               | - 644       | 644        |
| 540+                       |             | D            | 3         | 17         | 112.0            | - 120.0      | 113.4        | -4     | 211                           | - 231      | 215        | 610               | - 702       | 627        |
|                            |             | D            | 4         | 16         | 130.0            | - 130.0      | 130.0        | N/Q    | 245                           | - 245      | 245        | 1021              | - 1021      | 1021       |
|                            |             |              |           | <b>61</b>  | <b>112.0</b>     | <b>130.0</b> | <b>118.6</b> |        | <b>211</b>                    | <b>245</b> | <b>228</b> | <b>554</b>        | <b>1021</b> | <b>704</b> |
| <b>Cows</b>                |             |              |           |            |                  |              |              |        |                               |            |            |                   |             |            |
| 0-400                      | RS          | D            | 2         | 81         | 80.0             | - 97.2       | 93.3         | 25     | -                             | -          | -          | 230               | - 384       | 318        |
|                            |             | D            | 2         | 55         | 85.0             | - 115.0      | 96.9         | -20    | 193                           | - 261      | 220        | 163               | - 415       | 337        |
| 400-520                    |             | D            | 2         | 66         | 80.0             | - 114.2      | 106.8        | -6     | 182                           | - 260      | 242        | 340               | - 534       | 460        |
|                            | RS          | D            | 2         | 34         | 100.0            | - 114.2      | 111.7        | 7      | -                             | -          | -          | 475               | - 520       | 512        |
|                            |             | D            | 3         | 478        | 105.0            | - 132.0      | 121.0        | -4     | 223                           | - 287      | 260        | 446               | - 644       | 570        |
|                            |             | D            | 4         | 7          | 125.2            | - 128.6      | 127.1        | -7     | 252                           | - 256      | 254        | 595               | - 624       | 611        |
| 520+                       |             | C            | 3         | 1          | 150.2            | - 150.2      | 150.2        | N/Q    | 289                           | - 289      | 289        | 879               | - 879       | 879        |
|                            |             | D            | 3         | 52         | 124.2            | - 128.0      | 124.9        | -1     | 264                           | - 272      | 266        | 652               | - 672       | 656        |

| Category Weight | Sale Prefix | Muscle Score | Fat Score | Head        | Live Weight c/kg |              |              |        | Estimated Carcase Weight c/kg |            |            | Estimated \$/Head |             |            |
|-----------------|-------------|--------------|-----------|-------------|------------------|--------------|--------------|--------|-------------------------------|------------|------------|-------------------|-------------|------------|
|                 |             |              |           |             | Low              | High         | Avg          | Change | Low                           | High       | Avg        | Low               | High        | Avg        |
|                 |             | D            | 4         | 298         | 130.0            | - 140.0      | 135.3        | -1     | 254                           | - 282      | 270        | 693               | - 875       | 767        |
|                 |             | D            | 5         | 12          | 123.2            | - 123.2      | 123.2        | -14    | 242                           | - 242      | 242        | 696               | - 696       | 696        |
|                 |             |              |           | <b>1084</b> | <b>80.0</b>      | <b>150.2</b> | <b>120.8</b> |        | <b>182</b>                    | <b>289</b> | <b>259</b> | <b>163</b>        | <b>879</b>  | <b>591</b> |
| <b>Bulls</b>    |             |              |           |             |                  |              |              |        |                               |            |            |                   |             |            |
| 0-450           |             | C            | 2         | 23          | 122.2            | - 124.0      | 122.5        | N/Q    | 230                           | - 231      | 230        | 470               | - 477       | 472        |
|                 | FD          | C            | 3         | 3           | 161.2            | - 161.2      | 161.2        | N/Q    |                               | -          |            | 685               | - 685       | 685        |
| 600+            |             | B            | 2         | 7           | 152.0            | - 172.2      | 160.0        | N/C    | 282                           | - 302      | 287        | 1036              | - 1696      | 1367       |
|                 |             | C            | 2         | 46          | 126.2            | - 162.2      | 142.0        | -13    | 238                           | - 300      | 265        | 820               | - 1387      | 983        |
|                 |             | C            | 3         | 37          | 152.0            | - 164.6      | 159.5        | 5      | 276                           | - 300      | 291        | 1111              | - 1630      | 1275       |
|                 |             | D            | 3         | 1           | 145.2            | - 145.2      | 145.2        | N/Q    | 274                           | - 274      | 274        | 1096              | - 1096      | 1096       |
|                 |             |              |           | <b>117</b>  | <b>122.2</b>     | <b>172.2</b> | <b>145.3</b> |        | <b>230</b>                    | <b>302</b> | <b>268</b> | <b>470</b>        | <b>1696</b> | <b>991</b> |

#### Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

#### Disclaimer:

© MLA 2013. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.