

## Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

### Dubbo

report date 31 Oct 2013

Yarding Change  $\frac{6250}{700}$

comparison date 24/10/2013

Numbers were again high for a mixed quality yarding consisting of good numbers of prime conditioned cattle throughout. There were also the expected numbers of plainer types due to the continuing dry conditions. All the regular buyers were in attendance and operating in a solid market.

Trade cattle to the processors were 3c to 7c dearer with vealers selling to 209c/kg. The C3 yearling steers sold from 152c to 200c while the prime heifer yearlings sold from 130c to 173c/kg. Young feeder cattle were 5c dearer and more in places with the better quality young steers selling from 145c to 173c while the feeder heifers sold from 115c to 155c/kg.

Grown steers were 2c to 4c dearer with the C3 and C4s selling from 153c to 186c with the prime medium weights averaging 177c/kg. Grown heifers were also dearer selling to 173c/kg. Plain condition cows were up to 5c cheaper while the better finished cows were firm to 2c/kg easier. The 2 score cows sold from 55c to 110c/kg with solid activity coming from Southern restockers. The better 3 and 4 score medium and heavy weight cows sold from 105c to 140c with the 4 score heavy weights averaging 134c/kg. The best bull sold for 168c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
<b>Calves</b>														
0-80		C	2	9	115.2	- 120.0	118.4	-32	222	- 231	228	66	- 75	69
	RS	C	2	17	176.0	- 176.0	176.0	N/Q	-	-	-	132	- 132	132
	RS	D	2	10	100.0	- 137.2	118.6	-29	-	-	-	65	- 75	70
80+	RS	C	2	47	100.0	- 169.2	149.4	11	-	-	-	95	- 268	208
		C	2	21	109.8	- 148.2	134.6	-1	207	- 285	254	137	- 245	195
				<b>104</b>	<b>100.0</b>	<b>176.0</b>	<b>145.1</b>		<b>207</b>	<b>285</b>	<b>246</b>	<b>65</b>	<b>268</b>	<b>168</b>
<b>Vealer Steer</b>														
0-200	RS	C	2	5	129.6	- 172.2	163.7	N/Q	-	-	-	240	- 319	303
200-280	RS	C	2	28	141.6	- 147.2	145.1	11	-	-	-	331	- 377	336
		C	2	8	143.2	- 143.2	143.2	N/Q	270	- 270	270	379	- 379	379
	FD	D	3	9	129.2	- 129.2	129.2	N/Q	-	-	-	342	- 342	342
280-330	FD	C	2	18	154.2	- 154.2	154.2	8	-	-	-	501	- 501	501
	RS	C	2	64	160.2	- 173.2	163.7	13	-	-	-	462	- 563	487
		C	3	7	160.0	- 170.0	162.9	-20	291	- 309	296	520	- 553	529
	RS	C	3	5	157.2	- 157.2	157.2	N/Q	-	-	-	511	- 511	511
		D	3	14	141.6	- 141.6	141.6	N/Q	267	- 267	267	404	- 404	404
330+	FD	C	2	4	157.2	- 157.2	157.2	N/Q	-	-	-	574	- 574	574
		C	2	8	150.2	- 152.0	150.4	12	278	- 282	279	518	- 555	523
		C	3	39	141.2	- 198.2	162.0	-12	262	- 354	297	487	- 704	581
	RS	C	3	7	162.6	- 162.6	162.6	N/Q	-	-	-	561	- 561	561
				<b>216</b>	<b>129.2</b>	<b>198.2</b>	<b>155.7</b>		<b>262</b>	<b>354</b>	<b>287</b>	<b>240</b>	<b>704</b>	<b>473</b>
<b>Vealer Heifer</b>														
0-200		D	2	5	120.0	- 120.0	120.0	N/Q	226	- 226	226	198	- 198	198
	RS	D	3	4	126.6	- 129.2	127.9	10	-	-	-	234	- 245	240
200-280		C	2	43	132.6	- 157.2	147.0	4	250	- 297	277	333	- 432	379
		C	3	29	142.0	- 150.0	148.6	-23	268	- 283	280	391	- 398	396

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
	RS	D	3	3	100.0	- 100.0	100.0	-12	-			245	- 245	245
	FD	D	3	13	123.2	- 123.2	123.2	N/Q	-			290	- 290	290
		D	3	9	143.2	- 143.2	143.2	33	270	- 270	270	394	- 394	394
280-330		C	2	28	141.6	- 147.6	145.9	10	267	- 279	275	404	- 480	458
		C	3	18	154.2	- 170.0	160.2	7	286	- 315	297	439	- 553	490
	FD	C	3	17	144.2	- 144.2	144.2	N/Q	-			469	- 469	469
330+		C	2	23	138.2	- 150.0	142.8	N/Q	256	- 278	265	491	- 518	501
		C	3	5	146.2	- 209.2	161.6	13	266	- 374	294	552	- 764	601
				<b>197</b>	<b>100.0</b>	<b>209.2</b>	<b>144.4</b>		<b>226</b>	<b>374</b>	<b>276</b>	<b>198</b>	<b>764</b>	<b>416</b>
<b>Yearling Steer</b>														
0-330		C	2	2	131.2	- 131.2	131.2	N/Q	248	- 248	248	426	- 426	426
	RS	C	2	201	147.2	- 178.4	161.8	26	-			387	- 509	450
	FD	C	2	147	138.0	- 163.2	151.6	-4	-			397	- 508	454
	FD	D	3	1	136.2	- 136.2	136.2	N/Q	-			443	- 443	443
		D	3	18	135.0	- 135.0	135.0	N/Q	250	- 250	250	439	- 439	439
330-400		C	2	9	139.2	- 139.2	139.2	14	258	- 258	258	508	- 508	508
	FD	C	2	303	145.0	- 166.2	159.2	3	-			500	- 649	600
	RS	C	2	44	167.2	- 167.2	167.2	23	-			644	- 644	644
		C	3	88	152.2	- 199.6	164.6	-6	279	- 363	299	525	- 729	620
	FD	C	3	148	153.2	- 176.2	161.2	-3	-			559	- 696	616
		D	3	8	134.2	- 136.2	135.5	N/Q	252	- 253	253	484	- 517	496
	RS	D	3	12	115.0	- 115.0	115.0	N/Q	-			408	- 408	408
400+		B	2	1	180.0	- 180.0	180.0	N/Q	321	- 321	321	855	- 855	855
	FD	C	2	60	140.0	- 163.2	160.1	-2	-			609	- 694	671
	FD	C	3	199	155.0	- 188.0	165.2	5	-			680	- 912	728
		C	3	162	153.2	- 188.6	174.7	3	279	- 337	317	651	- 903	800
	FD	D	3	3	120.0	- 120.0	120.0	-4	-			510	- 510	510
				<b>1406</b>	<b>115.0</b>	<b>199.6</b>	<b>161.2</b>		<b>248</b>	<b>363</b>	<b>303</b>	<b>387</b>	<b>912</b>	<b>607</b>
<b>Yearling Heifer</b>														
0-330		C	2	25	120.0	- 132.6	128.4	15	226	- 250	241	354	- 391	376
	FD	C	2	61	114.2	- 149.2	135.5	17	-			303	- 492	376
	RS	C	2	39	136.2	- 138.0	136.9	10	-			283	- 334	313
	FD	C	3	2	140.2	- 140.2	140.2	N/Q	-			400	- 400	400
	FD	D	3	8	121.6	- 121.6	121.6	42	-			322	- 322	322
330-400	FD	C	2	49	132.2	- 152.0	143.1	4	-			456	- 562	527
	FD	C	3	93	130.0	- 155.2	142.6	4	-			449	- 601	532
		C	3	119	130.2	- 170.0	150.9	7	246	- 315	278	449	- 655	566
		D	3	31	115.2	- 115.2	115.2	-17	222	- 222	222	397	- 397	397
	FD	D	3	4	120.0	- 120.0	120.0	13	-			426	- 426	426
400+	FD	C	3	105	138.2	- 154.2	150.3	4	-			587	- 748	676
		C	3	215	134.2	- 173.2	149.4	1	249	- 315	276	570	- 855	665
				<b>751</b>	<b>114.2</b>	<b>173.2</b>	<b>144.1</b>		<b>222</b>	<b>315</b>	<b>270</b>	<b>283</b>	<b>855</b>	<b>557</b>
<b>Grown Steer</b>														
400-500	FD	C	2	143	158.2	- 165.2	162.5	17	-			680	- 752	704
	FD	C	3	92	156.2	- 169.6	164.3	17	-			664	- 828	770

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
500-600	FD	C	3	39	155.0	- 165.0	160.5	5	287	- 306	298	705	- 795	767
		C	4	12	172.0	- 172.0	172.0	-2	319	- 319	319	851	- 851	851
		D	3	5	130.0	- 130.0	130.0	N/Q	241	- 241	241	618	- 618	618
		C	3	24	145.0	- 165.2	157.7	-4	-	-	-	825	- 867	855
		C	3	211	153.6	- 172.0	159.5	5	287	- 315	296	776	- 961	863
		C	4	160	165.2	- 186.0	176.7	1	296	- 333	319	888	- 1074	1000
600-750	FD	C	4	65	166.2	- 169.2	167.0	N/Q	-	-	888	- 922	913	
750+		C	4	104	160.0	- 177.2	170.7	2	291	- 322	312	1000	- 1130	1079
		C	3	2	166.6	- 166.6	166.6	N/Q	298	- 298	298	1308	- 1308	1308
				<b>857</b>	<b>130.0</b>	<b>186.0</b>	<b>165.7</b>		<b>241</b>	<b>333</b>	<b>306</b>	<b>618</b>	<b>1308</b>	<b>877</b>
<b>Grown Heifer</b>														
0-540	FD	C	3	9	141.2	- 141.2	141.2	-2	-	-	685	- 685	685	
		C	3	71	131.2	- 150.6	145.1	8	245	- 279	270	509	- 761	664
		C	4	95	140.0	- 173.2	152.1	5	259	- 321	279	637	- 927	755
		D	3	15	118.0	- 134.2	130.3	4	226	- 253	246	582	- 584	583
540+		C	3	14	142.0	- 148.0	145.2	N/Q	263	- 274	271	805	- 836	817
		C	4	12	150.0	- 160.0	151.7	N/C	278	- 291	280	818	- 904	834
				<b>216</b>	<b>118.0</b>	<b>173.2</b>	<b>147.4</b>		<b>226</b>	<b>321</b>	<b>273</b>	<b>509</b>	<b>927</b>	<b>719</b>
<b>Manufacturing Steer</b>														
0-540	RS	D	1	19	80.0	- 80.0	80.0	N/Q	-	-	176	- 176	176	
540+		D	3	3	152.0	- 152.0	152.0	39	292	- 292	292	1406	- 1406	1406
				<b>22</b>	<b>80.0</b>	<b>152.0</b>	<b>89.8</b>		<b>292</b>	<b>292</b>	<b>292</b>	<b>176</b>	<b>1406</b>	<b>344</b>
<b>Cows</b>														
0-400		D	2	38	55.0	- 84.2	72.5	-24	125	- 191	168	217	- 325	286
	RS	D	2	59	56.2	- 110.0	71.1	-22	-	-	216	- 424	274	
400-520	RS	D	2	45	67.2	- 94.2	82.8	-29	-	-	272	- 429	355	
		D	2	141	90.0	- 105.2	98.7	-8	205	- 239	225	374	- 458	421
		D	3	614	105.0	- 128.0	118.1	-3	223	- 272	253	446	- 633	552
		D	4	48	133.2	- 136.2	133.7	7	272	- 272	272	661	- 686	682
520+		D	3	77	120.0	- 134.0	125.3	N/C	255	- 272	265	630	- 725	675
		D	4	528	128.0	- 140.0	133.7	-2	251	- 276	264	683	- 844	756
		D	5	6	126.0	- 134.0	132.7	9	242	- 258	255	863	- 918	909
				<b>1556</b>	<b>55.0</b>	<b>140.0</b>	<b>118.6</b>		<b>125</b>	<b>276</b>	<b>253</b>	<b>216</b>	<b>918</b>	<b>598</b>
<b>Bulls</b>														
0-450	RS	C	2	29	126.6	- 126.6	126.6	N/Q	-	-	361	- 361	361	
		C	2	1	130.0	- 130.0	130.0	N/Q	245	- 245	245	514	- 514	514
	RS	D	2	43	115.2	- 135.2	132.1	N/Q	-	-	385	- 558	459	
	RS	D	3	5	105.0	- 105.0	105.0	N/Q	-	-	404	- 404	404	
		D	3	15	110.0	- 110.0	110.0	N/Q	212	- 212	212	479	- 479	479
450-600		C	2	20	125.6	- 138.2	129.4	N/Q	242	- 251	245	735	- 808	755
		C	3	5	120.0	- 141.0	136.8	N/Q	218	- 261	253	654	- 825	791
		D	2	31	90.0	- 90.0	90.0	N/Q	177	- 177	177	495	- 495	495
600+		C	2	10	140.0	- 150.2	144.3	2	260	- 289	266	995	- 1479	1073
		C	3	18	145.0	- 168.2	160.4	1	264	- 306	290	1193	- 1650	1470
		D	2	17	95.0	- 125.0	118.8	N/Q	194	- 236	226	618	- 781	745

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
		D	3	2	164.2	- 164.2	164.2	N/Q	299	- 299	299	1617	- 1617	1617
				<b>196</b>	<b>90.0</b>	<b>168.2</b>	<b>124.5</b>		<b>177</b>	<b>306</b>	<b>230</b>	<b>361</b>	<b>1650</b>	<b>650</b>

#### Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

#### Disclaimer:

© MLA 2013. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.