

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Warwick

report date 26 Nov 2013

Yarding Change 1268
-187

comparison date 19/11/2013

There was a small reduction in supply and young light weight cattle were in limited numbers. The overall quality of the yarding was generally good, with some well-presented lines of yearling steers and heifers, as well as heavy grown steers, bullocks and cows. A good panel of buyers was present and operating and all were keen to make purchases. Buyers appreciated the lift in the overall standard and prices improved across most classes. Medium and heavy weight yearling steers to feed gained 2c to 5c/kg. Heavy grown steers and bullocks averaged 2c to 7c better, and cows lifted a further 4c to 6c/kg.

The small supply of calves to the trade average 166c and made to 191c, while restocker lines sold around 171c/kg. The occasional vealer heifer to local butchers made to 195c/kg. Medium weight yearling steers to feed mostly sold from 178c to 182c, while those returning to the paddock made to 188c to average 185c/kg. A handful of local trade lines made to 198c to average 4c dearer at 185c/kg. A good supply of heavy yearling steers to feed averaged 184c and made to 190c, while slaughter descriptions made to 195c/kg. The best of the light weight yearling heifers sold to feeder operators, restockers and the trade sold in the 150c range, with a handful of well-presented classes reaching 175c/kg. Medium weight yearling heifers to the trade improved 5c to average 173c, while heavy weights averaged 175c and made to 189c/kg.

Heavy grown steers made to 203c to average 197c, with the occasional certified grain fed pen reaching 204c/kg. Bullocks made to 200c to average 190c/kg. Medium weight plain condition cows averaged close to 106c and 3 scores averaged 143c/kg. Good heavy cows made to 169c to average 161c/kg. Heavy bulls made to 174c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
80+		C	2	16	151.2	- 191.2	166.3	11	285	- 361	314	182	- 388	300
	RS	C	2	30	163.2	- 180.2	171.0	17	-	-	-	169	- 315	252
	RS	D	2	1	140.0	- 140.0	140.0	N/Q	-	-	-	189	- 189	189
		D	2	5	120.0	- 120.0	120.0	N/Q	226	- 226	226	198	- 198	198
				52	120.0	191.2	164.1		226	361	293	169	388	260
Vealer Steer														
280-330		C	3	5	190.0	- 190.2	190.1	N/Q	346	- 346	346	561	- 599	584
				5	190.0	190.2	190.0		346	346	346	561	599	584
Vealer Heifer														
200-280		C	2	2	170.0	- 170.0	170.0	N/Q	315	- 315	315	349	- 349	349
280-330		C	3	2	195.2	- 195.2	195.2	N/Q	362	- 362	362	615	- 615	615
				4	170.0	195.2	182.5		315	362	338	349	615	482
Yearling Steer														
0-330	FD	C	2	5	185.0	- 185.0	185.0	13	-	-	-	490	- 490	490
	RS	C	2	20	172.2	- 179.2	176.4	3	-	-	-	353	- 475	426
	FD	D	2	1	155.0	- 155.0	155.0	N/Q	-	-	-	411	- 411	411
	RS	E	1	3	90.2	- 90.2	90.2	N/Q	-	-	-	203	- 203	203
330-400	RS	C	2	53	171.2	- 188.0	185.8	N/Q	-	-	-	591	- 687	632
	FD	C	2	29	175.0	- 183.2	178.2	2	-	-	-	586	- 705	640
	FD	C	3	35	175.0	- 186.2	182.6	4	-	-	-	639	- 726	671
		C	3	11	177.2	- 198.2	185.5	4	322	- 360	337	594	- 763	669
		D	2	10	140.2	- 150.2	145.2	N/Q	255	- 273	264	518	- 540	529
		D	3	1	158.2	- 158.2	158.2	N/Q	288	- 288	288	530	- 530	530
400+	FD	C	2	12	170.0	- 178.2	174.5	-1	-	-	-	706	- 757	742

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
		C	3	30	175.2	- 195.2	187.6	-2	319	- 355	341	710	- 946	838
	FD	C	3	102	180.0	- 190.2	184.4	5		-		765	- 909	817
				312	90.2	198.2	181.0		255	360	324	203	946	699
Yearling Heifer														
0-330	FD	C	2	34	147.2	- 165.0	153.4	-2		-		346	- 459	396
	RS	C	2	15	150.2	- 150.2	150.2	-10		-		338	- 353	344
		C	2	27	143.2	- 174.2	158.2	3	265	- 323	293	333	- 459	402
		C	3	8	165.2	- 175.2	169.0	-11	306	- 324	313	471	- 517	488
	FD	D	2	13	143.2	- 143.2	143.2	3		-		337	- 337	337
		D	2	9	115.2	- 115.2	115.2	-18	213	- 213	213	294	- 294	294
	RS	D	2	8	133.2	- 133.2	133.2	11		-		353	- 353	353
330-400	FD	C	2	37	149.2	- 168.0	155.6	-1		-		500	- 630	562
	FD	C	3	11	170.0	- 172.0	171.3	12		-		638	- 645	642
		C	3	40	160.0	- 183.2	173.5	5	296	- 339	321	578	- 678	637
	FD	D	2	2	130.0	- 130.0	130.0	N/Q		-		475	- 475	475
		D	2	34	100.0	- 136.2	122.2	N/C	185	- 252	226	340	- 500	418
400+		C	3	29	155.0	- 189.2	175.1	1	287	- 350	324	674	- 857	751
	GF	C	3	1	176.2	- 176.2	176.2	N/Q	326	- 326	326	793	- 793	793
				268	100.0	189.2	154.1		185	350	288	294	857	501
Grown Steer														
400-500	FD	C	3	14	170.0	- 175.0	173.3	9		-		740	- 840	803
500-600	GF	C	4	1	204.2	- 204.2	204.2	N/Q	365	- 365	365	1072	- 1072	1072
		C	4	42	189.2	- 203.2	197.7	7	338	- 363	353	1004	- 1189	1116
600-750		C	3	1	173.2	- 173.2	173.2	N/Q	315	- 315	315	1083	- 1083	1083
		C	4	39	180.2	- 200.2	190.5	2	322	- 358	340	1090	- 1374	1228
750+		C	4	3	185.2	- 185.2	185.2	N/Q	331	- 331	331	1493	- 1493	1493
				100	170.0	204.2	190.9		315	365	346	740	1493	1126
Grown Heifer														
0-540		C	3	8	160.2	- 165.0	161.6	1	308	- 316	310	767	- 793	785
		C	4	2	169.2	- 173.2	171.2	N/Q	319	- 327	323	838	- 935	886
	GF	C	4	26	175.2	- 183.2	177.7	N/Q	331	- 346	335	766	- 980	887
	DA	D	2	1	114.2	- 114.2	114.2	N/Q	238	- 238	238	571	- 571	571
		D	2	3	128.2	- 130.0	128.8	13	267	- 271	268	527	- 558	547
		D	3	1	148.0	- 148.0	148.0	N/Q	285	- 285	285	703	- 703	703
540+		C	4	4	172.2	- 187.2	179.5	-2	325	- 353	339	973	- 1020	1005
				45	114.2	187.2	169.4		238	353	323	527	1020	845
Manufacturing Steer														
540+		C	4	1	179.2	- 179.2	179.2	N/Q	320	- 320	320	1254	- 1254	1254
				1	179.2	179.2	179.0		320	320	320	1254	1254	1254
Cows														
0-400		D	1	17	79.2	- 105.0	89.1	N/C	180	- 239	202	292	- 420	344
	DA	D	1	7	61.2	- 75.2	69.5	N/Q	139	- 171	158	223	- 274	254
		D	2	1	115.0	- 115.0	115.0	N/Q	250	- 250	250	460	- 460	460
	DA	E	2	1	70.0	- 70.0	70.0	N/Q	159	- 159	159	256	- 256	256
400-520	DA	D	1	19	70.0	- 115.0	86.1	-4	159	- 261	196	305	- 500	386

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
520+	RS	D	1	1	120.2	- 120.2	120.2	N/Q	-			523	- 523	523
		D	1	16	93.2	- 112.0	105.9	N/C	212	- 255	241	405	- 487	459
		D	2	11	115.0	- 126.2	121.1	-2	250	- 274	263	500	- 587	532
		D	3	28	136.2	- 148.2	143.5	7	278	- 302	293	614	- 734	685
		D	4	28	143.2	- 159.2	153.0	6	281	- 312	300	638	- 788	727
	DA	D	1	5	113.2	- 122.0	115.0	25	257	- 277	261	606	- 641	613
		D	2	4	130.0	- 130.0	130.0	N/Q	283	- 283	283	891	- 891	891
		D	2	1	120.0	- 120.0	120.0	N/Q	261	- 261	261	642	- 642	642
		D	3	32	139.2	- 149.2	143.9	1	284	- 305	294	761	- 843	792
		D	3	12	135.2	- 154.2	143.7	N/Q	276	- 315	293	837	- 1175	945
		D	4	81	149.6	- 169.2	161.6	4	293	- 332	317	785	- 1029	939
		D	5	3	137.2	- 148.2	142.5	8	280	- 302	291	734	- 882	806
				267	61.2	169.2	136.1		139	332	279	223	1175	717
Bulls														
0-450	FD	C	2	9	154.2	- 174.2	169.8	N/Q	-			409	- 563	443
		C	2	12	160.0	- 167.2	164.1	26	291	- 304	298	376	- 426	399
		C	3	4	146.2	- 156.2	151.2	3	266	- 279	272	592	- 679	636
	RS	C	3	2	168.0	- 168.0	168.0	N/Q	-			731	- 731	731
	FD	C	3	5	150.2	- 165.2	154.2	19	-			608	- 702	637
		D	1	1	90.0	- 90.0	90.0	N/Q	164	- 164	164	347	- 347	347
		D	2	7	110.0	- 145.2	136.6	2	200	- 264	248	352	- 463	376
C		3	8	149.2	- 154.2	152.2	N/Q	266	- 275	272	694	- 866	772	
450-600		C	2	2	123.2	- 133.2	128.2	N/Q	224	- 242	233	846	- 986	916
600+		C	3	30	140.2	- 173.6	159.7	-2	250	- 310	285	908	- 1472	1168
		D	2	3	120.2	- 135.2	127.2	-7	219	- 246	231	781	- 946	839
				83	90.0	174.2	155.4		164	310	276	347	1472	777

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2013. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.