

Over the hooks report - cattle

Market information provided by MLA's National Livestock Reporting Service

Queensland

report date

06 Dec 2013

The majority of rates across the north and south of the state were dearer this week.

Some reports suggest that cattle supplies are tightening across Queensland, yet quality is still reported to be fair to average throughout.

| Grade | Weight Range (cwt kg) | Dentition | Muscle Score | Fat Score | Low Price (c/kg cwt) | High Price (c/kg cwt) | Average (c/kg cwt) | Trend | |
|---------------------|--------------------------|-----------|-----------------|--------------|-------------------------|--------------------------|-----------------------|-------|---|
| North | | | | | | | | | |
| Yearlings | | | | | | | | | |
| Steers | 180 - 220 | 0 - 2 | A-C | 2-3 | 305 | 315 | 310 | 15 | |
| | 220 - 260 | 0 - 2 | A-C | 2-3 | 300 | 330 | 315 | 8 | |
| | 260 - 280 | 0 - 2 | A-C | 2-3 | 300 | 340 | 320 | 5 | |
| Heifers | 180 - 220 | 0 - 2 | A-C | 2-3 | 300 | 310 | 305 | 15 | |
| | 220 - 260 | 0 - 2 | A-C | 2-3 | 295 | 320 | 308 | 5 | |
| | 260 - 280 | 0 - 2 | A-C | 2-3 | 295 | 335 | 315 | 5 | |
| Grown Steers | | | | | | | | | |
| Steers | < 260 | 0 - 2 | A-C | 3-4 | 310 | 325 | 318 | 10 | |
| | | 2 - 4 | A-C | 3-4 | 305 | 320 | 313 | 8 | |
| | | 5 - 6 | A-C | 3-4 | 300 | 320 | 310 | 8 | |
| | 260 - 300 | 0 - 2 | A-C | 3-4 | 315 | 335 | 325 | 5 | |
| | | 2 - 4 | A-C | 3-4 | 310 | 330 | 320 | 5 | |
| | | 5 - 6 | A-C | 3-4 | 325 | 330 | 328 | 10 | |
| | 300 - 420 | 8 | A-C | 3-4 | 315 | 320 | 318 | 20 | |
| | | 0 - 2 | A-C | 3-4 | 330 | 340 | 335 | 5 | |
| | | 2 - 4 | A-C | 3-4 | 320 | 335 | 328 | 5 | |
| | Manufacturing Steer | 250 - 400 | 5 - 6 | A-C | 3-4 | 315 | 335 | 325 | 5 |
| | | | 8 | A-C | 3-4 | 305 | 325 | 315 | 5 |
| | | | 0 - 8 | A-D | 2-4 | 270 | 280 | 275 | 8 |
| Cows | | | | | | | | | |
| | 160 - 200 | 8 | A-D | 2-4 | 175 | 270 | 223 | 5 | |
| | | 8 | D-E | 1-4 | 180 | 275 | 228 | 8 | |
| | 200 - 240 | 8 | A-D | 2-4 | 245 | 280 | 263 | 8 | |
| | | 8 | D-E | 1-4 | 250 | 285 | 268 | 8 | |
| | 240 - 280 | 8 | A-E | 2-4 | 270 | 305 | 288 | 13 | |
| | | 8 | A-E | 5+ | 270 | 285 | 278 | 15 | |
| | 280 - 320 | 8 | A-E | 2-4 | 285 | 310 | 298 | 10 | |
| | | 8 | A-E | 5+ | 280 | 290 | 285 | 13 | |
| | 320 + | 8 | A-E | 2-4 | 290 | 310 | 300 | 10 | |
| | | 8 | A-E | 5+ | 285 | 290 | 288 | 10 | |
| | Bulls | | | | | | | | |
| | | 200 - 300 | 0 - 8 | A-E | ALL | 215 | 280 | 248 | 3 |

| Grade | Weight Range (cwt kg) | Dentition | Muscle Score | Fat Score | Low Price (c/kg cwt) | High Price (c/kg cwt) | Average (c/kg cwt) | Trend |
|---------------------------|--------------------------|-----------|-----------------|--------------|-------------------------|--------------------------|-----------------------|-------|
| | 300 - 400 | 0 - 8 | A-E | ALL | 215 | 290 | 253 | 3 |
| | 400 + | 0 - 8 | A-E | ALL | 220 | 290 | 255 | 3 |
| South Yearlings | | | | | | | | |
| Steers | 180 - 220 | 0 - 2 | A-C | 2-3 | 280 | 330 | 305 | 3 |
| | 220 - 260 | 0 - 2 | A-C | 2-3 | 285 | 345 | 315 | 8 |
| | 260 - 280 | 0 - 2 | A-C | 2-3 | 290 | 355 | 323 | 5 |
| Heifers | 180 - 220 | 0 - 2 | A-C | 2-3 | 285 | 325 | 305 | NC |
| | 220 - 260 | 0 - 2 | A-C | 2-3 | 285 | 335 | 310 | 3 |
| | 260 - 280 | 0 - 2 | A-C | 2-3 | 290 | 350 | 320 | 5 |
| Grown Steers | | | | | | | | |
| Steers | < 260 | 0 - 2 | A-C | 3-4 | 335 | 340 | 338 | 15 |
| | | 2 - 4 | A-C | 3-4 | 330 | 335 | 333 | 13 |
| | | 5 - 6 | A-C | 3-4 | 315 | 335 | 325 | 8 |
| | | 8 | A-C | 3-4 | 320 | 325 | 323 | 25 |
| | 260 - 300 | 0 - 2 | A-C | 3-4 | 270 | 350 | 310 | 5 |
| | | 2 - 4 | A-C | 3-4 | 275 | 345 | 310 | 5 |
| | | 5 - 6 | A-C | 3-4 | 275 | 345 | 310 | 5 |
| | | 8 | A-C | 3-4 | 270 | 335 | 303 | 10 |
| | 300 - 420 | 0 - 2 | A-C | 3-4 | 285 | 355 | 320 | 5 |
| | | 2 - 4 | A-C | 3-4 | 280 | 350 | 315 | 5 |
| | | 5 - 6 | A-C | 3-4 | 275 | 350 | 313 | 5 |
| | | 8 | A-C | 3-4 | 270 | 340 | 305 | 5 |
| Manufacturing Steer | 250 - 400 | 0 - 8 | A-D | 2-4 | 235 | 295 | 265 | 5 |
| Cows | | | | | | | | |
| | 160 - 200 | 8 | A-D | 2-4 | 215 | 290 | 253 | 10 |
| | | 8 | D-E | 1-4 | 205 | 285 | 245 | 10 |
| | 200 - 240 | 8 | A-D | 2-4 | 215 | 300 | 258 | 10 |
| | | 8 | D-E | 1-4 | 205 | 295 | 250 | 10 |
| | 240 - 280 | 8 | A-E | 2-4 | 220 | 320 | 270 | 13 |
| | | 8 | A-E | 5+ | 210 | 300 | 255 | 13 |
| | 280 - 320 | 8 | A-E | 2-4 | 230 | 325 | 278 | 10 |
| | | 8 | A-E | 5+ | 220 | 305 | 263 | 10 |
| | 320 + | 8 | A-E | 2-4 | 235 | 325 | 280 | 10 |
| | | 8 | A-E | 5+ | 225 | 305 | 265 | 10 |
| Bulls | | | | | | | | |
| | 200 - 300 | 0 - 8 | A-E | ALL | 270 | 295 | 283 | 5 |
| | 300 - 400 | 0 - 8 | A-E | ALL | 295 | 305 | 300 | 5 |
| | 400 + | 0 - 8 | A-E | ALL | 305 | 305 | 305 | 5 |
| Grainfed Yearlings | | | | | | | | |
| Steers | 180 - 220 | 0 - 2 | A-C | 2-3 | 350 | 365 | 357 | 7 |
| | 220 - 260 | 0 - 2 | A-C | 2-3 | 355 | 375 | 369 | 5 |
| | 260 - 280 | 0 - 2 | A-C | 2-3 | 360 | 380 | 373 | 7 |
| Heifers | 180 - 220 | 0 - 2 | A-C | 2-3 | 350 | 360 | 353 | 7 |

| Grade | Weight Range (cwt kg) | Dentition | Muscle Score | Fat Score | Low Price (c/kg cwt) | High Price (c/kg cwt) | Average (c/kg cwt) | Trend |
|--------------------------|--------------------------|-----------|-----------------|--------------|-------------------------|--------------------------|-----------------------|-------|
| | 220 - 260 | 0 - 2 | A-C | 2-3 | 355 | 370 | 365 | 5 |
| | 260 - 280 | 0 - 2 | A-C | 2-3 | 360 | 375 | 370 | 7 |
| Grainfed 100 Days | | | | | | | | |
| Steers | 300 - 420 | 0 - 2 | A-C | 3-4 | 380 | 385 | 383 | 5 |
| | | 2 - 4 | A-C | 3-4 | 375 | 380 | 379 | 5 |
| | | 5 - 6 | A-C | 3-4 | 375 | 375 | 375 | 10 |
| MSA Yearlings | | | | | | | | |
| | 180 - 220 | 0 - 2 | A-C | 3-4 | 300 | 340 | 320 | NC |
| | 220 - 260 | 0 - 2 | A-C | 3-4 | 315 | 360 | 342 | NC |
| | 260 - 280 | 0 - 2 | A-C | 3-4 | 325 | 365 | 345 | NC |
| Heifers | 180 - 220 | 0 - 2 | A-C | 3-4 | 290 | 330 | 310 | NC |
| | 220 - 260 | 0 - 2 | A-C | 3-4 | 310 | 355 | 338 | NC |
| | 260 - 280 | 0 - 2 | A-C | 3-4 | 320 | 360 | 340 | NC |

Disclaimer:

© MLA 2013. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.