

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Dubbo

report date 20 Mar 2014

Yarding Change 2180
90

comparison date 13/03/2014

Yearlings and cows were once again well supplied in a fair quality yarding. There was a better presence of well finished grown steers, along with some excellent runs of grain assisted grown heifers. There were also plenty of cattle in plain condition throughout the yarding.

Trade steers to the processors were 10c cheaper, while the heifer yearlings to slaughter were 2c to 5c/kg cheaper. The C3 yearling steers sold from 155c to 210c, while the prime heifer yearlings sold from 150c to 195c/kg. Young feeder cattle were 6c to 10c cheaper, with the better quality young steers selling from 165c to 192c, while the heifer portion sold from 131c to 170c/kg. Restockers were active on suitable lines paying to 194c/kg for good quality young steers.

Grown steers were firm with the C3s and C4s selling from 160c to 197c with the 4 score heavy weights averaging 190c/kg. The top runs of grown heifers were 2c to 5c dearer topping at 174c/kg. Plain condition cows were up to 15c cheaper, while the better cows were 4c to 7c/kg easier. The 2 score cows sold from 60c to 114c to the restockers and 100c/kg to the processors. The 3 and 4 score cows sold from 100c to 137c, with the 4 score heavy weights averaging 130c/kg. The best bull sold for 160c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
80+		C	2	1	188.0	- 188.0	188.0	N/Q	362	- 362	362	160	- 160	160
	RS	C	2	5	138.0	- 138.0	138.0	-52	-	-	-	145	- 145	145
	RS	D	2	10	113.0	- 154.0	137.6	-36	-	-	-	146	- 164	153
				16	113.0	188.0			362	362		145	164	
Vealer Steer														
0-200		C	2	17	169.0	- 169.0	169.0	N/Q	325	- 325	325	330	- 330	330
	RS	C	2	38	167.0	- 194.0	189.1	3	-	-	-	292	- 371	354
200-280	RS	C	2	46	118.0	- 185.0	181.1	20	-	-	-	269	- 509	426
		C	2	3	130.0	- 130.0	130.0	-26	250	- 250	250	332	- 332	332
	RS	D	3	5	82.0	- 82.0	82.0	N/Q	-	-	-	172	- 172	172
280-330	RS	C	2	17	178.0	- 178.0	178.0	N/Q	-	-	-	507	- 507	507
	FD	C	3	2	160.0	- 160.0	160.0	N/Q	-	-	-	456	- 456	456
330+	FD	C	3	7	180.0	- 186.0	184.3	-19	-	-	-	639	- 651	648
		C	3	8	175.0	- 205.0	190.0	-18	330	- 387	359	674	- 728	701
				143	82.0	205.0			250	387		172	728	
Vealer Heifer														
0-200	RS	C	2	21	150.0	- 150.0	150.0	14	-	-	-	278	- 278	278
		C	2	10	140.0	- 140.0	140.0	-14	275	- 275	275	273	- 273	273
200-280	RS	C	2	48	70.0	- 172.0	161.2	N/Q	-	-	-	172	- 437	388
	RS	D	3	5	76.0	- 89.0	83.8	N/Q	-	-	-	179	- 218	202
280-330		C	3	2	157.0	- 183.0	170.0	N/Q	302	- 345	324	463	- 595	529
330+		C	3	9	175.0	- 183.0	182.1	5	330	- 345	344	641	- 674	644
	FD	C	3	8	155.0	- 155.0	155.0	N/Q	-	-	-	597	- 597	597
				103	70.0	183.0			275	345		172	674	
Yearling Steer														
0-330		C	2	2	136.0	- 137.0	136.5	N/Q	262	- 264	263	360	- 390	375

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
330-400	FD	C	2	3	135.0	- 149.0	144.3	-25	-			410	- 439	419
	RS	C	2	69	145.0	- 200.0	174.6	-23	-			341	- 620	516
		C	3	1	170.0	- 170.0	170.0	N/Q	327	- 327	327	544	- 544	544
	RS	D	2	5	130.0	- 130.0	130.0	N/Q	-			215	- 215	215
	RS	D	3	58	100.0	- 160.0	148.1	N/Q	-			241	- 379	337
	RS	C	2	23	160.0	- 170.0	164.6	-31	-			568	- 631	627
	FD	C	2	38	170.0	- 192.0	179.8	-14	-			603	- 758	672
	FD	C	3	10	182.0	- 182.0	182.0	-19	-			719	- 719	719
		C	3	6	181.0	- 195.0	183.3	-14	342	- 368	346	715	- 770	724
400+	FD	D	3	11	130.0	- 132.0	130.7	N/Q	-			462	- 495	474
	RS	D	3	5	150.0	- 150.0	150.0	N/Q	-			578	- 578	578
	FD	C	2	11	165.0	- 169.0	165.7	-30	-			701	- 701	701
	FD	C	3	55	163.0	- 189.0	181.2	-14	-			730	- 898	813
		C	3	41	155.0	- 210.0	183.3	-11	293	- 393	348	739	- 1008	861
	FD	D	3	1	151.0	- 151.0	151.0	N/Q	-			627	- 627	627
				339	100.0	210.0			262	393		215	1008	
Yearling Heifer														
0-330		C	2	12	130.0	- 155.0	136.7	N/Q	250	- 298	263	293	- 504	369
	FD	C	2	19	131.0	- 147.0	136.1	3	-			341	- 419	371
	RS	C	2	41	106.0	- 120.0	115.4	N/Q	-			260	- 390	320
	RS	D	2	42	90.0	- 120.0	99.9	N/Q	-			131	- 223	215
	RS	D	3	30	94.0	- 130.0	112.7	N/Q	-			202	- 423	273
	FD	D	3	5	92.0	- 92.0	92.0	N/Q	-			262	- 262	262
330-400		C	2	5	103.0	- 103.0	103.0	N/Q	198	- 198	198	402	- 402	402
	FD	C	2	14	138.0	- 168.0	157.9	-6	-			522	- 613	585
	FD	C	3	3	179.0	- 179.0	179.0	15	-			707	- 707	707
		C	3	34	155.0	- 192.0	174.4	-2	298	- 362	331	597	- 739	659
	FD	D	3	7	120.0	- 120.0	120.0	N/Q	-			414	- 414	414
400+	RS	D	3	1	130.0	- 130.0	130.0	N/Q	-			501	- 501	501
	FD	C	2	4	155.0	- 155.0	155.0	-4	-			643	- 643	643
	FD	C	3	58	155.0	- 170.0	162.6	-5	-			656	- 800	716
		C	3	94	160.0	- 195.0	172.2	-5	302	- 362	325	680	- 818	741
		D	3	4	142.0	- 142.0	142.0	N/Q	278	- 278	278	604	- 604	604
	FD	D	3	2	125.0	- 125.0	125.0	N/Q	-			544	- 544	544
				375	90.0	195.0			198	362		131	818	
Grown Steer														
0-400	FD	C	3	17	150.0	- 170.0	164.1	N/Q	-			578	- 672	644
	RS	D	2	9	117.0	- 117.0	117.0	N/Q	-			415	- 415	415
	RS	D	3	15	159.0	- 159.0	159.0	37	-			628	- 628	628
	FD	D	3	1	120.0	- 120.0	120.0	N/Q	-			462	- 462	462
400-500	FD	C	2	11	145.0	- 164.0	153.6	2	-			587	- 713	645
		C	2	2	135.0	- 135.0	135.0	N/Q	260	- 260	260	641	- 641	641
		C	3	9	166.0	- 190.0	180.2	N/Q	313	- 359	341	723	- 902	829
	FD	C	3	49	158.0	- 175.0	168.2	11	-			672	- 800	735
	D	3	13	125.0	- 134.0	130.7	-16	247	- 263	255	569	- 635	599	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
500-600	RS	D	3	39	120.0	- 137.0	130.0	N/Q	-			504	- 596	558
	FD	C	3	10	160.0	- 160.0	160.0	-31	-			840	- 840	840
		C	3	3	160.0	- 160.0	160.0	5	302	- 302	302	936	- 936	936
		C	4	54	178.0	- 197.0	190.1	1	336	- 365	355	1041	- 1142	1086
		C	5	16	195.0	- 195.0	195.0	N/Q	368	- 368	368	1063	- 1063	1063
600-750		C	4	18	184.0	- 184.0	184.0	-3	341	- 347	344	1150	- 1150	1150
				266	117.0	197.0			247	368		415	1150	
Grown Heifer														
0-540		C	3	48	140.0	- 162.0	154.4	-3	269	- 310	295	630	- 851	737
		C	4	49	170.0	- 174.0	170.8	2	321	- 328	323	825	- 914	854
	RS	D	2	8	67.0	- 67.0	67.0	-48	-			218	- 218	218
	FD	D	3	2	118.0	- 118.0	118.0	N/Q	-			490	- 490	490
	RS	D	3	11	107.0	- 111.0	108.8	N/Q	-			455	- 461	457
		D	3	13	92.0	- 112.0	99.9	-60	194	- 215	203	354	- 476	402
540+		C	3	9	145.0	- 145.0	145.0	-15	274	- 279	276	848	- 848	848
		C	4	49	164.0	- 174.0	171.5	5	309	- 328	324	959	- 1088	1044
				189	67.0	174.0			194	328		218	1088	
Manufacturing Steer														
0-540		D	2	2	80.0	- 80.0	80.0	N/Q	160	- 160	160	312	- 312	312
		D	3	3	114.0	- 114.0	114.0	-39	243	- 243	243	553	- 553	553
540+		D	3	3	122.0	- 122.0	122.0	N/Q	235	- 235	235	763	- 763	763
				8	80.0	122.0			160	243		312	763	
Cows														
0-400		D	2	22	60.0	- 97.0	80.2	-21	136	- 221	182	231	- 383	315
	RS	D	2	17	90.0	- 100.0	96.5	-22	-			347	- 390	375
400-520	RS	D	2	61	70.0	- 114.0	101.7	-8	-			305	- 514	441
		D	2	23	85.0	- 100.0	92.5	-13	193	- 227	210	394	- 495	402
		D	3	66	100.0	- 123.0	112.6	-9	213	- 262	240	435	- 618	540
		D	4	4	120.0	- 125.0	121.8	-4	250	- 260	254	546	- 606	574
520+		D	3	3	116.0	- 129.0	123.7	-7	247	- 275	263	621	- 677	653
		D	4	127	123.0	- 137.0	130.2	-7	256	- 280	267	706	- 891	787
		D	5	5	120.0	- 132.0	127.2	2	250	- 269	262	786	- 865	833
				328	60.0	137.0			136	280		231	891	
Bulls														
0-450	RS	C	2	18	102.0	- 102.0	102.0	N/Q	-			393	- 393	393
		D	2	10	92.0	- 92.0	92.0	N/Q	184	- 184	184	354	- 354	354
		D	3	7	67.0	- 67.0	67.0	N/Q	131	- 131	131	285	- 285	285
450-600		C	2	2	152.0	- 152.0	152.0	N/Q	292	- 292	292	798	- 798	798
600+		C	2	6	110.0	- 138.0	130.7	1	212	- 265	251	798	- 1106	1019
	RS	C	2	1	130.0	- 130.0	130.0	N/Q	-			813	- 813	813
		C	3	4	145.0	- 160.0	150.8	-14	279	- 302	289	1138	- 1320	1215
		D	2	1	115.0	- 115.0	115.0	N/Q	245	- 245	245	903	- 903	903
		D	3	5	120.0	- 120.0	120.0	N/Q	235	- 235	235	750	- 750	750
				54	67.0	160.0			131	302		285	1320	

Abbreviations

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2014. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.