

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Dubbo

report date 10 Apr 2014

Yarding Change ³³⁰⁰
525

comparison date 03/04/2014

The larger yarding produced a generally good quality yarding with good numbers of well finished cows, grown steers and trade cattle throughout. There were also fair numbers of plainer cattle suitable for feeders and restockers.

Steer and heifer yearlings to slaughter were 4c to 7c dearer with C3 yearling steers selling from 189c to 224c, while the prime heifer yearlings sold from 175c to 227c, with the heavier weights over 400kg averaging 194c/kg. Young feeder cattle were firm to 2c dearer with the better quality steers selling from 168c to 218c, while the heifer portion ranged in price from 152c to 198c/kg.

Grown steers were 3c cheaper with the C3s and C4s selling from 178c to 205c, while the grown heifers held their ground to be firm selling to 197c/kg. Plain conditioned cows were 4c to 9c/kg dearer with solid support coming from restocker orders. The better medium and heavy weight cows were 2c to 5c/kg dearer. The 2 score cows sold from 105c to 135c, while the 3 and 4 score cows sold from 128c to 163c, with the 4 score heavy weights averaging 156c/kg. The best bull sold for 182c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
0-80		C	2	12	255.0	- 255.0	255.0	N/Q	490	- 490	490	166	- 166	166
80+		C	2	74	187.0	- 280.0	225.7	25	360	- 539	434	273	- 376	309
	RS	C	2	8	261.0	- 261.0	261.0	N/Q	-	-	-	274	- 274	274
				94	187.0	280.0			360	539		166	376	
Vealer Steer														
0-200	RS	C	2	6	213.0	- 213.0	213.0	6	-	-	-	383	- 383	383
200-280	RS	C	2	8	179.0	- 207.0	200.0	-2	-	-	-	394	- 445	432
		C	3	1	227.0	- 227.0	227.0	N/Q	428	- 428	428	624	- 624	624
280-330	RS	C	2	4	196.0	- 200.0	197.0	-23	-	-	-	559	- 580	564
	FD	C	2	2	177.0	- 177.0	177.0	N/Q	-	-	-	575	- 575	575
	FD	C	3	3	198.0	- 198.0	198.0	N/Q	-	-	-	624	- 624	624
				24	177.0	227.0			428	428		383	624	
Vealer Heifer														
0-200		C	2	1	179.0	- 179.0	179.0	N/Q	344	- 344	344	269	- 269	269
200-280		C	2	4	180.0	- 180.0	180.0	14	346	- 346	346	378	- 378	378
280-330		C	2	2	171.0	- 171.0	171.0	N/Q	329	- 329	329	487	- 487	487
330+	RS	C	2	1	175.0	- 175.0	175.0	N/Q	-	-	-	604	- 604	604
		C	3	2	226.0	- 226.0	226.0	N/Q	426	- 426	426	825	- 825	825
				10	171.0	226.0			329	426		269	825	
Yearling Steer														
0-330	FD	C	2	17	170.0	- 205.0	186.6	-7	-	-	-	536	- 605	558
	RS	C	2	33	171.0	- 197.0	187.2	-8	-	-	-	402	- 570	537
	FD	D	3	8	131.0	- 131.0	131.0	-18	-	-	-	426	- 426	426
		D	3	1	150.0	- 150.0	150.0	N/Q	294	- 294	294	488	- 488	488
330-400		C	2	14	160.0	- 160.0	160.0	N/Q	308	- 308	308	568	- 568	568
	FD	C	2	148	168.0	- 217.0	199.5	1	-	-	-	580	- 857	737
	RS	C	2	11	192.0	- 192.0	192.0	N/Q	-	-	-	662	- 662	662

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400+	FD	C	3	32	203.0	- 213.0	211.4	11	-			782	- 837	818
		C	3	76	208.0	- 224.0	218.3	4	393	- 415	405	788	- 862	816
	FD	D	3	20	157.0	- 162.0	160.3	-9	-			573	- 616	601
	FD	C	2	28	190.0	- 211.0	203.5	13	-			828	- 979	867
	FD	C	3	138	188.0	- 218.0	209.4	1	-			832	- 985	893
		C	3	90	189.0	- 220.0	206.8	2	357	- 408	390	820	- 1092	952
		C	4	1	187.0	- 187.0	187.0	N/Q	353	- 353	353	1094	- 1094	1094
	FD	D	3	37	150.0	- 180.0	157.6	N/Q	-			623	- 747	653
				654	131.0	224.0			294	415		402	1094	
Yearling Heifer														
0-330	FD	C	2	14	152.0	- 172.0	154.9	-9	-			433	- 490	441
	RS	C	2	2	167.0	- 167.0	167.0	N/Q	-			359	- 359	359
	RS	D	3	20	145.0	- 158.0	154.1	N/Q	-			413	- 458	445
330-400	FD	C	2	67	173.0	- 196.0	185.5	13	-			639	- 735	679
		C	2	14	165.0	- 165.0	165.0	-8	317	- 317	317	635	- 635	635
		C	3	148	179.0	- 227.0	207.9	-1	338	- 420	388	653	- 874	790
	FD	C	3	53	180.0	- 195.0	187.0	-2	-			702	- 751	728
	RS	D	3	6	135.0	- 135.0	135.0	-5	-			466	- 466	466
400+	FD	D	3	8	145.0	- 145.0	145.0	-13	-			544	- 544	544
		C	2	2	212.0	- 212.0	212.0	N/Q	400	- 400	400	859	- 859	859
	FD	C	2	6	185.0	- 185.0	185.0	2	-			786	- 786	786
	FD	C	3	46	191.0	- 198.0	195.5	9	-			791	- 842	825
		C	3	227	175.0	- 215.0	193.9	7	330	- 406	366	718	- 1135	862
				613	135.0	227.0			317	420		359	1135	
Grown Steer														
0-400	FD	C	2	15	165.0	- 165.0	165.0	-44	-			627	- 627	627
	FD	D	3	18	174.0	- 174.0	174.0	17	-			670	- 670	670
400-500	FD	C	2	12	177.0	- 177.0	177.0	-13	-			726	- 726	726
		C	3	28	180.0	- 207.0	198.6	N/Q	-			860	- 983	945
		C	3	2	185.0	- 204.0	194.5	N/C	356	- 385	370	897	- 969	933
	FD	C	4	5	202.0	- 202.0	202.0	N/Q	-			980	- 980	980
	RS	D	3	18	139.0	- 142.0	139.8	N/Q	-			577	- 675	604
		D	3	2	168.0	- 168.0	168.0	N/Q	323	- 323	323	798	- 798	798
500-600	FD	C	3	23	183.0	- 190.0	184.9	-4	-			942	- 969	951
		C	3	40	178.0	- 195.0	185.3	-3	338	- 368	353	958	- 1041	1021
		C	4	62	190.0	- 205.0	201.9	-1	359	- 383	377	1050	- 1199	1146
	D	3	12	158.0	- 165.0	159.8	N/Q	304	- 324	309	814	- 866	827	
600-750		C	4	53	180.0	- 204.0	199.8	-2	340	- 378	375	1179	- 1275	1251
				290	139.0	207.0			304	385		577	1275	
Grown Heifer														
0-540		C	3	80	148.0	- 187.0	170.5	6	279	- 353	324	709	- 920	809
	FD	C	3	11	168.0	- 176.0	173.8	7	-			798	- 854	838
	RS	C	4	3	178.0	- 178.0	178.0	N/Q	-			863	- 863	863
		C	4	25	174.0	- 186.0	177.3	-9	328	- 351	335	849	- 974	873
	FD	D	3	18	151.0	- 185.0	162.3	24	-			551	- 805	636

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head				
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg		
540+		D	4	14	164.0	- 164.0	164.0	N/Q	322	-	322	322	779	-	779	779
		C	4	5	190.0	- 197.0	194.2	N/C	359	-	372	366	1036	-	1152	1106
					156	148.0	197.0		279		372		551		1152	
Cows																
0-400	RS	D	2	16	108.0	- 135.0	131.4	N/Q		-			351	-	520	501
		D	2	7	105.0	- 110.0	109.3	3	239	-	250	248	383	-	424	418
400-520		D	2	84	110.0	- 135.0	129.0	11	250	-	300	289	451	-	641	592
	RS	D	2	163	128.0	- 132.0	129.7	10		-			535	-	614	567
	DA	D	3	18	135.0	- 135.0	135.0	-3	287	-	287	287	689	-	689	689
	RS	D	3	14	138.0	- 138.0	138.0	N/Q		-			669	-	669	669
		D	3	234	128.0	- 149.0	138.6	2	281	-	317	296	544	-	767	644
520+		C	3	3	161.0	- 161.0	161.0	-5	316	-	316	316	845	-	845	845
		D	3	94	136.0	- 148.0	143.6	5	289	-	315	304	714	-	836	773
		D	4	331	147.0	- 163.0	155.8	1	300	-	326	313	782	-	1096	911
		D	5	1	132.0	- 132.0	132.0	N/Q	264	-	264	264	865	-	865	865
					965	105.0	163.0		239		326		351		1096	
Bulls																
450-600		C	2	16	120.0	- 120.0	120.0	N/Q	240	-	240	240	546	-	546	546
		C	3	1	167.0	- 167.0	167.0	N/Q	321	-	321	321	877	-	877	877
600+		C	2	11	122.0	- 168.0	128.3	-31	239	-	323	250	836	-	1285	891
	RS	C	3	1	165.0	- 165.0	165.0	N/Q		-			1361	-	1361	1361
		C	3	6	165.0	- 182.0	174.0	1	309	-	337	323	1361	-	1870	1641
					35	120.0	182.0		239		337		546		1870	

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2014. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.