

## Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

### Dubbo

report date 03 Jul 2014

Yarding Change 4550  
0

comparison date 26/06/2014

The quality of the yarding was not quite to the standard of previous sales, however there was still a fairly good selection of prime conditioned cattle in all sections. All the regular buyers were in attendance and operating, along with a couple of additional southern orders.

Trade cattle to the processors were 5c to 9c dearer, with vealers selling to 218c/kg. The C3 yearling steers sold from 180c to 218c, with B muscle yearling steers selling to 224c/kg. Prime yearling heifers sold from 152c to 211c/kg. Young feeder cattle were 8c dearer, with C muscle feeder steers selling from 160c to 218c while the heifer portion sold from 140c to 182c/kg.

Grown steers were 2c to 4c cheaper, with the 3 and 4 scores selling from 166c to 212c and the 4 score heavy weights averaging 202c/kg. Grown heifers were firm and sold to 184c/kg. All grades of cows were 3c to 5c dearer, with 2 scores selling from 60c to 130c to the restockers and 112c/kg to the processors. The 3 and 4 score cows sold from 112c to 148c, with the 4 score heavy weights averaging 139c/kg. Two top quality C muscle cows sold for 150c/kg. Bulls were considerably dearer, selling to 195c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
<b>Calves</b>														
0-80		C	2	1	185.0	- 185.0	185.0	N/Q	356	- 356	356	139	- 139	139
80+		C	2	1	255.0	- 255.0	255.0	N/Q	490	- 490	490	217	- 217	217
	RS	D	2	12	157.0	- 157.0	157.0	N/Q	-	-	-	212	- 212	212
				<b>14</b>	<b>157.0</b>	<b>255.0</b>			<b>356</b>	<b>490</b>		<b>139</b>	<b>217</b>	
<b>Vealer Steer</b>														
200-280	FD	C	2	8	180.0	- 180.0	180.0	-2	-	-	-	495	- 495	495
	RS	C	2	31	170.0	- 209.0	202.1	21	-	-	-	349	- 512	494
280-330	RS	C	2	42	197.0	- 204.0	201.7	3	-	-	-	561	- 581	575
	FD	C	2	13	170.0	- 170.0	170.0	N/Q	-	-	-	485	- 485	485
	FD	C	3	4	190.0	- 190.0	190.0	N/Q	-	-	-	599	- 599	599
		C	3	8	217.0	- 218.0	217.8	N/Q	409	- 411	411	684	- 709	702
330+		C	3	8	198.0	- 210.0	202.3	-2	374	- 396	382	683	- 809	719
	FD	C	3	1	201.0	- 201.0	201.0	N/Q	-	-	-	774	- 774	774
				<b>115</b>	<b>170.0</b>	<b>218.0</b>			<b>374</b>	<b>411</b>		<b>349</b>	<b>809</b>	
<b>Vealer Heifer</b>														
0-200	RS	D	3	2	129.0	- 129.0	129.0	N/Q	-	-	-	239	- 239	239
200-280	RS	C	2	59	152.0	- 161.0	157.0	-4	-	-	-	388	- 394	391
	FD	C	2	47	153.0	- 155.0	154.0	N/Q	-	-	-	395	- 421	408
	RS	D	3	11	134.0	- 141.0	137.8	N/Q	-	-	-	302	- 360	333
280-330		C	2	9	160.0	- 160.0	160.0	12	302	- 302	302	520	- 520	520
		C	3	6	182.0	- 204.0	193.0	N/C	343	- 385	364	592	- 663	627
		D	3	6	150.0	- 150.0	150.0	N/Q	289	- 289	289	428	- 428	428
	FD	D	3	2	153.0	- 153.0	153.0	N/Q	-	-	-	436	- 436	436
330+		C	2	9	156.0	- 156.0	156.0	N/Q	300	- 300	300	523	- 523	523
	FD	C	2	11	150.0	- 150.0	150.0	-2	-	-	-	503	- 503	503
		C	3	21	175.0	- 209.0	191.6	9	337	- 394	365	586	- 721	658
				<b>183</b>	<b>129.0</b>	<b>209.0</b>			<b>289</b>	<b>394</b>		<b>239</b>	<b>721</b>	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
<b>Yearling Steer</b>														
0-330	FD	C	2	33	195.0	- 209.0	206.0	31	-			634	- 669	661
	RS	C	2	36	168.0	- 183.0	175.8	-1	-			485	- 546	501
	RS	D	3	6	150.0	- 170.0	160.0	13	-			368	- 434	401
	FD	D	3	21	146.0	- 169.0	162.4	12	-			402	- 549	507
330-400	FD	C	2	268	160.0	- 216.0	192.1	8	-			600	- 832	701
	FD	C	3	155	198.0	- 218.0	208.4	10	-			711	- 839	777
		C	3	51	170.0	- 219.0	202.8	6	321	- 406	382	655	- 843	776
	FD	D	3	8	166.0	- 166.0	166.0	46	-			589	- 589	589
400+		B	3	2	224.0	- 224.0	224.0	N/Q	407	- 407	407	1064	- 1064	1064
	FD	C	2	30	168.0	- 187.0	176.9	-3	-			714	- 795	744
	FD	C	3	121	180.0	- 216.0	202.5	2	-			747	- 945	887
		C	3	75	180.0	- 212.0	200.9	6	340	- 394	379	747	- 1028	893
				<b>806</b>	<b>146.0</b>	<b>224.0</b>			<b>321</b>	<b>407</b>		<b>368</b>	<b>1064</b>	
<b>Yearling Heifer</b>														
0-330		C	2	19	159.0	- 166.0	164.9	9	306	- 319	317	453	- 540	526
	FD	C	2	6	170.0	- 170.0	170.0	22	-			553	- 553	553
	RS	C	2	23	155.0	- 155.0	155.0	-1	-			403	- 403	403
		C	3	21	165.0	- 181.0	180.2	N/Q	311	- 348	346	534	- 545	534
		D	3	7	120.0	- 140.0	125.7	15	235	- 269	245	306	- 455	349
	RS	D	3	20	138.0	- 158.0	143.0	21	-			435	- 514	454
330-400	FD	D	3	18	156.0	- 156.0	156.0	26	-			445	- 445	445
		C	2	6	156.0	- 158.0	157.3	2	300	- 304	303	554	- 616	595
	FD	C	2	64	140.0	- 172.0	161.4	6	-			497	- 645	609
	FD	C	3	20	179.0	- 181.0	180.6	16	-			635	- 679	670
		C	3	122	168.0	- 201.0	182.4	1	317	- 387	345	621	- 766	687
		D	3	6	130.0	- 130.0	130.0	-9	250	- 250	250	436	- 436	436
400+	FD	D	3	13	155.0	- 155.0	155.0	7	-			597	- 597	597
		C	2	3	152.0	- 152.0	152.0	N/Q	292	- 292	292	692	- 692	692
	FD	C	3	12	170.0	- 185.0	176.8	8	-			774	- 828	788
		C	3	97	152.0	- 211.0	190.9	8	287	- 398	357	681	- 922	819
	D	3	22	155.0	- 155.0	155.0	13	293	- 293	293	674	- 674	674	
				<b>479</b>	<b>120.0</b>	<b>211.0</b>			<b>235</b>	<b>398</b>		<b>306</b>	<b>922</b>	
<b>Grown Steer</b>														
0-400	FD	D	3	6	153.0	- 153.0	153.0	N/Q	-			436	- 436	436
	RS	D	3	6	149.0	- 155.0	152.0	N/Q	-			535	- 574	554
400-500		C	2	8	156.0	- 185.0	167.9	N/Q	300	- 356	323	757	- 766	762
	FD	C	2	51	170.0	- 184.0	178.8	-11	-			723	- 782	755
	FD	C	3	14	190.0	- 195.0	194.3	9	-			846	- 926	915
		C	3	34	166.0	- 188.0	176.1	-2	319	- 355	333	747	- 912	786
		C	4	44	200.0	- 207.0	204.3	-1	383	- 391	386	950	- 1004	982
		D	2	3	115.0	- 115.0	115.0	N/Q	221	- 221	221	523	- 523	523
500-600		D	3	35	135.0	- 150.0	145.5	-19	260	- 289	280	602	- 664	636
		C	3	52	177.0	- 196.0	186.5	5	336	- 370	350	929	- 1100	1029

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
600-750		C	4	294	184.0	- 212.0	202.1	-4	341	- 393	373	1006	- 1188	1100
		C	4	15	207.0	- 207.0	207.0	19	383	- 383	383	1294	- 1294	1294
				<b>562</b>	<b>115.0</b>	<b>212.0</b>			<b>221</b>	<b>393</b>		<b>436</b>	<b>1294</b>	
<b>Grown Heifer</b>														
0-540	FD	C	2	15	166.0	- 166.0	166.0	6	-			689	- 689	689
	FD	C	3	41	170.0	- 176.0	174.8	N/Q	-			621	- 766	684
		C	3	80	166.0	- 184.0	172.7	14	313	- 347	328	604	- 893	791
		C	4	52	160.0	- 190.0	183.3	15	302	- 359	343	803	- 922	887
	RS	D	2	18	117.0	- 117.0	117.0	N/Q	-			450	- 450	450
		D	2	10	105.0	- 105.0	105.0	-15	206	- 206	206	373	- 373	373
	FD	D	3	8	153.0	- 153.0	153.0	24	-			650	- 650	650
	RS	D	3	37	116.0	- 141.0	131.5	N/Q	-			543	- 557	550
540+		D	3	109	125.0	- 160.0	136.3	-5	240	- 314	269	494	- 840	627
		C	3	1	150.0	- 150.0	150.0	N/Q	306	- 306	306	848	- 848	848
		C	4	17	159.0	- 182.0	171.0	6	306	- 343	325	867	- 1028	955
				<b>388</b>	<b>105.0</b>	<b>190.0</b>			<b>206</b>	<b>359</b>		<b>373</b>	<b>1028</b>	
<b>Cows</b>														
0-400	RS	D	2	8	80.0	- 80.0	80.0	N/Q	-			308	- 308	308
		D	2	15	70.0	- 100.0	76.0	6	163	- 227	176	270	- 385	293
400-520		D	2	73	60.0	- 112.0	103.0	1	140	- 255	234	246	- 510	455
	RS	D	2	104	83.0	- 130.0	108.1	6	-			353	- 553	458
		D	3	276	108.0	- 130.0	123.8	4	230	- 277	264	492	- 670	601
520+	RS	D	3	34	112.0	- 120.0	118.9	4	-			476	- 558	556
		D	4	114	132.0	- 147.0	138.1	7	264	- 288	277	655	- 757	688
		C	3	2	150.0	- 150.0	150.0	N/Q	283	- 283	283	938	- 938	938
		D	3	21	119.0	- 122.0	121.7	-7	253	- 260	259	625	- 653	650
		D	4	415	130.0	- 148.0	138.6	2	250	- 288	272	693	- 866	772
		D	5	21	130.0	- 132.0	131.7	N/Q	245	- 264	261	772	- 813	778
			<b>1083</b>	<b>60.0</b>	<b>150.0</b>			<b>140</b>	<b>288</b>		<b>246</b>	<b>938</b>		
<b>Bulls</b>														
0-450		C	2	12	150.0	- 150.0	150.0	N/Q	289	- 289	289	668	- 668	668
450-600		C	2	8	144.0	- 150.0	144.8	N/Q	277	- 294	279	788	- 792	791
600+		C	2	9	130.0	- 158.0	152.8	18	250	- 304	293	1021	- 1240	1175
		C	3	36	162.0	- 195.0	182.2	23	300	- 368	340	1262	- 2160	1700
			<b>65</b>	<b>130.0</b>	<b>195.0</b>			<b>250</b>	<b>368</b>		<b>668</b>	<b>2160</b>		

#### Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

#### Disclaimer:

© MLA 2014. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.