

## Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

### Dubbo

report date 10 Jul 2014

Yarding Change <sup>4850</sup>/<sub>300</sub>

comparison date 03/07/2014

Most weights and grades were represented in a pretty good quality yarding though there was not the percentage of well finished grown steers compared to previous sales. Most of the regular buyers competed in a tougher market.

Trade cattle to processors were up to 13c cheaper with vealers selling to 213c/kg. Prime yearling steers sold from 178c to 215c, while heifers sold from 165c to 190c/kg. The very best of the feeder steers were close to firm, most though were 12c/kg cheaper. The C muscle feeder steers sold from 155c to 213c, while the heifers sold from 140c to 180c/kg.

Grown steers were 6c to 8c cheaper with the 3 and 4 scores selling from 155c to 200c/kg. The 4 score heavier weights averaged 194c and the best grown heifers sold for 184c/kg. Cows were 14c to 16c cheaper with 2 score cows selling from 80c to 105c/kg. The 3 and 4 score cows sold from 102c to 138c with the 4 score heavy weights averaging 122c/kg. The best bull sold for 188c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
<b>Calves</b>														
0-80		C	2	18	170.0	- 225.0	179.2	-6	327	- 433	345	94	- 146	102
	RS	C	2	18	140.0	- 142.0	140.7	N/Q	-	-	-	64	- 77	73
80+	RS	C	2	5	140.0	- 140.0	140.0	N/Q	-	-	-	203	- 203	203
		C	2	3	230.0	- 230.0	230.0	-25	434	- 434	434	334	- 334	334
				<b>44</b>	<b>140.0</b>	<b>230.0</b>			<b>327</b>	<b>434</b>		<b>64</b>	<b>334</b>	
<b>Vealer Steer</b>														
0-200	RS	D	3	6	130.0	- 130.0	130.0	N/Q	-	-	-	241	- 241	241
200-280	RS	C	2	45	154.0	- 165.0	161.8	-40	-	-	-	323	- 437	366
	RS	D	3	8	130.0	- 130.0	130.0	N/Q	-	-	-	332	- 332	332
		D	3	9	150.0	- 150.0	150.0	N/Q	289	- 289	289	323	- 323	323
280-330	RS	C	2	6	160.0	- 160.0	160.0	-42	-	-	-	520	- 520	520
	FD	C	2	18	173.0	- 173.0	173.0	3	-	-	-	493	- 493	493
330+		B	3	12	213.0	- 213.0	213.0	N/Q	380	- 380	380	927	- 927	927
	RS	C	2	13	153.0	- 153.0	153.0	N/Q	-	-	-	528	- 528	528
		C	3	23	185.0	- 203.0	197.7	-5	349	- 369	363	712	- 812	782
				<b>140</b>	<b>130.0</b>	<b>213.0</b>			<b>289</b>	<b>380</b>		<b>241</b>	<b>927</b>	
<b>Vealer Heifer</b>														
0-200		C	2	1	160.0	- 160.0	160.0	N/Q	308	- 308	308	312	- 312	312
	RS	D	2	25	141.0	- 141.0	141.0	N/Q	-	-	-	261	- 261	261
	RS	D	3	13	120.0	- 130.0	126.2	-3	-	-	-	234	- 254	246
		D	3	12	135.0	- 135.0	135.0	N/Q	260	- 260	260	250	- 250	250
200-280		C	2	2	165.0	- 165.0	165.0	N/Q	317	- 317	317	355	- 355	355
	RS	D	3	24	132.0	- 145.0	135.3	-3	-	-	-	337	- 370	345
280-330	RS	C	2	16	160.0	- 160.0	160.0	N/Q	-	-	-	520	- 520	520
		C	3	6	178.0	- 178.0	178.0	-15	336	- 336	336	579	- 579	579
330+		B	3	6	205.0	- 205.0	205.0	N/Q	380	- 380	380	789	- 789	789
		C	3	39	170.0	- 198.0	178.9	-13	321	- 374	336	604	- 762	627

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
					<b>144</b>	<b>120.0</b>	<b>205.0</b>			<b>260</b>	<b>380</b>		<b>234</b>	<b>789</b>	
<b>Yearling Steer</b>															
0-330	FD	C	2	137	155.0	- 196.0	172.5	-34	-				405	- 569	516
	RS	C	2	96	154.0	- 196.0	180.6	5	-				393	- 608	531
	RS	D	3	25	150.0	- 150.0	150.0	-10	-				413	- 413	413
	FD	D	3	6	146.0	- 146.0	146.0	-16	-				475	- 475	475
330-400		C	2	15	170.0	- 170.0	170.0	N/Q	327	- 327	327		672	- 672	672
	FD	C	2	224	160.0	- 204.0	182.9	-9	-				536	- 806	665
	FD	C	3	67	180.0	- 206.0	193.9	-14	-				656	- 814	759
		C	3	15	178.0	- 199.0	184.5	-18	333	- 369	346		650	- 786	698
		D	3	12	140.0	- 140.0	140.0	N/Q	269	- 269	269		539	- 539	539
	FD	D	3	19	138.0	- 158.0	147.5	-18	-				522	- 561	538
400+		B	3	1	215.0	- 215.0	215.0	N/Q	406	- 406	406		935	- 935	935
	FD	C	2	70	168.0	- 208.0	184.6	8	-				689	- 901	772
		C	2	2	160.0	- 160.0	160.0	N/Q	308	- 308	308		680	- 680	680
		C	3	79	170.0	- 205.0	188.8	-12	315	- 373	350		723	- 994	841
	FD	C	3	276	168.0	- 213.0	194.1	-8	-				697	- 946	858
		C	4	14	196.0	- 196.0	196.0	N/Q	363	- 363	363		1068	- 1068	1068
		D	3	6	148.0	- 148.0	148.0	N/Q	285	- 285	285		673	- 673	673
	FD	D	3	15	149.0	- 149.0	149.0	N/Q	-				611	- 611	611
					<b>1079</b>	<b>138.0</b>	<b>215.0</b>			<b>269</b>	<b>406</b>		<b>393</b>	<b>1068</b>	
<b>Yearling Heifer</b>															
0-330	RS	C	2	28	138.0	- 153.0	150.3	-5	-				344	- 380	351
		C	2	9	150.0	- 150.0	150.0	-15	289	- 289	289		465	- 488	478
	FD	C	2	27	140.0	- 157.0	145.0	-25	-				399	- 510	432
	FD	C	3	22	174.0	- 174.0	174.0	N/Q	-				557	- 557	557
		C	3	6	170.0	- 170.0	170.0	-10	321	- 321	321		553	- 553	553
	RS	D	2	2	113.0	- 113.0	113.0	N/Q	-				311	- 311	311
	RS	D	3	6	139.0	- 139.0	139.0	-4	-				354	- 354	354
	FD	D	3	37	135.0	- 136.0	135.5	-21	-				388	- 439	414
330-400		C	2	14	138.0	- 150.0	141.7	-16	265	- 283	271		490	- 563	542
	FD	C	2	22	153.0	- 163.0	159.9	-1	-				574	- 597	583
	RS	C	2	5	125.0	- 125.0	125.0	N/Q	-				481	- 481	481
	FD	C	3	30	158.0	- 176.0	167.0	-14	-				624	- 669	646
		C	3	69	170.0	- 190.0	177.2	-5	321	- 352	334		621	- 732	683
		D	2	31	114.0	- 114.0	114.0	N/Q	224	- 224	224		393	- 393	393
		D	3	18	124.0	- 124.0	124.0	-6	239	- 239	239		465	- 465	465
	FD	D	3	60	111.0	- 155.0	126.4	-29	-				415	- 554	458
	RS	D	3	3	140.0	- 140.0	140.0	N/Q	-				497	- 497	497
400+	FD	C	2	37	162.0	- 176.0	168.8	N/Q	-				705	- 722	713
	FD	C	3	132	164.0	- 180.0	170.8	-6	-				701	- 850	763
		C	3	168	165.0	- 186.0	177.7	-13	311	- 351	334		677	- 901	781
		D	2	9	90.0	- 100.0	94.4	N/Q	205	- 217	210		410	- 485	443
		D	3	15	120.0	- 140.0	133.1	-22	226	- 269	253		570	- 665	614
	FD	D	3	44	135.0	- 145.0	138.3	N/Q	-				574	- 631	585

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
	RS	D	3	1	113.0	- 113.0	113.0	N/Q	-			548	- 548	548
	FD	D	4	16	141.0	- 141.0	141.0	N/Q	-			726	- 726	726
				<b>811</b>	<b>90.0</b>	<b>190.0</b>			<b>205</b>	<b>352</b>		<b>311</b>	<b>901</b>	
<b>Grown Steer</b>														
0-400		D	3	16	120.0	- 120.0	120.0	N/Q	231	- 231	231	426	- 426	426
	FD	D	3	21	150.0	- 150.0	150.0	-3	-			578	- 578	578
400-500		C	2	10	155.0	- 155.0	155.0	-13	293	- 293	293	659	- 659	659
	FD	C	2	65	152.0	- 180.0	170.4	-8	-			661	- 808	760
	FD	C	3	6	160.0	- 170.0	161.7	-33	-			760	- 825	771
		C	3	49	154.0	- 193.0	169.2	-7	291	- 359	319	736	- 931	784
	RS	D	3	5	130.0	- 130.0	130.0	N/Q	-			631	- 631	631
	FD	D	3	14	128.0	- 128.0	128.0	N/Q	-			582	- 582	582
		D	3	26	134.0	- 150.0	138.3	-7	258	- 289	266	583	- 653	602
500-600		C	3	55	155.0	- 193.0	180.0	-6	293	- 357	339	798	- 1090	960
		C	4	130	182.0	- 200.0	193.8	-8	337	- 370	356	979	- 1164	1068
600-750		C	4	36	176.0	- 195.0	189.2	-18	326	- 355	346	1100	- 1238	1196
				<b>433</b>	<b>120.0</b>	<b>200.0</b>			<b>231</b>	<b>370</b>		<b>426</b>	<b>1238</b>	
<b>Grown Heifer</b>														
0-540		C	3	53	122.0	- 170.0	158.8	-14	230	- 321	300	519	- 825	751
	FD	C	3	24	152.0	- 154.0	153.5	-21	-			778	- 783	779
	FD	C	4	5	160.0	- 160.0	160.0	N/Q	-			776	- 776	776
		C	4	24	162.0	- 184.0	178.3	-5	300	- 341	331	849	- 966	926
		D	2	23	90.0	- 90.0	90.0	-15	173	- 173	173	257	- 347	315
	FD	D	2	18	112.0	- 112.0	112.0	N/Q	-			498	- 498	498
	RS	D	3	55	110.0	- 152.0	117.2	-14	-			424	- 585	483
	FD	D	3	46	124.0	- 138.0	130.0	-23	-			477	- 641	545
		D	3	43	114.0	- 142.0	123.2	-13	219	- 268	236	587	- 689	606
				<b>291</b>	<b>90.0</b>	<b>184.0</b>			<b>173</b>	<b>341</b>		<b>257</b>	<b>966</b>	
<b>Cows</b>														
0-400		D	2	1	54.0	- 54.0	54.0	N/Q	126	- 126	126	208	- 208	208
400-520		D	2	97	80.0	- 100.0	93.2	-10	182	- 227	212	340	- 515	444
	RS	D	2	18	105.0	- 105.0	105.0	-3	-			446	- 446	446
	RS	D	3	46	102.0	- 106.0	105.2	-14	-			499	- 546	524
		D	3	228	88.0	- 116.0	108.6	-15	191	- 243	230	427	- 597	537
		D	4	20	113.0	- 118.0	116.0	-22	231	- 241	237	572	- 582	576
520+		C	3	1	138.0	- 138.0	138.0	N/Q	265	- 265	265	863	- 863	863
		D	3	77	106.0	- 117.0	112.8	-9	226	- 249	240	557	- 615	597
		D	4	543	107.0	- 138.0	122.5	-16	210	- 264	242	588	- 932	687
				<b>1031</b>	<b>54.0</b>	<b>138.0</b>			<b>126</b>	<b>265</b>		<b>208</b>	<b>932</b>	
<b>Bulls</b>														
0-450	RS	C	2	11	132.0	- 132.0	132.0	N/Q	-			469	- 469	469
	RS	D	3	21	100.0	- 100.0	100.0	N/Q	-			385	- 385	385
		D	3	12	136.0	- 136.0	136.0	N/Q	267	- 267	267	578	- 578	578
600+		C	2	3	154.0	- 165.0	159.7	7	291	- 306	299	1117	- 1361	1245
	RS	C	2	1	164.0	- 164.0	164.0	N/Q	-			1123	- 1123	1123

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
		C	3	24	149.0	- 188.0	176.4	-6	266	- 342	324	1284	- 2232	1723
				<b>72</b>	<b>100.0</b>	<b>188.0</b>			<b>266</b>	<b>342</b>		<b>385</b>	<b>2232</b>	

#### Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

#### Disclaimer:

© MLA 2014. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.