

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

CTLX

report date 15 Jul 2014

Yarding Change 2620
-875

comparison date 08/07/2014

Cattle numbers reduced and the quality was mixed but did contain an excellent run of supplementary fed and crop finished yearlings, along with plenty of plainer lighter cattle. Grown steers and bullocks were in reduced numbers and nearly 400 cows were penned. All the usual buyers operated in a mostly dearer market.

Vealers to the trade ranged from 165c to 221c/kg for both steers and heifers. Trade yearling steers lifted 3c to 4c, selling between 181c and 213c/kg. The heavy trade weight heifers gained 2c/kg. Trade heifers ranged from 170c to 212c/kg. Medium weight feeder steers gained 6c to 7c, receiving between 170c and 212c/kg.

Grown steers and bullocks eased slightly to range in price from 189c to 211c/kg. Cows lifted 10c to 15c, as heavy weights sold from 128c to 146c and the medium weight 2 scores returned vendors between 114c and 129c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
80+		C	2	8	180.0	- 199.2	189.6	32	360	- 398	379	288	- 319	303
				8	180.0	199.2			360	398		288	319	
Vealer Steer														
0-200	RS	D	1	4	120.0	- 120.0	120.0	N/Q	-			144	- 144	144
	RS	D	2	22	137.6	- 191.0	178.9	33	-			248	- 344	322
	RS	E	1	3	60.0	- 60.0	60.0	N/Q	-			48	- 48	48
200-280		B	2	1	183.0	- 183.0	183.0	N/Q	339	- 339	339	494	- 494	494
	RS	C	2	6	193.4	- 200.0	194.5	-4	-			406	- 520	425
	RS	D	2	4	150.0	- 150.0	150.0	21	-			360	- 360	360
		D	2	1	140.0	- 140.0	140.0	N/Q	269	- 269	269	336	- 336	336
280-330		C	2	4	186.2	- 186.2	186.2	25	358	- 358	358	596	- 596	596
	FD	C	3	1	190.0	- 190.0	190.0	N/Q	-			608	- 608	608
		C	3	4	200.0	- 200.0	200.0	N/Q	370	- 370	370	640	- 640	640
330+		B	2	3	201.2	- 208.0	205.7	N/Q	366	- 378	374	765	- 790	782
		B	3	1	220.2	- 220.2	220.2	N/Q	400	- 400	400	738	- 738	738
		C	3	25	192.0	- 215.2	209.1	-4	356	- 398	384	753	- 881	816
	FD	C	3	10	192.0	- 192.0	192.0	-7	-			643	- 643	643
		C	4	8	213.2	- 221.6	214.5	N/Q	384	- 410	394	810	- 904	826
				97	60.0	221.6			269	410		48	904	
Vealer Heifer														
0-200	RS	D	1	14	102.0	- 120.0	117.4	N/Q	-			184	- 198	196
200-280	RS	B	2	2	191.6	- 191.6	191.6	N/Q	-			527	- 527	527
		B	2	5	180.0	- 180.0	180.0	N/Q	333	- 333	333	450	- 450	450
	FD	B	2	1	180.0	- 180.0	180.0	N/Q	-			468	- 468	468
		C	2	27	165.0	- 190.2	185.7	28	317	- 366	354	397	- 510	469
	FD	C	2	6	145.0	- 193.0	169.0	10	-			377	- 540	459
	RS	C	2	13	190.0	- 200.0	193.1	32	-			456	- 540	482
	RS	D	2	37	129.6	- 160.0	158.2	N/Q	-			332	- 416	396

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
280-330	FD	D	2	7	147.6	- 147.6	147.6	N/Q	-			310	- 310	310	
		D	2	17	145.0	- 160.0	152.8	N/Q	279	- 314	297	352	- 417	393	
		D	3	3	160.0	- 175.0	165.0	N/Q	296	- 337	310	416	- 455	429	
		B	3	2	207.0	- 207.0	207.0	N/Q	376	- 376	376	662	- 662	662	
		C	2	10	170.0	- 188.0	186.2	11	327	- 348	346	544	- 602	596	
		FD	C	3	1	200.0	- 200.0	200.0	N/Q	-			640	- 640	640
		C	3	19	180.0	- 200.0	190.7	-2	333	- 370	353	540	- 640	602	
330+	C	4	6	158.6	- 158.6	158.6	N/Q	294	- 294	294	452	- 452	452		
	D	3	6	150.0	- 175.0	170.8	N/Q	283	- 337	328	450	- 543	527		
	C	2	5	185.0	- 185.0	185.0	N/Q	336	- 336	336	638	- 638	638		
	FD	C	2	3	202.2	- 202.2	202.2	N/Q	-			869	- 869	869	
		C	3	44	188.0	- 218.2	203.5	13	348	- 399	375	639	- 925	757	
				228	102.0	218.2		279	399		184	925			
Yearling Steer															
0-330		C	2	5	168.6	- 182.0	178.9	N/Q	318	- 350	343	468	- 540	513	
	FD	C	2	23	195.0	- 197.2	196.4	-13	-			588	- 631	606	
	RS	C	2	13	179.2	- 195.2	192.7	N/Q	-			502	- 556	548	
	FD	C	3	4	203.6	- 203.6	203.6	N/Q	-			662	- 662	662	
	FD	D	2	9	150.0	- 174.2	171.5	N/Q	-			465	- 557	547	
	RS	D	2	33	124.2	- 124.2	124.2	4	-			286	- 286	286	
		D	2	12	100.0	- 116.6	115.0	N/Q	200	- 248	243	270	- 357	292	
330-400	RS	C	2	10	191.6	- 191.6	191.6	22	-			651	- 651	651	
		C	2	3	166.0	- 192.8	183.9	19	319	- 357	344	631	- 733	699	
	FD	C	2	112	160.0	- 212.4	203.5	7	-			544	- 807	736	
		C	3	12	194.8	- 212.6	205.4	N/Q	361	- 387	378	720	- 808	777	
		D	2	2	112.0	- 121.2	116.6	N/Q	224	- 253	238	403	- 455	429	
400+	FD	D	2	6	150.0	- 188.0	171.5	N/Q	-			510	- 630	578	
		B	3	2	196.0	- 196.0	196.0	N/Q	356	- 356	356	902	- 902	902	
		C	2	1	182.0	- 182.0	182.0	N/Q	350	- 350	350	764	- 764	764	
	FD	C	2	26	170.0	- 200.0	192.3	-18	-			765	- 900	849	
	RS	C	2	13	175.0	- 208.2	192.9	N/Q	-			788	- 937	868	
	DA	C	3	1	160.0	- 160.0	160.0	N/Q	296	- 296	296	832	- 832	832	
	RS	C	3	3	213.6	- 213.6	213.6	N/Q	-			983	- 983	983	
	FD	C	3	64	180.0	- 210.0	197.2	-6	-			819	- 966	869	
		C	3	124	183.0	- 213.0	203.5	3	339	- 394	376	787	- 1066	900	
		C	4	53	194.2	- 213.6	205.7	N/Q	360	- 389	379	897	- 1210	1039	
	FD	D	2	1	170.0	- 170.0	170.0	N/Q	-			731	- 731	731	
				532	100.0	213.6		200	394		270	1210			
Yearling Heifer															
0-330	RS	C	2	49	155.2	- 162.6	158.2	4	-			410	- 497	441	
	FD	C	2	8	152.2	- 171.2	154.6	N/Q	-			472	- 514	477	
		C	3	2	170.0	- 170.0	170.0	N/Q	321	- 321	321	544	- 544	544	
		D	1	1	86.0	- 86.0	86.0	N/Q	183	- 183	183	219	- 219	219	
	RS	D	1	6	125.0	- 125.0	125.0	N/Q	-			325	- 325	325	
	RS	D	2	52	130.2	- 158.0	151.4	N/Q	-			399	- 480	423	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
330-400		D	2	1	115.0	- 115.0	115.0	N/Q	245	- 245	245	299	- 299	299
	FD	D	2	1	155.0	- 155.0	155.0	N/Q	-	-	-	442	- 442	442
	FD	D	3	11	142.0	- 142.0	142.0	N/Q	-	-	-	369	- 369	369
		D	3	4	140.0	- 157.2	144.3	N/Q	269	- 302	278	364	- 409	375
	RS	D	3	6	158.0	- 161.2	159.1	N/Q	-	-	-	506	- 516	509
		B	2	14	212.0	- 212.0	212.0	N/Q	386	- 386	386	806	- 806	806
	FD	C	2	40	155.2	- 189.0	167.9	-3	-	-	-	528	- 718	596
		C	2	2	160.0	- 182.6	171.3	N/Q	308	- 351	329	544	- 694	619
	FD	C	3	2	160.0	- 160.0	160.0	N/Q	-	-	-	576	- 576	576
		C	3	29	168.6	- 195.0	179.2	N/Q	318	- 361	338	630	- 741	672
		C	4	2	165.0	- 170.0	167.5	N/Q	306	- 309	307	594	- 646	620
	FD	D	2	10	145.6	- 150.0	147.8	N/Q	-	-	-	495	- 510	503
FD	D	3	7	140.0	- 162.6	146.5	N/Q	-	-	-	504	- 545	516	
400+		D	3	1	150.0	- 150.0	150.0	N/Q	283	- 283	283	570	- 570	570
	RS	D	3	3	152.0	- 152.0	152.0	N/Q	-	-	-	578	- 578	578
	FD	C	2	1	170.0	- 170.0	170.0	N/Q	-	-	-	714	- 714	714
		C	3	91	165.0	- 193.2	185.2	2	306	- 358	344	735	- 889	828
		C	4	34	180.0	- 195.0	186.8	N/Q	340	- 361	347	828	- 1053	925
		D	3	7	130.0	- 163.2	148.3	8	269	- 314	285	588	- 783	644
	FD	D	3	15	186.0	- 186.0	186.0	N/Q	-	-	-	856	- 856	856
					399	86.0	212.0		183	386		219	1053	
Grown Steer														
0-400		C	2	1	143.0	- 143.0	143.0	N/Q	275	- 275	275	458	- 458	458
	FD	C	2	3	185.0	- 185.0	185.0	N/Q	-	-	-	703	- 703	703
400-500	FD	C	2	7	177.0	- 177.0	177.0	N/Q	-	-	-	743	- 743	743
		C	2	11	170.0	- 193.4	173.0	19	315	- 372	324	825	- 890	833
	FD	C	3	11	200.6	- 200.6	200.6	N/Q	-	-	-	963	- 963	963
500-600		C	2	1	180.0	- 180.0	180.0	N/Q	346	- 346	346	936	- 936	936
		C	3	112	185.0	- 211.0	202.5	-2	352	- 384	370	990	- 1226	1125
		C	4	36	196.0	- 208.0	204.6	3	361	- 385	378	1123	- 1202	1156
600-750		C	3	23	198.2	- 198.2	198.2	8	374	- 374	374	1229	- 1229	1229
		C	4	54	192.0	- 200.0	195.2	-3	349	- 366	358	1210	- 1262	1245
750+		C	4	2	180.0	- 180.0	180.0	N/Q	327	- 327	327	1368	- 1368	1368
					261	143.0	211.0		275	385		458	1368	
Grown Heifer														
0-540		C	3	13	160.0	- 179.2	174.9	-5	296	- 338	330	822	- 901	866
		C	4	4	139.6	- 176.0	166.9	-25	263	- 326	310	670	- 950	880
		D	1	1	80.0	- 80.0	80.0	N/Q	178	- 178	178	224	- 224	224
		D	2	5	110.0	- 122.2	115.9	4	220	- 245	236	363	- 623	470
	RS	D	2	2	116.0	- 116.0	116.0	N/Q	-	-	-	441	- 441	441
		D	3	32	121.0	- 170.0	146.0	16	242	- 327	281	557	- 837	703
540+		C	4	1	150.0	- 150.0	150.0	N/Q	278	- 278	278	870	- 870	870
		D	4	14	141.6	- 178.2	154.1	N/Q	262	- 336	292	818	- 1023	891
					72	80.0	179.2		178	338		224	1023	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Manufacturing Steer														
0-540		C	3	2	149.6	- 149.6	149.6	N/Q	277	- 277	277	808	- 808	808
	DA	D	1	3	100.0	- 115.0	106.7	N/Q	213	- 245	225	380	- 495	453
		D	1	1	112.0	- 112.0	112.0	N/Q	238	- 238	238	504	- 504	504
		D	2	15	120.0	- 148.2	121.9	N/Q	240	- 296	244	456	- 771	539
		D	3	1	170.0	- 170.0	170.0	N/Q	327	- 327	327	884	- 884	884
540+		C	2	1	155.0	- 155.0	155.0	N/Q	298	- 298	298	899	- 899	899
	DA	D	2	2	124.2	- 145.0	134.6	N/Q	248	- 284	266	677	- 1044	860
		D	3	22	160.0	- 178.0	177.2	N/Q	308	- 336	335	896	- 1121	1111
				47	100.0	178.0			213	336		380	1121	
Cows														
0-400		D	3	1	90.0	- 90.0	90.0	N/Q	192	- 192	192	342	- 342	342
400-520	RS	D	1	20	112.0	- 112.0	112.0	N/Q		-		493	- 493	493
	DA	D	1	4	129.8	- 129.8	129.8	N/Q	276	- 276	276	675	- 675	675
		D	1	12	65.0	- 92.2	81.2	N/Q	141	- 196	174	280	- 415	356
		D	2	32	112.0	- 129.6	119.0	15	233	- 270	249	507	- 609	556
		D	3	32	116.0	- 128.0	125.7	5	242	- 256	252	592	- 650	617
520+		D	2	56	123.0	- 126.2	124.6	N/Q	246	- 263	256	652	- 700	661
		D	3	52	128.0	- 134.0	130.3	10	256	- 268	260	678	- 840	722
		D	4	125	135.0	- 146.0	137.3	15	265	- 281	270	773	- 964	864
		D	5	3	132.0	- 132.0	132.0	10	259	- 259	259	898	- 898	898
				337	65.0	146.0			141	281		280	964	
Bulls														
0-450		C	2	9	136.0	- 175.0	144.7	-23	252	- 307	264	571	- 665	592
450-600		C	2	9	125.0	- 169.2	140.6	-4	232	- 302	258	648	- 948	754
600+		B	2	40	158.0	- 188.0	173.2	12	272	- 318	293	1027	- 2003	1589
		C	1	1	139.6	- 139.6	139.6	N/Q	245	- 245	245	949	- 949	949
		C	2	11	130.0	- 166.0	152.5	12	232	- 291	270	975	- 1212	1058
		C	3	3	125.0	- 155.2	142.5	N/Q	232	- 272	254	975	- 1450	1269
				73	125.0	188.0			232	318		571	2003	

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2014. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.