

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Dubbo

report date 14 Aug 2014

Yarding Change $\frac{7000}{500}$

comparison date 07/08/2014

Numbers lifted and quality improved, with a larger number of better conditioned cattle offered. Yearlings made up the majority of the yarding and grown steers in prime condition were limited. Nearly 2,000 cows were offered to the usual buyers, as well as extra restocking and feeder orders. The market trend was dearer on most drafts of cattle.

Restocking vealers were 15c to 30c stronger due to the added competition, with steers selling from 190c to 203c and the heifers from 145c to 178c/kg. Heavy trade vealers remained unchanged, with most from 175c to 211c/kg. Feeder yearling steers gained 4c, ranging from 180c to 215c/kg. The heifers lifted 10c, receiving 160c to 190c/kg. Steers to the processors lifted 10c to 14c, with most 190c to 208c/kg. Heifers lifted at a similar rate on medium weights, while heavy weights held firm.

Grown steers over 500kg gained as much as 10c, selling between 180c and 204c/kg. The majority of the heifers gained 3c on average, ranging from 144c to 178c/kg. Most cows showed gains of 2c to 5c, with the medium 2 scores 122c to 139c and the better covered heavy weights from 136c to 168c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
0-80		C	1	39	145.0	- 220.0	160.4	N/Q	290	- 440	321	102	- 154	112
80+		C	1	10	210.0	- 217.2	216.5	-13	420	- 434	433	189	- 261	253
				49	145.0	220.0			290	440		102	261	
Vealer Steer														
0-200	RS	C	2	4	192.2	- 192.2	192.2	N/Q	-	-	-	346	- 346	346
	RS	D	1	18	168.2	- 168.2	168.2	34	-	-	-	269	- 269	269
200-280	RS	C	2	1	189.2	- 189.2	189.2	N/Q	-	-	-	492	- 492	492
280-330	RS	C	2	6	203.2	- 203.2	203.2	8	-	-	-	610	- 610	610
		C	2	1	171.2	- 171.2	171.2	N/Q	329	- 329	329	531	- 531	531
330+	RS	C	2	14	185.2	- 203.2	194.2	N/Q	-	-	-	630	- 772	701
		C	3	34	194.2	- 210.2	203.5	N/Q	360	- 389	372	699	- 832	791
				78	168.2	210.2			329	389		269	832	
Vealer Heifer														
0-200	RS	C	1	9	170.0	- 170.0	170.0	N/Q	-	-	-	255	- 255	255
	RS	D	1	99	138.0	- 178.0	171.7	33	-	-	-	193	- 292	282
		D	2	2	130.0	- 130.0	130.0	N/Q	255	- 255	255	241	- 241	241
200-280		C	2	10	150.0	- 178.2	169.7	15	289	- 343	326	345	- 428	415
	RS	C	2	8	156.2	- 162.2	158.5	-13	-	-	-	414	- 430	420
	RS	D	1	25	144.2	- 144.2	144.2	13	-	-	-	346	- 346	346
	RS	D	2	49	160.2	- 160.2	160.2	30	-	-	-	417	- 417	417
		D	2	1	140.0	- 140.0	140.0	N/C	275	- 275	275	343	- 343	343
280-330		C	2	15	160.2	- 211.2	163.6	N/Q	297	- 391	303	481	- 676	494
330+		C	3	47	175.0	- 211.0	190.3	2	324	- 391	353	636	- 760	679
				265	130.0	211.2			255	391		193	760	
Yearling Steer														
0-330		C	2	14	161.2	- 161.2	161.2	-7	310	- 310	310	459	- 459	459
	FD	C	2	26	179.2	- 211.2	203.4	14	-	-	-	573	- 676	651

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head					
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg			
330-400	RS	C	2	129	162.0	- 208.2	184.2	-1	-			405	-	666	524		
	RS	C	3	11	203.0	- 203.0	203.0	N/Q	-			609	-	609	609		
		C	3	2	204.2	- 204.2	204.2	N/Q	378	-	378	378	653	-	653	653	
	RS	D	1	4	90.2	- 90.2	90.2	-44	-			271	-	271	271		
	RS	D	2	35	140.2	- 181.2	158.5	-1	-			365	-	548	427		
	FD	D	2	21	163.0	- 173.2	171.7	15	-			522	-	554	550		
		C	2	23	178.6	- 178.6	178.6	N/Q	337	-	337	337	625	-	625	625	
	FD	C	2	351	169.2	- 211.2	191.1	4	-			575	-	803	677		
	RS	C	2	72	170.0	- 204.2	189.4	4	-			578	-	735	666		
		C	3	27	190.0	- 205.6	202.8	15	352	-	381	376	684	-	781	763	
	FD	D	2	10	179.2	- 179.2	179.2	23	-			627	-	627	627		
	400+	RS	D	2	1	145.2	- 145.2	145.2	N/Q	-			501	-	501	501	
		D	2	8	133.2	- 133.2	133.2	3	256	-	256	256	453	-	453	453	
		D	3	1	169.2	- 169.2	169.2	N/Q	325	-	325	325	567	-	567	567	
		B	3	5	212.6	- 212.6	212.6	-6	394	-	394	394	893	-	893	893	
		C	2	16	171.2	- 194.6	175.8	-6	323	-	367	332	735	-	890	871	
FD		C	2	168	185.0	- 215.6	200.8	6	-			777	-	990	882		
RS		C	2	53	184.0	- 211.2	204.9	27	-			754	-	1009	931		
FD		C	3	21	202.0	- 215.6	208.6	16	-			853	-	1030	975		
		C	3	150	180.0	- 208.2	201.0	7	333	-	386	372	756	-	1062	942	
		C	4	9	175.0	- 205.0	184.6	-10	324	-	380	342	874	-	1189	980	
FD		C	4	15	195.2	- 195.2	195.2	N/Q	-			1015	-	1015	1015		
		D	3	6	178.0	- 178.0	178.0	21	336	-	336	336	943	-	943	943	
				1178	90.2	215.6		256	394		271	1189					
Yearling Heifer																	
0-330		C	2	40	155.0	- 171.2	164.1	9	298	-	329	316	465	-	548	511	
	FD	C	2	28	155.6	- 176.0	161.4	9	-			498	-	563	517		
	RS	C	2	14	156.2	- 169.0	161.7	5	-			439	-	484	465		
		C	3	10	160.0	- 170.0	167.0	27	296	-	315	309	459	-	512	475	
	RS	D	1	52	147.2	- 159.2	158.0	38	-			221	-	382	367		
	RS	D	2	53	135.0	- 166.2	160.2	49	-			367	-	432	418		
	FD	D	2	54	148.2	- 150.2	149.7	-2	-			474	-	481	479		
		D	2	55	122.0	- 166.2	147.4	27	254	-	320	291	368	-	532	461	
		D	3	39	158.2	- 170.2	166.2	38	316	-	321	318	506	-	553	536	
	330-400		C	2	5	155.0	- 180.2	165.1	21	298	-	347	318	519	-	631	564
		FD	C	2	154	150.0	- 185.0	174.2	14	-			548	-	686	625	
		RS	C	2	46	163.2	- 180.2	172.2	4	-			563	-	694	628	
		C	3	63	162.2	- 206.2	188.7	14	300	-	382	351	543	-	798	699	
FD		D	2	24	143.6	- 158.2	149.9	N/C	-			503	-	536	521		
		D	2	11	170.2	- 170.2	170.2	45	340	-	340	340	596	-	596	596	
RS		D	2	64	161.0	- 170.2	168.2	27	-			563	-	613	594		
RS		D	3	46	170.0	- 186.2	181.4	N/Q	-			621	-	712	674		
FD		D	3	3	178.2	- 178.2	178.2	14	-			686	-	686	686		
		D	3	30	162.0	- 189.0	180.7	27	310	-	350	338	616	-	728	683	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
400+		B	2	9	188.0	- 188.0	188.0	N/Q	348	- 348	348	865	- 865	865	
		C	2	6	168.2	- 168.2	168.2	17	324	- 324	324	706	- 706	706	
		FD	C	2	71	163.2	- 187.2	183.4	12	-	-	690	- 815	794	
		RS	C	2	1	171.2	- 171.2	171.2	N/Q	-	-	719	- 719	719	
		FD	C	3	47	178.2	- 190.0	187.9	10	-	-	766	- 806	781	
			C	3	162	155.2	- 207.2	181.9	-3	293	- 384	339	652	- 981	828
			C	4	37	170.0	- 194.0	183.3	3	315	- 359	340	765	- 941	887
			D	2	7	152.2	- 152.2	152.2	N/Q	298	- 298	298	639	- 639	639
			D	3	55	175.0	- 188.0	178.0	9	330	- 355	338	735	- 998	828
	RS	D	3	4	165.0	- 177.0	174.0	N/Q	-	-	710	- 761	748		
					1190	122.0	207.2		254	384		221	998		
Grown Steer															
0-400		C	2	1	160.0	- 160.0	160.0	N/Q	308	- 308	308	512	- 512	512	
		RS	D	2	89	146.2	- 151.0	149.0	14	-	-	482	- 498	492	
400-500	FD	C	2	15	195.0	- 205.0	204.3	39	-	-	897	- 1025	1016		
		RS	C	2	6	158.2	- 158.2	158.2	-11	-	-	759	- 759	759	
			C	2	3	178.0	- 185.0	182.7	20	342	- 356	351	777	- 801	785
		FD	C	3	22	192.0	- 195.0	193.4	N/Q	-	-	883	- 956	916	
	RS	D	2	3	134.0	- 134.0	134.0	-6	-	-	563	- 563	563		
500-600	FD	C	2	16	178.2	- 195.0	187.8	9	-	-	909	- 995	958		
			C	2	31	176.0	- 176.2	176.2	11	333	- 339	333	898	- 916	913
		FD	C	3	9	203.2	- 203.2	203.2	N/Q	-	-	1036	- 1036	1036	
			C	3	93	185.0	- 200.0	193.6	10	343	- 370	359	962	- 1109	1047
			C	4	46	189.2	- 204.2	197.1	-1	350	- 378	365	1018	- 1184	1110
600-750		C	3	14	182.0	- 186.2	182.6	7	337	- 345	338	1154	- 1183	1179	
			C	4	26	186.0	- 188.0	186.3	-5	344	- 348	345	1153	- 1278	1169
					374	134.0	205.0		308	378		482	1278		
Grown Heifer															
0-540	FD	C	2	7	176.2	- 176.2	176.2	N/Q	-	-	740	- 740	740		
			C	2	9	170.0	- 175.0	171.1	N/Q	330	- 333	333	731	- 814	749
			C	3	28	172.0	- 186.2	182.1	24	319	- 345	337	791	- 968	925
			C	4	17	187.2	- 187.2	187.2	20	347	- 347	347	992	- 992	992
			D	2	10	135.0	- 144.2	141.7	-8	265	- 288	283	497	- 625	607
		RS	D	2	34	168.2	- 168.2	168.2	34	-	-	706	- 706	706	
		FD	D	2	13	148.2	- 172.2	170.4	N/Q	-	-	556	- 603	599	
		FD	D	3	23	188.2	- 188.2	188.2	N/Q	-	-	828	- 828	828	
			D	3	215	144.0	- 178.2	161.0	3	277	- 336	307	518	- 962	751
			D	4	17	173.2	- 189.2	178.8	N/Q	321	- 357	334	908	- 918	915
540+		D	3	18	156.0	- 171.2	169.8	15	300	- 323	321	874	- 952	939	
			D	4	1	172.0	- 172.0	172.0	N/Q	331	- 331	331	1101	- 1101	1101
					392	135.0	189.2		265	357		497	1101		
Manufacturing Steer															
0-540	DA	D	1	1	120.0	- 120.0	120.0	N/Q	240	- 240	240	576	- 576	576	
			D	2	10	130.0	- 150.0	146.0	46	255	- 289	282	598	- 780	744
			D	3	4	182.2	- 182.2	182.2	19	344	- 344	344	966	- 966	966

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
540+	DA	C	3	2	178.2	- 178.2	178.2	N/Q	330	- 330	330	1337	- 1337	1337
		D	3	12	175.6	- 178.2	176.5	19	331	- 343	335	966	- 998	977
	DA	D	3	5	168.0	- 168.0	168.0	N/Q	317	- 317	317	1445	- 1445	1445
		D	4	3	165.0	- 165.0	165.0	N/Q	306	- 306	306	1188	- 1188	1188
				37	120.0	182.2		240	344		576	1445		
Cows														
0-400		D	1	24	91.2	- 91.2	91.2	N/Q	194	- 194	194	310	- 310	310
	RS	D	2	13	152.2	- 152.2	152.2	N/Q	-	-	-	373	- 373	373
	RS	E	1	30	59.2	- 59.2	59.2	N/Q	-	-	-	154	- 154	154
400-520		C	3	12	165.0	- 165.0	165.0	N/Q	324	- 324	324	858	- 858	858
		D	1	157	95.0	- 116.0	107.1	-2	202	- 247	224	399	- 522	488
	RS	D	1	51	85.0	- 105.0	87.4	N/Q	-	-	-	391	- 441	397
		D	2	348	122.0	- 139.6	125.4	-9	244	- 291	261	512	- 670	584
	RS	D	2	13	120.0	- 142.2	132.0	-1	-	-	-	576	- 633	607
		D	3	299	123.0	- 160.0	145.4	5	246	- 314	290	566	- 785	702
520+		C	3	20	142.0	- 167.6	159.8	-3	284	- 322	311	824	- 924	882
	DA	D	2	2	125.0	- 125.0	125.0	N/Q	250	- 250	250	669	- 669	669
		D	3	368	136.0	- 163.6	151.6	4	272	- 327	303	741	- 999	846
		D	4	398	148.0	- 168.2	158.1	2	290	- 330	311	858	- 1138	965
		D	5	2	167.2	- 167.2	167.2	N/Q	322	- 322	322	1137	- 1137	1137
				1737	59.2	168.2		194	330		154	1138		
Bulls														
0-450	RS	C	2	47	186.2	- 186.2	186.2	N/Q	-	-	-	559	- 559	559
	RS	D	1	77	161.0	- 200.2	182.4	N/Q	-	-	-	320	- 484	430
		D	2	13	134.0	- 134.0	134.0	N/Q	258	- 258	258	456	- 456	456
600+	B	2	28	185.0	- 198.2	193.1	10	310	- 340	326	1668	- 2006	1846	
	B	3	2	184.2	- 190.2	187.2	N/Q	307	- 328	318	1484	- 1934	1709	
	C	2	16	160.0	- 185.2	176.6	15	281	- 331	312	1088	- 1565	1474	
	D	2	3	145.0	- 145.0	145.0	35	269	- 269	269	986	- 986	986	
	D	4	17	170.2	- 170.2	170.2	N/Q	334	- 334	334	1157	- 1157	1157	
				203	134.0	200.2		258	340		320	2006		

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2014. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.