

## Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

### Dubbo

report date 28 Aug 2014

Yarding Change  $\frac{7100}{2490}$

comparison date 21/08/2014

There was a sharp increase in numbers following last week's rain reduced offering. All categories were well represented and quality was mostly good. Condition was also good in the majority of the cattle. There was a full field of export processors in attendance; however there was reduced feedlot competition. Despite the numbers the market held up well, particularly on the heavy cattle.

Yearling steers to restock and feed sold firm to slightly cheaper on the light and medium weights. Heavy feeders also sold firm to slightly cheaper with the specialty breed lots firm. The trend was the same for yearling heifers to restock and feed with some quality related price changes; also breed quality was a factor in the heavy heifers to feed. Well finished heifers to the trade mostly firm with odd better quality lots a little dearer.

There was a good quality penning of heavy grown steers offered, possibly not quite as good as the previous weeks penning. The market trend was firm with some quality related price changes. Well finished heavy grown heifers remained firm. There was little but quality related price change in the cow market with the trend firm. Heavy bulls sold firm to slightly dearer.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head				
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg		
<b>Calves</b>																
80+	RS	B	1	1	316.2	- 316.2	316.2	N/Q	-	-	-	569	-	569	569	
	RS	C	1	14	223.2	- 223.2	223.2	57	-	-	-	346	-	346	346	
		C	1	15	220.0	- 220.0	220.0	N/Q	423	-	423	423	330	-	330	330
				<b>30</b>	<b>220.0</b>	<b>316.2</b>			<b>423</b>	<b>423</b>		<b>330</b>	<b>569</b>			
<b>Vealer Steer</b>																
200-280		C	2	7	164.0	- 164.0	164.0	N/Q	315	-	315	315	451	-	451	451
	RS	C	2	12	170.0	- 196.2	190.3	N/Q	-	-	-	442	-	549	508	
280-330	RS	C	2	14	198.6	- 200.0	199.6	-4	-	-	-	570	-	655	594	
		C	2	3	190.0	- 203.2	198.8	N/Q	365	-	376	373	570	-	610	596
		C	3	3	205.0	- 220.0	215.0	N/Q	380	-	407	398	615	-	660	645
330+	RS	C	2	3	197.6	- 197.6	197.6	N/Q	-	-	-	682	-	682	682	
		C	3	2	200.0	- 200.0	200.0	N/Q	370	-	370	370	700	-	840	770
	RS	C	3	3	188.0	- 195.0	192.7	N/Q	-	-	-	677	-	683	681	
				<b>47</b>	<b>164.0</b>	<b>220.0</b>			<b>315</b>	<b>407</b>		<b>442</b>	<b>840</b>			
<b>Vealer Heifer</b>																
0-200	RS	D	2	5	130.6	- 130.6	130.6	N/Q	-	-	-	183	-	183	183	
200-280		C	2	34	165.0	- 175.0	168.1	-7	317	-	337	323	417	-	457	449
	RS	D	2	16	150.0	- 150.0	150.0	N/Q	-	-	-	323	-	323	323	
280-330		C	3	25	165.0	- 210.0	183.0	-1	311	-	382	344	519	-	693	568
330+		C	3	4	160.0	- 185.6	177.4	-17	302	-	350	335	568	-	646	625
				<b>84</b>	<b>130.6</b>	<b>210.0</b>			<b>302</b>	<b>382</b>		<b>183</b>	<b>693</b>			
<b>Yearling Steer</b>																
0-330		C	2	9	150.0	- 202.0	176.2	N/Q	289	-	374	334	459	-	636	523
	FD	C	2	31	185.0	- 200.2	196.9	29	-	-	-	611	-	641	634	
	RS	C	2	69	176.2	- 199.2	188.0	-7	-	-	-	513	-	657	596	
		C	3	3	195.0	- 195.0	195.0	N/Q	361	-	361	361	624	-	624	624

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
330-400	RS	C	2	150	180.0	- 206.2	195.8	-5	-			620	- 763	698
	FD	C	2	100	189.2	- 200.2	194.4	-5	-			653	- 789	694
	RS	C	3	21	187.6	- 198.6	189.3	16	-			685	- 794	703
		C	3	18	187.2	- 212.0	201.4	6	347	- 386	370	702	- 848	784
	FD	C	3	13	191.2	- 202.0	197.0	-6	-			727	- 737	732
400+		C	2	14	158.0	- 207.2	192.6	-12	304	- 384	360	679	- 963	875
	FD	C	2	138	198.2	- 217.2	209.4	7	-			849	- 999	926
	RS	C	2	28	190.0	- 198.0	196.4	3	-			816	- 842	836
	RS	C	3	83	186.6	- 206.2	199.5	N/Q	-			812	- 966	899
	FD	C	3	35	190.0	- 205.0	201.6	-3	-			836	- 939	908
	C	3	138	190.0	- 205.2	199.4	-3	352	- 380	369	818	- 1010	925	
				<b>850</b>	<b>150.0</b>	<b>217.2</b>			<b>289</b>	<b>386</b>		<b>459</b>	<b>1010</b>	
<b>Yearling Heifer</b>														
0-330		C	2	28	146.6	- 170.0	166.0	-4	282	- 327	319	440	- 545	507
	FD	C	2	13	165.0	- 172.0	170.9	-13	-			495	- 568	556
	RS	C	2	47	150.0	- 175.2	170.5	-14	-			480	- 551	532
	RS	C	3	17	175.0	- 175.0	175.0	N/Q	-			569	- 569	569
	FD	C	3	26	168.0	- 186.2	183.4	3	-			554	- 614	605
		C	3	70	165.0	- 214.2	179.6	4	311	- 383	340	517	- 707	586
	RS	D	2	13	142.0	- 142.0	142.0	N/Q	-			391	- 391	391
330-400	FD	C	2	82	160.0	- 189.2	171.3	-22	-			564	- 662	609
	RS	C	2	17	159.2	- 170.0	163.0	N/C	-			578	- 605	595
	RS	C	3	50	170.0	- 188.2	181.4	11	-			578	- 672	630
	FD	C	3	168	165.0	- 190.0	179.2	-15	-			570	- 725	648
		C	3	131	160.0	- 205.2	176.5	-5	302	- 380	333	584	- 744	664
		C	4	1	156.2	- 156.2	156.2	N/Q	295	- 295	295	617	- 617	617
	RS	D	2	1	149.2	- 149.2	149.2	N/Q	-			515	- 515	515
400+	FD	C	3	257	165.0	- 193.2	188.4	-1	-			749	- 880	842
	RS	C	3	9	176.6	- 176.6	176.6	-16	-			733	- 733	733
		C	3	125	161.2	- 205.0	186.1	N/C	304	- 380	349	693	- 990	823
		C	4	27	182.0	- 192.0	184.5	-1	343	- 362	348	775	- 912	856
				<b>1082</b>	<b>142.0</b>	<b>214.2</b>			<b>282</b>	<b>383</b>		<b>391</b>	<b>990</b>	
<b>Grown Steer</b>														
0-400	FD	C	2	22	201.2	- 201.2	201.2	39	-			765	- 765	765
	RS	C	2	8	170.2	- 170.2	170.2	-2	-			579	- 579	579
	RS	D	2	18	152.2	- 155.2	154.7	N/Q	-			466	- 517	474
400-500	RS	C	2	26	190.0	- 194.2	191.3	N/Q	-			817	- 932	852
	FD	C	2	12	172.2	- 195.0	188.7	-2	-			758	- 936	882
		C	2	7	174.0	- 174.0	174.0	5	335	- 335	335	740	- 740	740
	FD	C	3	23	195.0	- 203.2	200.3	12	-			839	- 1016	954
	RS	C	3	2	192.0	- 192.0	192.0	N/Q	-			931	- 931	931
	C	3	55	176.0	- 202.0	185.9	N/C	326	- 374	344	792	- 970	900	
500-600		C	3	269	182.0	- 208.2	199.3	-1	337	- 375	363	979	- 1199	1094
	RS	C	3	43	190.2	- 190.2	190.2	N/Q	-			1008	- 1008	1008
		C	4	119	199.2	- 205.2	202.5	-1	361	- 369	367	1127	- 1207	1159

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
600-750	C	3	16	192.0	- 192.0	192.0	-7	349	- 349	349	1382	- 1382	1382	
	C	4	65	202.0	- 206.6	205.0	5	361	- 375	366	1291	- 1483	1370	
			<b>685</b>	<b>152.2</b>	<b>208.2</b>			<b>326</b>	<b>375</b>		<b>466</b>	<b>1483</b>		
<b>Grown Heifer</b>														
0-540	C	3	160	158.0	- 195.2	180.6	14	304	- 362	340	638	- 1015	835	
	RS	C	3	31	170.0	- 185.2	182.7	N/Q	-		723	- 833	816	
		C	4	64	172.2	- 190.2	177.9	-1	325	- 352	335	739	- 1008	838
		RS	D	2	4	110.0	- 110.0	110.0	N/Q	-		308	- 308	308
			D	3	28	172.0	- 172.0	172.0	N/Q	337	- 337	337	774	- 774
540+	C	3	6	185.6	- 190.0	187.8	22	344	- 352	348	1064	- 1067	1066	
	C	4	45	172.0	- 190.0	187.9	N/C	325	- 355	350	946	- 1166	1057	
			<b>338</b>	<b>110.0</b>	<b>195.2</b>			<b>304</b>	<b>362</b>		<b>308</b>	<b>1166</b>		
<b>Manufacturing Steer</b>														
540+	C	3	1	182.2	- 182.2	182.2	N/C	337	- 337	337	1348	- 1348	1348	
		C	4	4	192.0	- 192.0	192.0	-1	349	- 349	349	1594	- 1594	1594
		DA	D	3	5	180.0	- 182.2	181.3	N/Q	346	- 350	349	1026	- 1093
			<b>10</b>	<b>180.0</b>	<b>192.0</b>			<b>337</b>	<b>350</b>		<b>1026</b>	<b>1594</b>		
<b>Cows</b>														
0-400	RS	D	1	19	111.6	- 111.6	111.6	N/Q	-		391	- 391	391	
			D	1	11	123.2	- 123.2	123.2	N/Q	293	- 293	293	474	- 474
400-520		D	1	14	108.0	- 108.0	108.0	N/Q	257	- 257	257	443	- 443	443
		D	2	205	128.0	- 155.2	138.2	-6	284	- 345	307	536	- 706	593
		RS	D	2	38	122.0	- 148.2	134.6	N/Q	-		506	- 667	596
			D	3	464	132.0	- 172.6	153.7	-4	281	- 367	324	620	- 898
520+		D	4	16	154.2	- 155.0	154.4	-21	321	- 323	322	802	- 806	803
		C	3	23	172.0	- 182.0	181.4	1	344	- 350	349	1116	- 1135	1128
		C	4	16	175.0	- 177.0	176.3	N/Q	343	- 347	346	980	- 1239	1142
		D	3	290	155.0	- 178.2	165.0	-6	325	- 356	342	827	- 1139	929
		D	4	802	160.0	- 181.2	171.5	-1	320	- 365	347	902	- 1199	1002
		D	5	4	158.0	- 172.0	165.0	-9	316	- 344	330	1011	- 1066	1039
			<b>1902</b>	<b>108.0</b>	<b>182.0</b>			<b>257</b>	<b>367</b>		<b>391</b>	<b>1239</b>		
<b>Bulls</b>														
0-450	C	2	1	176.0	- 176.0	176.0	N/Q	326	- 326	326	704	- 704	704	
450-600	B	2	2	180.0	- 180.0	180.0	N/Q	321	- 321	321	900	- 900	900	
	C	2	10	190.0	- 190.0	190.0	17	352	- 352	352	1102	- 1102	1102	
600+	B	2	77	185.0	- 215.2	198.6	1	328	- 361	344	1273	- 2260	1610	
	B	3	1	200.0	- 200.0	200.0	N/Q	333	- 333	333	1900	- 1900	1900	
	C	2	5	165.0	- 188.0	180.1	21	306	- 348	331	1155	- 1476	1408	
	C	3	4	200.0	- 200.0	200.0	24	333	- 333	333	1950	- 1950	1950	
			<b>100</b>	<b>165.0</b>	<b>215.2</b>			<b>306</b>	<b>361</b>		<b>704</b>	<b>2260</b>		

#### Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

#### Disclaimer:

© MLA 2014. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.