

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Naracoorte

report date 09 Sep 2014

Yarding Change $\frac{2872}{270}$

comparison date 02/09/2014

An increased yarding of cattle was mainly due to the larger number of cows that were penned. The usual following of buyers attended and operated with prices for grown cattle mainly unchanged to slightly dearer, but young cattle sold equal at best. Most of the better quality yearlings were unchanged to 5c/kg easier, while prices for plain to average quality sold equal. The yarding comprised of 1,431 weighed cattle, 1,178 cows, 78 bulls and 185 open auction young cattle. Agents advised that due to the larger numbers; as of next week cows and bulls will be sold on Fridays and all other stock will sell on Tuesdays until further notice.

The C2 and C3 yearlings mainly sold from 165c to 195c with restockers to 201c and processors paid up to 210c and to 220c/kg for the best of their vealers. The D2 yearlings remained unchanged at between 138c and 178c with an odd sale or two to 182c/kg.

Most of the grown steers were C3's with the odd C4's offered. They again mostly sold from 185c to 198c with odd lots selling to 210c and plain quality from 176c/kg. Prices for grown heifers were unchanged to 5c/kg higher in places with most in 3 score condition and these made 168c to 182c/kg.

The cow market sold to continuing keen demand from a strong field of processors with prices equal to 3c/kg dearer. The D1 cows made 115c to 158c with odd sales out to 162c/kg. The D2 cows were mainly 156c to 165c with tops at 170c and the 3 to 5 score cows ranged from 168c to 180c/kg. A run of 2 to 4 score cows cost processors an estimated 350c/kg cwt. Heavy weight B2 bulls were of good to very good quality and lifted 2c to 3c to make from 158c to 176c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head				
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg		
Vealer Steer																
200-280		B	2	1	190.0	- 190.0	190.0	N/Q	359	-	359	359	532	-	532	532
	FD	C	2	2	199.0	- 200.0	199.5	N/Q		-			520	-	537	529
280-330		B	2	12	210.0	- 210.0	210.0	N/Q	396	-	396	396	672	-	672	672
	FD	C	2	5	190.0	- 201.0	194.6	N/Q		-			583	-	640	626
	RS	C	2	1	190.0	- 190.0	190.0	N/Q		-			618	-	618	618
		C	3	1	202.0	- 202.0	202.0	N/Q	381	-	381	381	667	-	667	667
330+		C	3	9	190.0	- 220.0	203.3	2	359	-	398	374	663	-	809	726
	FD	C	3	12	183.0	- 198.0	189.3	-1		-			663	-	714	693
				43	183.0	220.0			359	398			520	809		
Vealer Heifer																
200-280	FD	C	2	1	185.0	- 185.0	185.0	N/Q		-			490	-	490	490
280-330	FD	C	2	5	184.0	- 184.0	184.0	9		-			561	-	561	561
		C	2	2	202.0	- 202.0	202.0	N/Q	374	-	381	378	576	-	576	576
		C	3	1	212.0	- 212.0	212.0	N/Q	393	-	393	393	657	-	657	657
	FD	D	2	8	165.0	- 165.0	165.0	N/Q		-			495	-	495	495
	RS	D	2	1	165.0	- 165.0	165.0	N/Q		-			479	-	479	479
330+		C	2	8	182.0	- 182.0	182.0	14	350	-	350	350	637	-	637	637
		D	2	2	153.0	- 153.0	153.0	N/Q	306	-	306	306	520	-	520	520
				28	153.0	212.0			306	393			479	657		
Yearling Steer																
0-330	RS	D	1	13	158.0	- 158.0	158.0	16		-			490	-	490	490
	RS	D	2	3	176.0	- 176.0	176.0	N/C		-			546	-	546	546

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
330-400	FD	D	2	5	165.0	- 176.0	170.2	20	-			440	- 503	474
		C	2	2	185.0	- 185.0	185.0	N/Q	356	- 356	356	620	- 620	620
	FD	C	2	72	175.0	- 194.0	186.1	-5	-			680	- 752	710
	RS	C	2	32	181.0	- 197.0	187.7	-1	-			652	- 680	670
	FD	C	3	4	192.0	- 192.0	192.0	-3	-			720	- 758	730
		C	3	8	186.0	- 200.0	192.8	N/Q	358	- 377	365	716	- 800	760
	RS	D	1	1	143.0	- 143.0	143.0	N/Q	-			486	- 486	486
400+	RS	D	2	8	155.0	- 170.0	157.5	N/C	-			550	- 640	569
	FD	D	2	5	170.0	- 170.0	170.0	N/Q	-			595	- 595	595
		C	2	5	165.0	- 177.0	172.4	-5	324	- 347	338	734	- 800	778
	FD	C	2	37	175.0	- 194.0	187.7	1	-			753	- 825	788
	FD	C	3	37	184.0	- 198.0	190.2	-13	-			810	- 984	850
		C	3	58	180.0	- 210.0	193.6	-1	346	- 382	364	738	- 966	852
	DA	D	1	5	150.0	- 150.0	150.0	N/Q	319	- 319	319	698	- 698	698
		D	2	9	146.0	- 158.0	153.8	14	298	- 316	310	628	- 664	649
	FD	D	2	2	160.0	- 172.0	166.0	N/Q	-			672	- 705	689
	FD	D	3	1	188.0	- 188.0	188.0	N/Q	-			780	- 780	780
					307	143.0	210.0		298	382		440	984	
Yearling Heifer														
0-330		C	2	3	170.0	- 170.0	170.0	N/Q	333	- 333	333	544	- 544	544
		C	3	1	200.0	- 200.0	200.0	N/Q	377	- 377	377	660	- 660	660
		D	2	1	165.0	- 165.0	165.0	N/Q	330	- 330	330	495	- 495	495
	FD	D	2	2	122.0	- 180.0	151.0	N/Q	-			311	- 459	385
	RS	D	2	8	130.0	- 168.0	163.3	12	-			423	- 470	464
		D	3	1	174.0	- 174.0	174.0	N/Q	341	- 341	341	513	- 513	513
	330-400	FD	C	2	53	166.0	- 177.0	175.1	-5	-			564	- 699
		C	2	31	168.0	- 178.0	169.8	-9	329	- 342	333	604	- 685	657
		C	3	126	166.0	- 194.0	178.3	1	319	- 366	344	612	- 747	674
		C	4	1	200.0	- 200.0	200.0	N/Q	377	- 377	377	740	- 740	740
		D	1	1	142.0	- 142.0	142.0	N/Q	302	- 302	302	554	- 554	554
		D	2	24	132.0	- 182.0	160.7	13	269	- 357	321	462	- 673	578
RS		D	2	18	128.0	- 170.0	160.7	-3	-			429	- 578	559
FD		D	2	109	146.0	- 175.0	163.9	6	-			503	- 631	599
FD		D	3	13	166.0	- 170.0	166.3	N/Q	-			631	- 655	633
RS		D	3	9	162.0	- 162.0	162.0	N/Q	-			624	- 624	624
400+		D	3	7	151.0	- 170.0	157.6	-12	296	- 333	309	574	- 639	588
	FD	C	2	23	172.0	- 172.0	172.0	-8	-			722	- 722	722
		C	2	25	172.0	- 176.0	173.3	1	337	- 345	340	731	- 757	739
		C	3	86	168.0	- 182.0	177.6	-3	323	- 350	343	729	- 874	781
		C	4	6	173.0	- 190.0	181.5	2	326	- 352	339	830	- 903	866
		D	1	1	143.0	- 143.0	143.0	N/Q	298	- 298	298	644	- 644	644
		D	2	18	138.0	- 172.0	156.1	-1	288	- 337	313	559	- 767	650
	FD	D	2	2	165.0	- 165.0	165.0	N/Q	-			693	- 693	693
	FD	D	3	9	162.0	- 162.0	162.0	N/Q	-			656	- 656	656

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
		D	3	9	162.0	- 180.0	173.3	8	324	- 353	342	656	- 757	723
				587	122.0	200.0			269	377		311	903	
Grown Steer														
400-500	FD	C	2	32	192.0	- 194.0	193.1	N/Q	-			902	- 922	911
		C	3	1	200.0	- 200.0	200.0	N/Q	377	- 377	377	930	- 930	930
500-600	FD	C	2	8	182.0	- 182.0	182.0	N/Q	-			956	- 956	956
		C	2	30	176.0	- 188.0	183.4	-7	345	- 362	354	942	- 1090	1044
	FD	C	3	17	188.0	- 195.0	192.1	N/Q	-			987	- 1024	1009
		C	3	120	184.0	- 210.0	194.6	1	347	- 389	367	967	- 1239	1107
600-750		C	2	16	186.0	- 187.0	186.6	-5	358	- 367	363	1159	- 1200	1177
		C	3	34	185.0	- 204.0	195.6	-4	351	- 378	367	1147	- 1285	1232
		C	4	5	200.0	- 200.0	200.0	2	364	- 364	364	1330	- 1330	1330
				263	176.0	210.0			345	389		902	1330	
Grown Heifer														
0-540		C	3	8	168.0	- 175.0	168.9	-13	323	- 343	326	840	- 945	853
		D	2	2	165.0	- 165.0	165.0	N/Q	330	- 330	330	767	- 767	767
540+		C	2	4	175.0	- 180.0	178.8	N/Q	343	- 346	345	980	- 1044	1028
		C	3	81	170.0	- 182.0	174.4	6	327	- 350	337	944	- 1021	983
		C	4	3	174.0	- 174.0	174.0	-5	341	- 341	341	1088	- 1088	1088
		D	2	3	167.0	- 167.0	167.0	7	334	- 334	334	910	- 910	910
		D	3	13	168.0	- 175.0	171.1	14	329	- 343	335	941	- 1071	975
				114	165.0	182.0			323	350		767	1088	
Manufacturing Steer														
0-540		D	2	3	165.0	- 165.0	165.0	N/Q	330	- 330	330	825	- 891	847
540+		D	2	9	172.0	- 176.0	174.1	N/Q	337	- 350	342	1041	- 1170	1105
				12	165.0	176.0			330	350		825	1170	
Cows														
400-520		D	1	87	138.0	- 162.0	156.2	20	321	- 370	358	718	- 794	763
	RS	E	1	14	100.0	- 115.0	108.2	12	-			450	- 550	523
520+		C	2	53	170.0	- 173.0	171.6	N/Q	349	- 360	354	966	- 1029	994
		C	3	247	169.0	- 180.0	176.0	2	343	- 359	351	989	- 1283	1107
		C	4	186	172.0	- 178.0	176.9	7	331	- 356	353	1066	- 1376	1117
		C	5	29	170.0	- 178.0	171.9	2	333	- 349	337	1210	- 1368	1322
		C	6	4	150.0	- 162.0	158.0	N/Q	289	- 318	308	924	- 1215	1073
		D	1	58	115.0	- 158.0	145.6	-5	274	- 359	338	627	- 950	801
	DA	D	1	6	152.0	- 152.0	152.0	N/Q	354	- 354	354	950	- 950	950
	DA	D	2	8	160.0	- 160.0	160.0	N/Q	348	- 348	348	1064	- 1064	1064
		D	2	307	156.0	- 170.0	163.4	2	339	- 368	353	827	- 1056	917
		D	3	176	168.0	- 178.0	173.6	5	340	- 365	357	941	- 1246	1059
		D	5	1	150.0	- 150.0	150.0	N/Q	306	- 306	306	848	- 848	848
		D	6	1	130.0	- 130.0	130.0	N/Q	255	- 255	255	962	- 962	962
				1177	100.0	180.0			255	370		450	1376	
Bulls														
0-450		B	2	1	185.0	- 185.0	185.0	N/Q	349	- 349	349	675	- 675	675
		C	2	5	142.0	- 146.0	144.4	-9	278	- 281	280	469	- 533	507

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
450-600	RS	C	2	1	142.0	- 142.0	142.0	N/Q	-			469	- 469	469
	RS	D	1	2	124.0	- 124.0	124.0	N/Q	-			465	- 465	465
	RS	D	2	4	122.0	- 137.0	133.3	-11	-			342	- 500	460
		B	2	3	178.0	- 178.0	178.0	6	324	- 324	324	819	- 819	819
		C	2	28	152.0	- 172.0	168.3	11	287	- 325	315	749	- 998	969
		D	1	1	130.0	- 130.0	130.0	N/Q	265	- 265	265	598	- 598	598
600+		D	2	4	126.0	- 138.0	132.0	-5	252	- 271	261	680	- 773	727
		B	2	40	158.0	- 176.0	169.1	2	287	- 319	306	1016	- 1925	1519
		C	1	11	132.0	- 162.0	156.6	N/Q	254	- 304	292	1142	- 1466	1320
		C	2	15	150.0	- 168.0	161.1	3	283	- 311	303	1003	- 1502	1324
		D	1	1	135.0	- 135.0	135.0	N/Q	265	- 265	265	1046	- 1046	1046
		DA	D	1	2	136.0	- 140.0	138.0	N/Q	278	- 286	282	877	- 903
		D	2	1	145.0	- 145.0	145.0	N/Q	274	- 274	274	1080	- 1080	1080
				119	122.0	185.0			252	349		342	1925	

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2014. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.