

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Dubbo

report date 11 Sep 2014

Yarding Change 6400
-1700

comparison date 04/09/2014

It was a good quality yarding with good numbers of plain conditioned cattle in all sections. There were a few lines of far western yearlings in store condition however lightweight cows were in very limited supply. All the regular buyers were in attendance and operating in a solid market.

Trade cattle to the processors were 1c to 3c dearer with vealers selling to 214c/kg. The C3 yearling steers sold from 185c to 214c with the heavy weights averaging 202c/kg. Prime condition heifer yearlings sold from 165c to 202c/kg. Young cattle to the feeders were firm to 4c/kg dearer. The better quality feeder steers sold from 180c to 210c while the heifers sold from 164c to 194c/kg.

Grown steers were firm to 3c dearer with the primed conditioned medium and heavy weights selling from 197c to 212c to average 203c/kg. Grown heifers sold to 198c/kg. Plain conditioned cows were firm to 2c cheaper while the properly finished cows were up to 5c/kg dearer. The 2 score cows sold from 110c to 159c/kg. The 3 and 4 score cows sold from 146c to 189c with the 4 score heavy weights averaging 179c/kg. The best bull sold for 229c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
0-80		C	2	27	174.0	- 180.0	179.8	-30	335	- 346	344	117	- 135	130
	RS	C	2	25	143.0	- 159.0	153.2	N/Q	-	-	-	93	- 119	107
80+	RS	C	2	21	160.0	- 230.0	186.0	-14	-	-	-	157	- 296	214
		C	2	31	180.0	- 230.0	208.8	9	346	- 442	400	171	- 397	251
				104	143.0	230.0			335	442		93	397	
Vealer Steer														
0-200		C	2	5	202.0	- 202.0	202.0	N/Q	389	- 389	389	333	- 333	333
	RS	C	2	45	167.0	- 204.0	173.3	-37	-	-	-	287	- 357	316
200-280	RS	C	2	19	169.0	- 200.0	194.4	-10	-	-	-	465	- 550	516
	RS	D	3	27	155.0	- 155.0	155.0	N/Q	-	-	-	380	- 380	380
280-330	RS	C	2	45	185.0	- 219.0	198.4	8	-	-	-	536	- 663	614
		C	2	3	195.0	- 195.0	195.0	N/Q	375	- 375	375	556	- 556	556
	FD	C	2	12	195.0	- 206.0	198.7	-12	-	-	-	605	- 670	626
	RS	C	3	1	205.0	- 205.0	205.0	N/Q	-	-	-	666	- 666	666
330+	RS	C	2	19	193.0	- 205.0	202.5	N/Q	-	-	-	666	- 707	699
	RS	C	3	6	199.0	- 199.0	199.0	N/Q	-	-	-	726	- 726	726
		C	3	13	189.0	- 206.0	200.2	-8	357	- 385	377	656	- 814	734
				195	155.0	219.0			357	389		287	814	
Vealer Heifer														
0-200		C	2	31	150.0	- 196.0	179.3	-15	289	- 377	345	278	- 361	323
	RS	C	2	46	162.0	- 191.0	178.4	N/Q	-	-	-	277	- 326	305
	RS	D	3	5	140.0	- 140.0	140.0	N/Q	-	-	-	189	- 189	189
200-280		C	2	18	189.0	- 190.0	189.6	11	357	- 365	362	428	- 463	441
		C	3	1	207.0	- 207.0	207.0	N/Q	391	- 391	391	528	- 528	528
	RS	D	3	12	156.0	- 156.0	156.0	N/Q	-	-	-	351	- 351	351
280-330		C	2	62	169.0	- 185.0	181.0	-1	325	- 356	345	549	- 601	588

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
	RS	C	2	20	186.0	- 186.0	186.0	N/Q	-			605	- 605	605
		C	3	20	175.0	- 192.0	191.2	16	330	- 362	361	516	- 624	619
		D	3	3	140.0	- 147.0	144.7	N/Q	269	- 283	278	399	- 419	412
330+	FD	C	2	5	188.0	- 188.0	188.0	N/Q	-			724	- 724	724
		C	3	6	195.0	- 214.0	201.3	2	368	- 404	380	673	- 760	702
				229	140.0	214.0			269	404		189	760	
Yearling Steer														
0-330		C	2	36	175.0	- 181.0	179.5	N/Q	330	- 362	354	462	- 499	471
	RS	C	2	114	173.0	- 205.0	188.5	-12	-			439	- 584	517
	FD	C	2	54	188.0	- 205.0	198.6	8	-			611	- 666	641
	FD	C	3	6	184.0	- 184.0	184.0	N/Q	-			543	- 543	543
		C	3	3	192.0	- 192.0	192.0	-12	369	- 369	369	566	- 566	566
330-400		C	2	3	183.0	- 183.0	183.0	8	352	- 352	352	650	- 650	650
	FD	C	2	211	180.0	- 209.0	198.8	4	-			653	- 826	735
	RS	C	2	40	191.0	- 197.0	194.7	-3	-			643	- 716	667
	RS	C	3	16	209.0	- 209.0	209.0	13	-			805	- 805	805
	FD	C	3	107	187.0	- 209.0	201.5	-5	-			673	- 818	770
		C	3	17	194.0	- 214.0	207.1	8	359	- 404	390	712	- 845	801
400+	FD	C	2	60	170.0	- 208.0	201.6	9	-			774	- 955	879
		C	3	123	185.0	- 208.0	201.5	3	349	- 389	377	805	- 1123	918
	FD	C	3	159	188.0	- 210.0	201.3	2	-			809	- 990	895
		C	4	13	201.0	- 204.0	202.7	-2	376	- 379	377	1066	- 1296	1086
				962	170.0	214.0			330	404		439	1296	
Yearling Heifer														
0-330	RS	C	2	43	160.0	- 183.0	171.9	-6	-			440	- 527	498
		C	2	33	152.0	- 186.0	174.8	13	292	- 351	333	474	- 559	513
	FD	C	2	6	174.0	- 174.0	174.0	2	-			566	- 566	566
		C	3	18	162.0	- 173.0	171.8	-2	312	- 326	325	527	- 562	558
	RS	D	2	18	154.0	- 154.0	154.0	-6	-			501	- 501	501
	RS	D	3	14	158.0	- 158.0	158.0	N/Q	-			514	- 514	514
		D	3	1	140.0	- 140.0	140.0	N/Q	275	- 275	275	455	- 455	455
	FD	D	3	22	164.0	- 164.0	164.0	N/Q	-			467	- 467	467
330-400		C	2	51	170.0	- 179.0	173.6	-3	315	- 338	326	587	- 638	621
	FD	C	2	71	150.0	- 186.0	176.1	-1	-			563	- 712	639
	RS	C	2	43	178.0	- 179.0	178.5	5	-			632	- 689	660
	FD	C	3	22	172.0	- 185.0	177.8	N/Q	-			639	- 722	672
	RS	C	3	40	175.0	- 187.0	181.8	N/Q	-			621	- 645	636
		C	3	148	168.0	- 202.0	188.3	9	317	- 377	353	573	- 758	698
		D	3	1	150.0	- 150.0	150.0	N/Q	283	- 283	283	533	- 533	533
	FD	D	3	33	167.0	- 167.0	167.0	N/Q	-			576	- 576	576
400+	FD	C	2	4	180.0	- 180.0	180.0	N/C	-			783	- 783	783
	FD	C	3	58	173.0	- 194.0	184.3	N/Q	-			735	- 808	775
		C	3	140	165.0	- 194.0	183.6	1	306	- 362	346	701	- 1019	830
		D	3	1	183.0	- 183.0	183.0	N/Q	345	- 345	345	796	- 796	796
	FD	D	3	16	168.0	- 185.0	170.1	N/Q	-			697	- 805	711

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
					783	140.0	202.0			275	377		440	1019	
Grown Steer															
0-400	FD	C	2	25	189.0	- 200.0	194.3	N/Q	-				710	- 728	719
	RS	C	2	13	180.0	- 190.0	181.5	10	-				621	- 675	629
		C	3	3	180.0	- 180.0	180.0	N/Q	340	- 340	340		693	- 693	693
	FD	C	3	15	200.0	- 200.0	200.0	N/Q	-				790	- 790	790
	RS	D	3	11	140.0	- 165.0	162.7	N/Q	-				497	- 586	578
400-500	FD	C	2	56	190.0	- 207.0	198.7	6	-				770	- 924	842
	FD	C	3	41	185.0	- 205.0	199.3	N/Q	-				786	- 871	847
		C	3	4	186.0	- 186.0	186.0	3	351	- 351	351		921	- 921	921
		C	4	29	203.0	- 204.0	203.5	N/Q	378	- 383	381		985	- 1010	997
500-600		C	3	20	185.0	- 192.0	191.0	-10	349	- 362	360		989	- 1082	1005
	FD	C	3	11	184.0	- 203.0	192.6	-12	-				966	- 1086	1021
	FD	C	4	16	203.0	- 207.0	205.0	N/Q	-				1045	- 1087	1066
		C	4	357	197.0	- 210.0	203.2	-1	365	- 389	379		1020	- 1220	1125
600-750		C	4	91	198.0	- 212.0	202.9	9	367	- 393	378		1250	- 1325	1285
					692	140.0	212.0			340	393		497	1325	
Grown Heifer															
0-540		C	2	8	162.0	- 162.0	162.0	-11	306	- 306	306		575	- 575	575
	FD	C	2	15	180.0	- 180.0	180.0	N/Q	-				738	- 738	738
	FD	C	3	86	173.0	- 198.0	186.3	N/Q	-				666	- 823	805
		C	3	155	170.0	- 188.0	179.9	8	327	- 355	340		727	- 987	847
		C	4	125	180.0	- 190.0	183.3	-4	339	- 352	343		759	- 1017	884
		D	3	64	140.0	- 165.0	158.8	-13	269	- 320	309		523	- 701	651
	FD	D	3	43	145.0	- 175.0	160.6	N/Q	-				612	- 726	644
540+		C	4	58	179.0	- 188.0	184.2	1	332	- 355	342		976	- 1082	1011
					554	140.0	198.0			269	355		523	1082	
Manufacturing Steer															
0-540		D	3	35	160.0	- 169.0	167.5	-3	314	- 345	340		718	- 840	739
540+		D	3	1	165.0	- 165.0	165.0	N/Q	317	- 317	317		1196	- 1196	1196
					36	160.0	169.0			314	345		718	1196	
Cows															
0-400		D	2	34	110.0	- 145.0	135.2	5	250	- 330	307		424	- 558	516
	RS	D	2	32	137.0	- 137.0	137.0	-29	-				541	- 541	541
400-520		D	2	147	115.0	- 159.0	144.5	-2	261	- 346	323		489	- 803	670
		D	3	269	146.0	- 173.0	161.6	1	311	- 368	345		614	- 891	793
		D	4	64	170.0	- 178.0	174.1	N/Q	340	- 363	356		827	- 896	865
520+		D	2	11	146.0	- 147.0	146.5	8	324	- 327	326		767	- 772	769
		D	3	134	159.0	- 170.0	166.3	N/C	338	- 362	351		835	- 971	904
		D	4	785	170.0	- 189.0	179.1	5	330	- 371	353		910	- 1350	1052
		D	5	1	145.0	- 145.0	145.0	N/Q	284	- 284	284		848	- 848	848
					1477	110.0	189.0			250	371		424	1350	
Bulls															
0-450	FD	C	2	1	158.0	- 158.0	158.0	N/Q	-				577	- 577	577
450-600		C	2	2	192.0	- 192.0	192.0	N/Q	369	- 369	369		1123	- 1123	1123

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
600+		B	2	66	190.0	- 229.0	208.3	N/C	352	- 402	381	1245	- 2520	1924
		C	2	12	193.0	- 205.0	200.0	19	364	- 380	373	1650	- 1794	1734
		C	3	12	205.0	- 205.0	205.0	N/Q	373	- 380	373	1302	- 1743	1338
		D	3	6	160.0	- 174.0	167.0	N/Q	314	- 355	334	1096	- 1192	1144
				99	158.0	229.0			314	402		577	2520	

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2014. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.