

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Pakenham

report date 22 Sep 2014

Yarding Change 0¹¹³²

comparison date 15/09/2014

There were approximately 600 export and 500 young cattle penned for the same overall number week-on-week. Most of the usual buying group was present and operating in a cheaper market. Quality was plain, with only limited numbers of prime cattle on offer. The handful of veal held very few quality calves and eased 3c to 5c/kg. Yearling steers suited to the trade, along with the feeder lines, eased 8c/kg. Yearling heifers to the trade sold 3c cheaper for the medium weights and 10c for the heavy weights. Secondary grown steers and bullocks were back 8c to 13c, with the better drafts slipping 5c/kg. A few heavy crossbred manufacturing steers sold 12c/kg cheaper.

Veal sold mostly from 178c to 217c/kg. Yearling trade steers made between 192c and 213c/kg. Yearling heifers to the trade sold between 170c and 200c after a top of 218c/kg. Feeder steers made from 171c to 192c/kg and very few heifers went to feed on.

Grown steers sold from 183c to 205c/kg. Bullocks made between 187c and 211c/kg. Heavy weight crossbred manufacturing steers sold between 168c and 191c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Vealer Steer														
200-280		C	2	1	187.2	- 187.2	187.2	N/Q	347	- 347	347	524	- 524	524
280-330		B	2	2	206.0	- 206.0	206.0	N/Q	368	- 368	368	618	- 618	618
		C	2	5	190.2	- 200.0	196.1	N/Q	352	- 370	363	571	- 640	612
		C	3	2	215.0	- 217.0	216.0	N/Q	391	- 395	393	688	- 694	691
330+		B	2	1	214.6	- 214.6	214.6	N/Q	383	- 383	383	858	- 858	858
		C	2	2	180.0	- 202.6	191.3	N/Q	333	- 375	354	630	- 689	659
	FD	C	2	1	162.0	- 162.0	162.0	N/Q	-	-	-	551	- 551	551
		C	3	9	205.0	- 216.6	212.5	2	373	- 394	386	718	- 753	737
				23	162.0	217.0			333	395		524	858	
Vealer Heifer														
280-330	FD	C	2	2	178.0	- 185.6	181.8	N/Q	-	-	-	534	- 557	545
		C	2	9	172.0	- 190.0	181.7	-5	319	- 352	337	516	- 570	545
		C	3	10	200.0	- 200.0	200.0	-5	364	- 364	364	640	- 640	640
330+		C	2	10	178.6	- 193.6	186.5	-3	331	- 359	345	612	- 658	638
	FD	C	2	2	171.6	- 171.6	171.6	N/Q	-	-	-	583	- 583	583
		C	3	2	215.0	- 215.0	215.0	N/Q	391	- 391	391	753	- 753	753
				35	171.6	215.0			319	391		516	753	
Yearling Steer														
0-330		C	2	2	169.2	- 169.2	169.2	N/Q	319	- 319	319	541	- 541	541
	FD	C	2	4	185.6	- 185.6	185.6	7	-	-	-	557	- 557	557
	FD	D	2	2	172.0	- 172.0	172.0	N/Q	-	-	-	482	- 516	499
330-400	FD	C	1	2	168.6	- 168.6	168.6	N/Q	-	-	-	607	- 607	607
	FD	C	2	33	172.6	- 190.6	180.1	-8	-	-	-	623	- 692	664
		C	2	3	195.0	- 198.6	197.4	2	361	- 368	366	722	- 755	744
		C	3	2	200.0	- 200.0	200.0	N/Q	364	- 364	364	740	- 740	740
	FD	D	2	3	171.6	- 171.6	171.6	11	-	-	-	583	- 583	583
		D	3	4	175.0	- 185.0	177.5	N/Q	324	- 343	329	700	- 740	710

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400+	RS	C	2	1	171.6	- 171.6	171.6	N/Q	-			807	- 807	807
		C	2	8	166.0	- 197.2	187.3	-8	307	- 365	345	706	- 907	835
	FD	C	2	46	170.6	- 192.0	184.7	-8	-			751	- 845	814
		C	3	25	191.6	- 212.6	201.5	-8	348	- 387	366	848	- 1025	912
	RS	D	2	5	168.6	- 168.6	168.6	N/Q	-			708	- 708	708
	FD	D	2	7	163.6	- 178.2	169.9	8	-			720	- 784	747
		D	3	7	180.0	- 196.0	185.4	-15	333	- 363	343	784	- 936	864
				154	163.6	212.6		307	387		482	1025		
Yearling Heifer														
0-330		D	1	24	120.0	- 141.6	126.0	-10	240	- 283	252	349	- 412	380
		D	2	2	150.0	- 150.0	150.0	N/Q	289	- 289	289	405	- 405	405
	RS	D	2	4	160.0	- 160.0	160.0	N/Q	-			512	- 512	512
330-400	FD	C	2	2	172.2	- 172.2	172.2	N/Q	-			654	- 654	654
		D	1	4	132.6	- 145.0	141.9	-5	265	- 290	284	522	- 530	524
	FD	D	2	3	155.2	- 155.2	155.2	-17	-			528	- 528	528
		D	2	35	145.6	- 174.0	156.0	-16	280	- 328	301	527	- 696	581
		D	3	45	170.0	- 200.0	187.0	-3	315	- 370	347	621	- 728	688
400+		C	3	3	207.6	- 217.6	214.3	N/Q	371	- 396	387	934	- 957	950
		D	1	1	146.2	- 146.2	146.2	N/Q	287	- 287	287	614	- 614	614
		D	2	36	157.6	- 176.0	168.4	-7	303	- 337	321	703	- 833	763
		D	3	50	172.0	- 188.0	180.9	-10	319	- 348	337	740	- 979	855
				209	120.0	217.6		240	396		349	979		
Grown Steer														
400-500	FD	C	2	1	178.0	- 178.0	178.0	N/Q	-			846	- 846	846
500-600	FD	C	2	9	180.0	- 185.0	182.2	-13	-			936	- 999	976
		RS	C	2	8	175.6	- 175.6	175.6	N/Q	-			948	- 948
		C	2	32	183.2	- 191.6	188.9	-14	339	- 355	350	991	- 1090	1026
		D	3	68	185.0	- 205.0	195.1	-13	336	- 373	355	1035	- 1189	1116
600-750		C	2	5	186.6	- 190.0	188.6	-11	346	- 352	349	1178	- 1213	1192
		C	4	32	204.0	- 210.6	207.3	-5	366	- 383	375	1369	- 1476	1405
		D	3	119	192.0	- 209.6	199.7	-8	349	- 381	363	1200	- 1467	1323
750+		C	4	9	196.2	- 205.0	203.0	N/Q	357	- 366	364	1511	- 1599	1579
				283	175.6	210.6		336	383		846	1599		
Grown Heifer														
0-540		C	2	4	178.0	- 178.0	178.0	-2	336	- 336	336	890	- 890	890
		D	1	8	140.0	- 140.0	140.0	20	292	- 292	292	665	- 665	665
		D	2	19	146.0	- 157.0	150.4	-16	292	- 312	300	621	- 842	694
	RS	D	2	1	145.0	- 145.0	145.0	N/Q	-			653	- 653	653
		D	3	10	166.6	- 175.0	173.3	-12	320	- 337	333	800	- 875	860
		D	4	1	174.0	- 174.0	174.0	N/Q	322	- 322	322	905	- 905	905
540+		D	3	6	163.2	- 180.0	170.7	-12	308	- 340	320	898	- 1008	956
		D	4	13	160.6	- 167.6	162.8	-15	297	- 310	301	899	- 955	917
				62	140.0	180.0		292	340		621	1008		
Manufacturing Steer														
0-540		D	1	9	148.0	- 148.0	148.0	-34	302	- 302	302	681	- 681	681

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
	FD	D	1	10	145.2	- 145.2	145.2	N/Q	-			639	- 639	639
	RS	D	1	10	160.0	- 160.0	160.0	N/Q	-			832	- 832	832
	FD	D	2	4	154.6	- 176.2	160.0	N/Q	-			649	- 811	690
		D	2	29	156.6	- 175.0	166.1	5	301	- 337	318	704	- 945	833
		D	3	11	184.0	- 185.2	185.0	N/Q	341	- 343	343	994	- 1000	999
540+	DA	D	1	14	165.6	- 165.6	165.6	-16	325	- 325	325	1060	- 1060	1060
	FD	D	2	8	175.2	- 175.2	175.2	N/Q	-			999	- 999	999
		D	2	8	168.0	- 176.2	174.1	-27	317	- 333	328	924	- 1003	971
		D	3	27	175.0	- 191.2	182.3	-12	324	- 354	338	1052	- 1362	1238
				130	145.2	191.2			301	354		639	1362	
Cows														
400-520		D	1	3	133.6	- 133.6	133.6	-8	297	- 297	297	601	- 601	601
		D	2	1	146.0	- 146.0	146.0	N/Q	311	- 311	311	730	- 730	730
520+		C	2	5	160.0	- 173.6	165.4	N/Q	308	- 328	316	1000	- 1111	1044
		C	3	2	175.2	- 176.6	175.9	N/Q	324	- 327	326	1156	- 1166	1161
		D	1	1	145.2	- 145.2	145.2	N/Q	316	- 316	316	799	- 799	799
		D	2	13	152.0	- 158.2	155.5	-16	317	- 330	324	866	- 886	879
		D	3	10	162.0	- 173.6	165.8	-8	324	- 347	330	972	- 1042	1015
		D	4	13	160.0	- 166.6	163.6	N/Q	320	- 320	320	960	- 1116	1087
		E	1	1	130.0	- 130.0	130.0	N/Q	296	- 296	296	702	- 702	702
				49	130.0	176.6			296	347		601	1166	
Bulls														
0-450		C	2	12	148.0	- 164.0	149.3	-6	274	- 304	277	518	- 722	535
	FD	C	2	1	155.0	- 155.0	155.0	N/Q	-			698	- 698	698
		C	3	1	165.0	- 165.0	165.0	N/Q	300	- 300	300	743	- 743	743
		D	1	10	135.0	- 142.0	136.4	N/Q	281	- 296	284	500	- 525	505
	RS	D	1	9	124.6	- 124.6	124.6	N/Q	-			336	- 336	336
	DA	D	1	5	132.6	- 132.6	132.6	N/Q	276	- 276	276	451	- 451	451
	FD	D	1	23	129.2	- 129.2	129.2	N/Q	-			413	- 413	413
		D	2	1	167.2	- 167.2	167.2	N/Q	322	- 322	322	669	- 669	669
450-600		B	2	2	185.2	- 198.0	191.6	N/Q	325	- 330	328	1019	- 1089	1054
		C	2	1	162.0	- 162.0	162.0	N/Q	300	- 300	300	745	- 745	745
600+		B	2	2	181.6	- 196.6	189.1	N/Q	303	- 317	310	1180	- 1376	1278
				67	124.6	198.0			274	330		336	1376	

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2014. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.