

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Pakenham

report date 06 Oct 2014

Yarding Change $\frac{1556}{578}$

comparison date 29/09/2014

There were approximately 900 export and 600 young cattle penned representing an increase of nearly 600 head week-on-week. The buying gallery contained representatives from the usual export and domestic processors and they were displaying generally firm demand for the export grades and softer interest in the plainer quality run of trade cattle. Quality was mixed with a larger supply of secondary young cattle, while well finished grown steers and bullocks were in greater numbers. Yearling steers to feed eased 2c to 6c/kg with very few suited to the trade. Yearling heifers suited to the trade sold close to firm for the heavy weights and slipped 10c/kg for the medium weights. Grown steers sold firm to 5c/kg dearer, while the bullocks held firm. Heavy weight grown heifers improved 2c, while the Friesian manufacturing steers gained 4c/kg.

The larger supply of vealers was mostly secondary types and sold from 180c to 225c/kg. Yearling heifers to the trade made between 162c and 203c/kg. Feeder steers sold between 162c and 201c, with the heifer portion between 164c and 195c/kg.

Grown steers made from 190c to 212c/kg. Bullocks sold from 191c to 214c/kg. Heavy weight grown heifers made between 172c and 196c/kg. Heavy weight Friesian manufacturing steers sold between 175c and 186c, with the crossbred portion between 165c and 197c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Vealer Steer														
200-280		B	2	4	180.0	- 180.0	180.0	N/Q	327	- 327	327	504	- 504	504
	FD	C	2	1	182.6	- 182.6	182.6	N/Q		-		402	- 402	402
		C	2	3	181.2	- 200.0	187.5	N/Q	336	- 364	345	500	- 507	505
280-330		C	2	3	182.6	- 195.0	189.2	N/Q	338	- 361	350	548	- 627	600
	FD	C	2	2	196.0	- 196.0	196.0	N/Q		-		647	- 647	647
330+		B	2	2	188.6	- 213.6	201.1	N/Q	337	- 381	359	698	- 790	744
	FD	B	2	2	200.6	- 200.6	200.6	N/Q		-		732	- 732	732
		B	3	2	220.0	- 220.0	220.0	N/Q	379	- 379	379	880	- 880	880
	FD	C	2	11	186.6	- 192.0	190.8	N/Q		-		634	- 696	673
		C	2	15	190.0	- 220.0	202.5	-15	352	- 400	372	665	- 792	728
		C	3	7	200.6	- 220.0	206.3	-9	365	- 393	374	682	- 880	776
				52	180.0	220.0			327	400		402	880	
Vealer Heifer														
200-280		B	2	2	180.0	- 180.0	180.0	N/Q	327	- 327	327	504	- 504	504
		C	2	27	180.0	- 195.0	182.5	N/Q	333	- 361	338	407	- 538	459
280-330		C	3	2	203.0	- 203.0	203.0	N/Q	369	- 369	369	670	- 670	670
330+		B	3	1	225.0	- 225.0	225.0	N/Q	388	- 388	388	855	- 855	855
		C	2	4	195.0	- 196.6	195.4	-18	361	- 364	362	722	- 737	725
		C	3	7	198.0	- 218.0	209.5	N/Q	360	- 396	381	673	- 785	731
				43	180.0	225.0			327	396		407	855	
Yearling Steer														
0-330		C	2	2	182.0	- 182.0	182.0	N/Q	337	- 337	337	582	- 582	582
	FD	C	2	9	173.6	- 185.0	183.7	2		-		555	- 556	555
330-400	FD	C	2	25	162.2	- 192.0	185.0	-2		-		616	- 730	660
		C	2	11	190.0	- 196.6	193.0	N/Q	352	- 364	356	679	- 786	727

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400+		D	3	2	186.6	- 186.6	186.6	N/Q	346	- 352	349	681	- 746	714
		B	2	1	205.0	- 205.0	205.0	N/Q	366	- 366	366	974	- 974	974
		C	2	11	172.0	- 196.0	185.2	8	319	- 360	342	774	- 913	846
	FD	C	2	31	180.0	- 190.0	181.3	-6	-	-	-	791	- 893	810
		C	3	1	206.0	- 206.0	206.0	N/Q	375	- 375	375	865	- 865	865
		D	2	1	174.0	- 174.0	174.0	N/Q	328	- 328	328	748	- 748	748
		D	3	3	188.0	- 195.0	190.3	-16	348	- 361	353	936	- 940	939
				97	162.2	206.0		319	375		555	974		
Yearling Heifer														
0-330	FD	C	1	1	142.0	- 142.0	142.0	N/Q	-	-	-	341	- 341	341
	FD	C	2	5	176.0	- 186.0	184.0	N/C	-	-	-	493	- 558	545
		C	2	2	197.0	- 197.0	197.0	N/Q	365	- 365	365	630	- 630	630
		D	1	12	138.2	- 138.2	138.2	N/Q	276	- 276	276	442	- 442	442
		D	2	23	132.2	- 176.6	153.5	8	254	- 340	295	344	- 565	440
	FD	D	2	5	152.0	- 175.0	161.2	7	-	-	-	426	- 560	485
	RS	D	2	1	150.0	- 150.0	150.0	N/Q	-	-	-	480	- 480	480
		D	3	7	170.0	- 188.0	183.1	8	321	- 348	342	476	- 602	556
330-400	FD	C	2	2	173.2	- 194.6	183.9	N/Q	-	-	-	658	- 681	670
		C	3	32	194.0	- 200.0	198.1	N/Q	353	- 364	360	698	- 750	734
		D	1	5	139.6	- 148.6	143.6	1	279	- 291	282	489	- 520	502
		D	2	32	150.0	- 178.0	167.2	10	289	- 336	318	543	- 665	609
	FD	D	2	16	163.6	- 178.6	176.6	11	-	-	-	589	- 639	631
	FD	D	3	2	182.6	- 182.6	182.6	N/Q	-	-	-	639	- 639	639
		D	3	58	162.0	- 192.0	180.5	-10	306	- 356	336	567	- 741	658
400+	FD	C	2	7	175.0	- 175.0	175.0	-7	-	-	-	823	- 823	823
		D	2	15	156.0	- 172.0	165.4	N/C	300	- 331	316	662	- 743	703
		D	3	68	170.0	- 202.6	186.9	-2	321	- 375	346	748	- 891	832
				293	132.2	202.6		254	375		341	891		
Grown Steer														
400-500		C	2	15	189.6	- 195.0	190.8	11	351	- 361	353	901	- 975	925
	FD	C	2	10	180.0	- 185.6	182.2	5	-	-	-	780	- 828	809
500-600		C	2	67	189.6	- 198.0	194.9	-2	351	- 367	360	988	- 1150	1090
		C	3	46	205.0	- 212.0	209.7	1	373	- 386	381	1095	- 1230	1182
		D	3	71	196.2	- 210.0	206.1	5	363	- 382	378	1059	- 1255	1158
600-750		C	2	1	190.6	- 190.6	190.6	N/Q	353	- 353	353	1220	- 1220	1220
		C	4	66	205.6	- 214.0	210.7	-1	374	- 382	378	1285	- 1470	1385
		D	3	193	193.6	- 208.0	200.6	N/C	352	- 378	365	1249	- 1457	1349
750+		C	4	28	180.0	- 194.6	189.2	-8	321	- 348	339	1432	- 1498	1470
				497	180.0	214.0		321	386		780	1498		
Grown Heifer														
0-540		D	2	17	154.0	- 165.0	158.1	-6	308	- 330	316	724	- 878	772
		D	3	38	165.0	- 186.0	180.3	1	317	- 344	336	761	- 1004	926
		D	4	8	179.6	- 179.6	179.6	N/Q	333	- 333	333	943	- 943	943
540+		C	3	3	195.6	- 195.6	195.6	N/Q	362	- 362	362	1174	- 1174	1174
		D	3	28	172.0	- 182.6	178.0	2	320	- 345	335	946	- 1062	1015

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
		D	4	1	172.6	- 172.6	172.6	N/Q	326	- 326	326	949	- 949	949
		D	5	2	164.0	- 164.0	164.0	N/Q	304	- 304	304	1017	- 1017	1017
				97	154.0	195.6			304	362		724	1174	
Manufacturing Steer														
0-540		D	1	2	166.6	- 166.6	166.6	N/Q	333	- 333	333	766	- 766	766
	FD	D	1	1	135.2	- 135.2	135.2	N/Q	-	-	-	338	- 338	338
	DA	D	1	16	126.6	- 160.0	147.5	N/Q	253	- 320	295	430	- 760	636
	DA	D	2	16	170.0	- 170.0	170.0	N/Q	327	- 327	327	808	- 850	842
	FD	D	2	1	162.0	- 162.0	162.0	N/Q	-	-	-	599	- 599	599
		D	2	16	162.2	- 183.6	173.1	11	306	- 346	329	714	- 991	822
540+		C	2	1	183.2	- 183.2	183.2	N/Q	339	- 339	339	1026	- 1026	1026
		D	2	29	165.2	- 186.0	180.8	-8	318	- 351	342	1023	- 1290	1130
	DA	D	2	54	175.0	- 185.6	180.4	4	330	- 350	344	988	- 1225	1082
		D	3	36	178.0	- 196.6	190.8	-1	327	- 364	353	1024	- 1415	1226
		D	4	19	172.6	- 186.6	180.0	-5	314	- 339	327	1381	- 1437	1410
				191	126.6	196.6			253	364		338	1437	
Cows														
400-520	RS	D	1	4	142.6	- 142.6	142.6	N/Q	-	-	-	656	- 656	656
		D	2	12	146.0	- 166.0	153.7	N/Q	304	- 353	323	613	- 830	729
520+		C	2	6	176.6	- 176.6	176.6	N/Q	340	- 340	340	1060	- 1060	1060
		D	2	4	156.6	- 159.2	158.6	N/Q	326	- 332	330	846	- 892	880
		D	3	31	168.6	- 178.0	174.6	8	337	- 350	342	910	- 1086	1021
				57	142.6	178.0			304	353		613	1086	
Bulls														
0-450		B	2	1	178.6	- 178.6	178.6	N/Q	319	- 319	319	714	- 714	714
		C	2	10	153.6	- 170.0	163.4	6	284	- 309	299	538	- 646	603
	FD	C	2	4	136.2	- 165.0	143.8	-5	-	-	-	363	- 454	429
	RS	C	2	3	169.6	- 169.6	169.6	N/Q	-	-	-	475	- 475	475
		C	3	1	190.0	- 190.0	190.0	N/Q	346	- 346	346	684	- 684	684
	DA	D	2	10	153.6	- 153.6	153.6	N/Q	290	- 290	290	676	- 676	676
450-600		B	2	1	179.6	- 179.6	179.6	N/Q	321	- 321	321	934	- 934	934
		C	2	1	165.6	- 165.6	165.6	N/Q	301	- 301	301	911	- 911	911
		C	3	1	177.6	- 177.6	177.6	N/Q	323	- 323	323	924	- 924	924
				32	136.2	190.0			284	346		363	934	

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2014. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.