

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Dubbo

report date 13 Nov 2014

Yarding Change 6550
1350

comparison date 06/11/2014

It was a much plainer quality yarding with all agents having a fair percentage of unfinished cattle, as the seasonal conditions remain tough as well as less ground water available. Not all the regular buyers were in attendance with the absence of both export processors and some trade operators.

Prime yearling steers to the trade were 7c to 10c cheaper, while the yearling heifers were 20c/kg cheaper. The prime conditioned yearling steers sold from 160c to 190c, while the prime yearling heifers sold from 140c to 175c/kg. The young feeder steers were 8c to 12c cheaper, selling from 150c to 201c/kg. The feeder heifers were 18c to 22c cheaper, making between 140c and 167c/kg. Restockers paid to 207c/kg for young steers.

The grown steers were 14c cheaper, with the prime conditioned medium and heavy weights selling from 166c to 185c/kg. Cows were 10c to 14c/kg cheaper, with the exception of the restocker cows which were dearer. The 2 and 3 score cows to the restockers sold from 60c to 144c, while the 3 score cows to the processors sold from 128c to 148c/kg. The 4 score cows sold from 140c to 150c, to average 145c/kg. Bulls sold to 205c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
0-80	RS	C	2	26	140.0	- 150.0	141.9	-72	-	-	-	91	- 113	95
	RS	D	2	5	140.0	- 140.0	140.0	N/Q	-	-	-	105	- 105	105
80+	RS	C	2	109	146.0	- 234.0	199.8	-16	-	-	-	124	- 308	186
		C	2	29	157.0	- 160.0	158.6	-15	302	- 308	305	133	- 152	143
				169	140.0	234.0			302	308		91	308	
Vealer Steer														
0-200	RS	D	2	6	157.0	- 157.0	157.0	N/Q	-	-	-	259	- 259	259
200-280	RS	C	2	78	170.0	- 207.0	190.6	-19	-	-	-	417	- 580	487
280-330	RS	C	2	1	164.0	- 164.0	164.0	N/Q	-	-	-	467	- 467	467
	FD	C	2	7	150.0	- 164.0	162.0	N/Q	-	-	-	428	- 467	462
	FD	C	3	13	165.0	- 165.0	165.0	-35	-	-	-	470	- 470	470
		C	3	4	165.0	- 165.0	165.0	N/Q	311	- 311	311	470	- 470	470
330+		C	3	2	177.0	- 177.0	177.0	N/Q	328	- 328	328	681	- 681	681
	FD	C	3	23	165.0	- 177.0	172.8	N/Q	-	-	-	569	- 681	642
				134	150.0	207.0			311	328		259	681	
Vealer Heifer														
200-280		C	2	35	145.0	- 176.0	161.6	17	279	- 332	308	388	- 399	394
	FD	C	2	13	150.0	- 150.0	150.0	N/Q	-	-	-	368	- 368	368
280-330	RS	C	2	5	140.0	- 140.0	140.0	-32	-	-	-	399	- 399	399
		C	3	11	148.0	- 154.0	150.7	-27	279	- 296	287	422	- 439	430
	RS	D	3	3	136.0	- 136.0	136.0	N/Q	-	-	-	442	- 442	442
330+	RS	C	3	16	153.0	- 155.0	153.5	N/Q	-	-	-	535	- 543	541
	FD	C	3	1	160.0	- 160.0	160.0	N/Q	-	-	-	616	- 616	616
		C	3	5	150.0	- 155.0	152.0	-33	283	- 293	287	503	- 612	546
				89	136.0	176.0			279	332		368	616	
Yearling Steer														

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
0-330	FD	C	2	79	166.0	- 190.0	178.4	-12	-	-	-	465	- 618	533
	RS	C	2	260	138.0	- 190.0	168.8	-24	-	-	-	311	- 618	450
		C	3	19	169.0	- 169.0	169.0	N/Q	325	- 325	325	549	- 549	549
	RS	D	3	22	129.0	- 148.0	140.1	-22	-	-	-	290	- 422	383
330-400	FD	C	2	213	151.0	- 194.0	173.2	-14	-	-	-	551	- 732	644
	RS	C	2	45	170.0	- 199.0	176.6	-11	-	-	-	587	- 766	637
	RS	C	3	19	180.0	- 180.0	180.0	N/Q	-	-	-	621	- 621	621
		C	3	8	160.0	- 183.0	168.6	-28	308	- 345	322	552	- 705	609
	FD	C	3	272	155.0	- 195.0	181.9	-11	-	-	-	562	- 770	697
	RS	D	3	22	138.0	- 138.0	138.0	N/Q	-	-	-	504	- 504	504
		D	3	5	127.0	- 127.0	127.0	N/Q	244	- 244	244	489	- 489	489
400+	FD	C	2	82	170.0	- 196.0	187.9	-7	-	-	-	740	- 837	797
		C	2	4	167.0	- 167.0	167.0	N/Q	315	- 315	315	710	- 710	710
	FD	C	3	356	157.0	- 201.0	183.9	-8	-	-	-	644	- 966	807
		C	3	69	168.0	- 190.0	179.9	-9	317	- 359	339	798	- 970	854
		D	3	3	148.0	- 148.0	148.0	N/Q	279	- 279	279	629	- 629	629
				1478	127.0	201.0			244	359		290	970	
Yearling Heifer														
0-330		C	2	88	145.0	- 159.0	149.1	-12	274	- 306	287	375	- 471	385
	FD	C	2	147	147.0	- 163.0	151.9	-9	-	-	-	390	- 488	455
	RS	C	2	69	146.0	- 160.0	153.8	-22	-	-	-	442	- 475	453
	FD	C	3	35	140.0	- 150.0	144.6	N/Q	-	-	-	455	- 488	470
		C	3	7	155.0	- 172.0	164.7	N/Q	293	- 325	311	504	- 559	535
		D	2	10	115.0	- 115.0	115.0	N/Q	221	- 221	221	282	- 282	282
	RS	D	3	22	134.0	- 134.0	134.0	-2	-	-	-	342	- 342	342
		D	3	10	138.0	- 145.0	142.2	N/Q	265	- 279	274	338	- 370	357
330-400	RS	C	2	17	150.0	- 150.0	150.0	N/Q	-	-	-	578	- 578	578
	FD	C	2	161	140.0	- 167.0	157.6	-5	-	-	-	511	- 576	552
	FD	C	3	175	140.0	- 163.0	154.0	-22	-	-	-	469	- 644	580
		C	3	143	140.0	- 175.0	152.3	-15	264	- 330	287	539	- 674	575
	RS	C	3	47	151.0	- 152.0	151.9	N/Q	-	-	-	540	- 551	541
	RS	D	2	16	122.0	- 122.0	122.0	N/Q	-	-	-	421	- 421	421
	RS	D	3	2	140.0	- 140.0	140.0	N/Q	-	-	-	497	- 497	497
	FD	D	3	26	140.0	- 140.0	140.0	-23	-	-	-	483	- 553	531
	D	3	3	142.0	- 142.0	142.0	-10	273	- 273	273	490	- 490	490	
400+	FD	C	2	36	140.0	- 140.0	140.0	N/Q	-	-	-	595	- 595	595
	FD	C	3	124	138.0	- 167.0	153.6	-23	-	-	-	587	- 776	669
		C	3	150	140.0	- 160.0	146.7	-26	268	- 302	279	589	- 761	663
	FD	D	3	6	140.0	- 140.0	140.0	-11	-	-	-	595	- 595	595
				1294	115.0	175.0			221	330		282	776	
Grown Steer														
0-400	FD	C	2	15	155.0	- 156.0	155.6	-4	-	-	-	445	- 566	493
	RS	C	2	15	169.0	- 169.0	169.0	N/Q	-	-	-	600	- 600	600
	FD	C	3	36	166.0	- 180.0	173.4	-11	-	-	-	639	- 693	670
	FD	D	3	7	140.0	- 140.0	140.0	-20	-	-	-	455	- 455	455

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
400-500	RS	D	3	14	148.0	- 155.0	153.0	N/Q	-			442	- 570	478	
		D	3	7	130.0	- 130.0	130.0	-10	250	- 250	250	462	- 462	462	
	FD	C	2	89	155.0	- 188.0	173.7	-24	-			643	- 837	734	
	FD	C	3	211	140.0	- 194.0	182.6	-10	-			679	- 936	826	
		C	3	21	150.0	- 178.0	162.7	-3	289	- 336	310	638	- 863	756	
		C	4	32	168.0	- 177.0	170.3	N/Q	317	- 334	321	815	- 876	826	
		FD	C	4	47	175.0	- 183.0	178.7	N/Q	-			744	- 888	811
		RS	D	2	31	140.0	- 140.0	140.0	N/Q	-			595	- 595	595
500-600	RS	D	3	9	135.0	- 135.0	135.0	N/Q	-			587	- 587	587	
		D	3	23	130.0	- 146.0	142.5	N/Q	277	- 286	284	592	- 708	683	
	FD	C	3	23	171.0	- 178.0	175.6	-2	-			935	- 1000	957	
	FD	C	4	42	180.0	- 185.0	184.0	1	-			945	- 971	963	
		C	4	100	166.0	- 185.0	174.3	-14	307	- 350	324	898	- 1065	933	
		D	3	4	148.0	- 148.0	148.0	N/Q	285	- 285	285	792	- 792	792	
600-750		C	4	89	164.0	- 183.0	174.0	-1	311	- 339	323	1041	- 1247	1125	
750+		C	4	4	168.0	- 168.0	168.0	N/Q	311	- 311	311	1268	- 1268	1268	
				819	130.0	194.0			250	350		442	1268		
Grown Heifer															
0-540		C	3	20	142.0	- 149.0	146.6	-12	273	- 287	282	618	- 782	725	
	FD	C	3	34	142.0	- 155.0	150.5	-18	-			547	- 659	630	
	FD	C	4	3	160.0	- 160.0	160.0	N/Q	-			792	- 792	792	
		C	4	54	145.0	- 175.0	167.9	N/C	274	- 324	313	703	- 936	896	
	FD	D	3	45	132.0	- 138.0	133.6	-26	-			600	- 601	601	
		D	3	46	135.0	- 149.0	140.9	-7	255	- 281	268	449	- 725	634	
540+		C	3	4	155.0	- 155.0	155.0	N/Q	293	- 293	293	845	- 845	845	
		C	4	6	160.0	- 161.0	160.8	-2	298	- 302	299	904	- 942	936	
				212	132.0	175.0			255	324		449	942		
Manufacturing Steer															
0-540		D	3	6	100.0	- 100.0	100.0	N/Q	204	- 204	204	455	- 455	455	
540+		C	4	15	165.0	- 165.0	165.0	N/Q	324	- 324	324	932	- 932	932	
		D	3	47	132.0	- 162.0	141.6	-3	254	- 312	272	772	- 1272	932	
				68	100.0	165.0			204	324		455	1272		
Cows															
0-400	RS	D	2	6	137.0	- 137.0	137.0	14	-			527	- 527	527	
400-520	RS	D	2	37	60.0	- 124.0	119.7	16	-			255	- 527	509	
		D	2	3	80.0	- 80.0	80.0	-45	182	- 182	182	364	- 364	364	
	FD	D	3	34	146.0	- 146.0	146.0	N/Q	-			679	- 679	679	
	RS	D	3	37	134.0	- 144.0	142.4	N/Q	-			570	- 698	678	
		D	3	257	128.0	- 148.0	138.7	-10	272	- 315	297	557	- 721	661	
520+		D	3	103	122.0	- 144.0	136.7	-17	260	- 306	289	641	- 838	759	
	RS	D	3	4	135.0	- 135.0	135.0	N/Q	-			709	- 709	709	
		D	4	497	140.0	- 150.0	145.0	-14	269	- 308	286	746	- 1013	855	
		D	5	1	136.0	- 136.0	136.0	N/Q	267	- 267	267	850	- 850	850	
				979	60.0	150.0			182	315		255	1013		

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Bulls														
0-450	FD	C	2	35	150.0	- 154.0	151.5	-4	-	-	-	593	- 593	593
	RS	D	2	55	133.0	- 168.0	163.5	N/Q	-	-	-	428	- 552	444
	FD	D	2	63	148.0	- 148.0	148.0	N/Q	-	-	-	422	- 422	422
450-600		C	2	1	170.0	- 170.0	170.0	N/Q	327	- 327	327	995	- 995	995
		D	3	2	114.0	- 114.0	114.0	N/Q	233	- 233	233	667	- 667	667
600+		B	2	4	197.0	- 205.0	203.0	-5	352	- 366	363	1704	- 2460	2161
		C	2	4	165.0	- 190.0	183.8	2	311	- 359	343	1246	- 1625	1440
		C	3	7	174.0	- 198.0	188.0	-8	322	- 367	347	1377	- 2340	1848
				171	114.0	205.0			233	367		422	2460	

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2014. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.