

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Dubbo

report date 27 Nov 2014

Yarding Change 4200
-1530

comparison date 20/11/2014

The smaller yarding produced a mixed supply, with a good representation of prime conditioned cattle in all sections along with a good percentage of cattle lacking finish.

Limited numbers of trade cattle to the processors were firm to 4c/kg dearer. Prime yearling steers sold from 165c to 185c, while the prime yearling heifers to slaughter sold from 160c to 180c/kg. The feedlotters were very active with young steers to feeders selling 4c to 6c dearer, while the feeder heifers were 9c/kg dearer. The feeder steers sold from 164c to 208c, while the feeder heifers sold from 157c to 180c/kg. The restockers paid to 235c/kg for young calves to go back to the paddock.

Grown steers were 5c dearer with the prime medium and heavy weights selling from 170c to 183c/kg. Grown heifers were firm to 3c dearer selling to 175c/kg. The plainer conditioned cows were 3c to 6c/kg cheaper, while the prime conditioned heavy weights were firm. The 2 score cows sold from 80c to 125c, while the better 3 and 4 scores sold from 126c to 160c, with the 4 score heavy weights averaging 149c/kg. The best bull sold for 210c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
0-80		C	2	8	179.0	- 179.0	179.0	29	344	- 344	344	98	- 98	98
	RS	C	2	6	120.0	- 120.0	120.0	N/Q		-		78	- 78	78
80+	RS	C	2	102	144.0	- 235.0	201.5	13		-		137	- 527	273
		C	2	18	161.0	- 180.0	170.5	5	310	- 340	325	137	- 171	154
				134	120.0	235.0			310	344		78	527	
Vealer Steer														
0-200	RS	C	2	15	213.0	- 213.0	213.0	N/Q		-		351	- 351	351
280-330		B	3	1	175.0	- 175.0	175.0	N/Q	330	- 330	330	569	- 569	569
	RS	C	2	13	188.0	- 203.0	192.6	8		-		536	- 579	549
330+	FD	C	3	2	180.0	- 180.0	180.0	N/Q		-		765	- 765	765
				31	175.0	213.0			330	330		351	765	
Vealer Heifer														
0-200		C	2	2	180.0	- 180.0	180.0	N/Q	346	- 346	346	351	- 351	351
	RS	C	2	23	171.0	- 171.0	171.0	N/Q		-		257	- 257	257
200-280		C	2	1	145.0	- 145.0	145.0	N/Q	279	- 279	279	370	- 370	370
280-330	FD	C	2	5	155.0	- 155.0	155.0	N/Q		-		442	- 442	442
	FD	C	3	26	168.0	- 168.0	168.0	N/Q		-		546	- 546	546
		C	3	8	168.0	- 180.0	172.5	13	317	- 340	326	531	- 546	540
		D	3	9	148.0	- 148.0	148.0	N/Q	279	- 279	279	481	- 481	481
330+	FD	C	2	26	160.0	- 160.0	160.0	N/Q		-		552	- 552	552
		C	3	8	159.0	- 170.0	168.6	12	300	- 321	318	549	- 587	582
				108	145.0	180.0			279	346		257	587	
Yearling Steer														
0-330	FD	C	2	40	179.0	- 182.0	180.4	-5		-		510	- 592	547
	RS	C	2	252	150.0	- 211.0	190.5	23		-		383	- 670	523
330-400	RS	C	2	24	170.0	- 193.0	191.2	N/Q		-		604	- 704	686
	FD	C	2	176	164.0	- 208.0	186.5	5		-		566	- 801	695

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400+	FD	C	3	217	164.0	- 203.0	189.1	6	-	-	-	599	- 802	719
		C	3	1	185.0	- 185.0	185.0	N/Q	349	- 349	349	712	- 712	712
		D	3	11	126.0	- 150.0	128.2	N/Q	242	- 283	246	435	- 548	445
	FD	D	3	1	157.0	- 157.0	157.0	N/Q	-	-	-	604	- 604	604
	RS	D	3	3	175.0	- 175.0	175.0	N/Q	-	-	-	674	- 674	674
	FD	C	2	6	189.0	- 189.0	189.0	N/Q	-	-	-	784	- 784	784
	FD	C	3	478	170.0	- 205.0	188.4	4	-	-	-	714	- 958	836
		C	3	41	165.0	- 182.0	179.7	1	306	- 343	334	751	- 1059	937
		C	4	3	170.0	- 170.0	170.0	3	321	- 321	321	927	- 927	927
	FD	C	4	43	185.0	- 202.0	194.0	N/Q	-	-	-	897	- 1061	1011
				1296	126.0	211.0			242	349		383	1061	
Yearling Heifer														
0-330	FD	C	2	56	162.0	- 180.0	169.3	24	-	-	-	446	- 585	504
	RS	C	2	3	148.0	- 148.0	148.0	-2	-	-	-	363	- 363	363
		C	2	23	141.0	- 165.0	154.6	15	271	- 311	294	374	- 404	391
	FD	C	3	5	160.0	- 160.0	160.0	N/Q	-	-	-	520	- 520	520
330-400	FD	C	2	104	154.0	- 166.0	158.2	10	-	-	-	531	- 648	569
	FD	C	3	285	152.0	- 180.0	169.6	9	-	-	-	552	- 711	648
		C	3	71	163.0	- 170.0	168.1	6	308	- 321	317	617	- 663	640
		D	3	8	138.0	- 138.0	138.0	6	260	- 260	260	504	- 504	504
400+		C	3	54	160.0	- 180.0	172.0	13	302	- 340	325	723	- 783	751
	FD	C	3	135	168.0	- 180.0	172.1	9	-	-	-	693	- 765	730
				744	138.0	180.0			260	340		363	783	
Grown Steer														
0-400	FD	C	2	11	158.0	- 158.0	158.0	N/C	-	-	-	608	- 608	608
	FD	D	3	8	140.0	- 140.0	140.0	25	-	-	-	469	- 469	469
400-500	FD	C	2	54	148.0	- 206.0	180.2	10	-	-	-	629	- 876	767
	FD	C	3	51	165.0	- 200.0	191.1	7	-	-	-	718	- 874	839
		C	3	5	163.0	- 167.0	166.2	7	308	- 315	314	758	- 793	786
	FD	C	4	22	177.0	- 184.0	178.9	N/Q	-	-	-	770	- 911	808
500-600		C	3	29	160.0	- 175.0	171.3	6	302	- 330	323	840	- 919	899
		C	4	111	170.0	- 183.0	178.9	6	321	- 339	332	893	- 1071	998
	FD	C	4	13	185.0	- 185.0	185.0	1	-	-	-	971	- 971	971
600-750		C	4	39	172.0	- 180.0	175.9	8	325	- 333	329	1125	- 1144	1135
				343	140.0	206.0			302	339		469	1144	
Grown Heifer														
0-540	FD	C	2	35	165.0	- 169.0	166.6	27	-	-	-	623	- 701	663
	FD	C	3	79	148.0	- 171.0	154.4	N/C	-	-	-	540	- 778	648
		C	3	15	140.0	- 172.0	161.1	7	264	- 325	304	595	- 751	698
		C	4	29	155.0	- 175.0	164.1	N/C	293	- 330	310	755	- 936	817
	FD	C	4	53	166.0	- 168.0	166.8	2	-	-	-	755	- 805	799
	RS	D	3	37	130.0	- 140.0	134.1	-6	-	-	-	501	- 553	522
	FD	D	3	95	140.0	- 165.0	158.6	24	-	-	-	455	- 677	633
		D	3	56	130.0	- 141.0	137.3	-3	250	- 266	262	423	- 543	503
540+		C	4	31	162.0	- 168.0	166.5	6	300	- 317	313	916	- 948	924

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
					430	130.0	175.0		250	330		423	948	
Manufacturing Steer														
0-540		D	3	32	147.0	- 162.0	155.0	N/Q	277	- 318	299	772	- 851	814
540+		D	3	24	157.0	- 165.0	159.4	9	302	- 311	305	965	- 1185	1068
					56	147.0	165.0		277	318		772	1185	
Cows														
0-400	RS	D	2	9	117.0	- 117.0	117.0	N/Q	-			450	- 450	450
		D	2	1	80.0	- 80.0	80.0	N/Q	182	- 182	182	308	- 308	308
		D	3	12	122.0	- 128.0	127.0	N/Q	260	- 291	286	470	- 506	500
400-520		D	2	36	105.0	- 130.0	114.6	-12	239	- 296	260	446	- 566	491
	RS	D	2	17	125.0	- 125.0	125.0	N/Q	-			531	- 531	531
		D	3	94	126.0	- 145.0	139.3	-3	272	- 309	297	536	- 731	674
520+		D	3	98	131.0	- 145.0	137.1	-5	279	- 309	292	688	- 848	737
		D	4	395	135.0	- 160.0	149.5	N/C	265	- 316	295	736	- 1028	853
		D	5	1	146.0	- 146.0	146.0	N/Q	286	- 286	286	913	- 913	913
					695	80.0	160.0		182	316		308	1028	
Bulls														
0-450		C	2	53	155.0	- 157.0	155.8	N/Q	293	- 296	294	652	- 659	656
		D	3	1	160.0	- 160.0	160.0	N/Q	302	- 302	302	696	- 696	696
450-600		D	3	21	131.0	- 131.0	131.0	N/Q	291	- 291	291	635	- 635	635
600+		B	2	8	192.0	- 210.0	201.8	18	349	- 371	365	1465	- 2520	1908
		C	2	18	160.0	- 193.0	172.4	18	308	- 364	325	1096	- 1675	1545
					101	131.0	210.0		291	371		635	2520	

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2014. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.