

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Pakenham

report date 12 Jan 2015

Yarding Change $\frac{2277}{1172}$

comparison date 05/01/2015

There were approximately 1,000 export and 1,300 young cattle penned, representing an increase of nearly 1,200 head week-on-week. There was an almost full contingent of buyers present and competing fiercely in a significantly dearer market. Quality was very good throughout, with large drafts of heavy weight export cattle along with large numbers of well finished vealers and yearling trade cattle on offer. Feeders and restockers were all very keen to secure well-bred young cattle to feed on or turn out. Most of the vealers sold between 14c and 22c dearer, while the yearling drafts gained 18c to 29c/kg week-on-week. The 900 steers and bullocks were very well received by processors, as the grown steers lifted 20c to 25c, while the bullocks and manufacturing steers gained from 15c to 20c/kg.

Vealers sold mostly from 200c to 239c/kg. Yearling trade steers made between 210c and 237c/kg. Yearling heifers suited to the trade sold between 180c and 228c/kg. Feeder steers made from 190c to 226c, with the heifer portion from 190c to 221c/kg.

Grown steers sold from 205c to 235c/kg. Bullocks made between 209c and 228c/kg. Heavy weight bullocks weighing in excess of 750kg sold between 190c and 212c/kg. Heavy weight grown heifers made from 175c to 210c/kg. Heavy weight Friesian manufacturing steers sold from 183c to 197c, with the crossbred portion from 192c to 205c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Vealer Steer														
200-280		C	2	1	210.0	- 210.0	210.0	N/Q	389	- 389	389	588	- 588	588
280-330		B	2	1	220.0	- 220.0	220.0	N/Q	400	- 400	400	726	- 726	726
	FD	B	2	5	226.6	- 231.6	230.6	N/Q	-	-	-	680	- 741	729
	FD	C	2	21	210.0	- 221.6	215.7	31	-	-	-	630	- 709	693
		C	2	12	205.0	- 215.0	213.5	N/Q	380	- 398	396	620	- 710	699
	FD	C	3	3	219.6	- 219.6	219.6	N/Q	-	-	-	725	- 725	725
330+	FD	B	2	1	216.6	- 216.6	216.6	N/Q	-	-	-	758	- 758	758
		B	2	5	230.0	- 235.0	231.0	21	404	- 420	411	805	- 921	832
		B	3	30	225.0	- 234.0	230.4	22	401	- 417	406	767	- 936	846
		C	2	2	200.0	- 211.6	205.8	N/Q	364	- 392	378	720	- 741	730
	FD	C	2	31	192.0	- 216.0	209.4	21	-	-	-	687	- 778	742
	FD	C	3	42	208.6	- 225.6	213.4	N/Q	-	-	-	709	- 812	774
		C	3	92	208.6	- 238.6	220.7	14	379	- 426	398	730	- 961	819
		D	3	1	206.6	- 206.6	206.6	N/Q	383	- 383	383	826	- 826	826
				247	192.0	238.6			364	426		588	961	
Vealer Heifer														
200-280		C	2	7	195.0	- 200.0	196.3	16	363	- 370	365	440	- 529	505
	FD	C	2	2	182.0	- 192.6	187.3	N/Q	-	-	-	510	- 520	515
		D	3	3	200.0	- 200.0	200.0	N/Q	370	- 370	370	560	- 560	560
280-330	FD	B	2	1	221.2	- 221.2	221.2	N/Q	-	-	-	664	- 664	664
	FD	C	2	2	200.0	- 200.0	200.0	N/Q	-	-	-	640	- 640	640
		C	2	13	190.0	- 205.6	198.9	14	352	- 379	367	570	- 675	604
		C	3	15	205.0	- 226.0	215.0	16	373	- 411	389	615	- 723	678
	RS	C	3	8	214.6	- 214.6	214.6	N/Q	-	-	-	708	- 708	708
		D	3	4	190.0	- 200.0	197.5	N/Q	352	- 377	371	570	- 600	593

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
330+		B	2	1	235.0	- 235.0	235.0	N/Q	405	- 405	405	846	- 846	846	
		B	3	7	224.6	- 234.0	232.2	16	398	- 411	407	830	- 853	842	
		C	2	5	195.0	- 195.0	195.0	1	361	- 361	361	683	- 683	683	
		FD	C	2	33	192.0	- 215.0	202.9	12	-	-	653	- 753	707	
		FD	C	3	22	204.6	- 205.0	204.9	9	-	-	716	- 738	734	
			C	3	75	199.6	- 230.2	212.7	14	367	- 415	386	687	- 863	758
			D	3	26	186.0	- 204.0	201.4	N/Q	344	- 378	373	670	- 740	723
					224	182.0	235.0		344	415		440	863		
Yearling Steer															
200-280		C	2	7	190.0	- 190.0	190.0	N/Q	359	- 359	359	475	- 494	489	
280-330	FD	C	2	8	195.0	- 210.0	206.1	19	-	-	-	585	- 630	618	
	RS	C	2	1	189.6	- 189.6	189.6	N/Q	-	-	-	607	- 607	607	
330-400		B	3	4	220.0	- 230.0	222.5	N/Q	379	- 397	384	836	- 874	846	
		C	2	7	196.0	- 212.0	206.6	14	363	- 386	379	725	- 848	818	
		FD	C	2	85	190.0	- 216.2	205.2	16	-	-	684	- 820	744	
		FD	C	3	5	212.6	- 220.0	215.6	22	-	-	744	- 880	798	
			C	3	10	210.0	- 222.6	211.3	10	382	- 405	384	777	- 840	794
			D	2	1	175.0	- 175.0	175.0	N/Q	337	- 337	337	595	- 595	595
		FD	D	2	1	186.0	- 186.0	186.0	N/Q	-	-	-	632	- 632	632
		D	3	7	186.6	- 205.6	199.3	4	346	- 381	369	634	- 822	727	
400+		C	2	1	190.0	- 190.0	190.0	N/Q	352	- 352	352	855	- 855	855	
		FD	C	2	36	210.6	- 212.0	211.3	27	-	-	969	- 996	983	
			C	3	88	210.0	- 236.6	223.6	29	375	- 423	404	914	- 1140	1039
			D	3	3	196.6	- 208.0	204.2	N/Q	364	- 385	378	904	- 915	912
					264	175.0	236.6		337	423		475	1140		
Yearling Heifer															
200-280	RS	D	1	8	178.6	- 178.6	178.6	N/Q	-	-	-	464	- 464	464	
		D	2	1	175.0	- 175.0	175.0	N/Q	337	- 337	337	455	- 455	455	
		RS	D	3	3	186.0	- 186.0	186.0	N/Q	-	-	-	521	- 521	521
280-330	RS	D	2	3	178.6	- 178.6	178.6	N/Q	-	-	-	589	- 589	589	
		D	2	10	154.6	- 182.0	172.3	24	297	- 350	331	464	- 601	546	
			D	3	1	205.0	- 205.0	205.0	N/Q	380	- 380	380	615	- 615	615
		RS	D	3	7	186.6	- 196.6	188.0	N/Q	-	-	-	590	- 616	612
330-400	FD	C	2	19	195.0	- 195.0	195.0	11	-	-	-	741	- 741	741	
	FD	C	3	6	196.0	- 218.6	208.8	13	-	-	-	686	- 831	767	
		C	3	11	199.6	- 227.6	210.1	15	363	- 414	383	700	- 854	811	
		D	2	16	165.0	- 180.0	178.4	15	317	- 352	347	594	- 642	631	
		D	3	106	180.0	- 210.6	199.6	18	333	- 390	371	612	- 842	746	
		FD	D	3	5	195.0	- 195.0	195.0	14	-	-	-	702	- 702	702
		D	4	7	190.0	- 190.0	190.0	N/Q	359	- 359	359	684	- 684	684	
400+		C	3	29	210.0	- 226.6	223.6	30	382	- 412	407	945	- 1238	1190	
		D	2	5	182.0	- 182.0	182.0	N/Q	350	- 350	350	801	- 801	801	
		RS	D	2	4	175.0	- 175.0	175.0	N/Q	-	-	-	788	- 788	788
		RS	D	3	10	195.6	- 195.6	195.6	N/Q	-	-	-	841	- 841	841
			D	3	269	180.0	- 220.0	206.7	18	340	- 407	384	792	- 1186	966

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
		D	4	3	185.0	- 194.6	189.9	N/Q	343	- 360	352	827	- 903	854
				523	154.6	227.6			297	414		455	1238	
Grown Steer														
400-500		D	3	3	212.6	- 215.6	213.9	N/Q	388	- 399	394	978	- 1078	1024
500-600		C	2	28	205.0	- 216.6	207.7	19	380	- 401	386	1107	- 1185	1140
	RS	C	2	7	196.0	- 196.0	196.0	N/Q	-	-	-	1078	- 1078	1078
		C	3	141	219.6	- 234.6	227.1	25	399	- 427	412	1181	- 1342	1279
		D	3	170	212.0	- 230.0	220.0	22	386	- 418	403	1153	- 1327	1217
600-750		C	4	79	215.0	- 228.0	224.4	19	384	- 407	401	1408	- 1628	1535
		D	3	230	208.6	- 222.6	215.3	16	379	- 405	392	1373	- 1602	1465
750+		C	4	46	190.0	- 212.0	207.6	N/Q	339	- 379	371	1473	- 1785	1606
				704	190.0	234.6			339	427		978	1785	
Grown Heifer														
540+		C	3	1	210.0	- 210.0	210.0	N/Q	375	- 375	375	1575	- 1575	1575
	DA	D	2	5	183.0	- 183.0	183.0	N/Q	366	- 366	366	1007	- 1007	1007
		D	3	33	175.0	- 206.6	196.6	25	330	- 390	366	998	- 1287	1198
		D	4	1	186.0	- 186.0	186.0	N/Q	344	- 344	344	1023	- 1023	1023
				40	175.0	210.0			330	390		998	1575	
Manufacturing Steer														
0-540	RS	C	2	3	195.0	- 195.0	195.0	N/Q	-	-	-	897	- 897	897
		D	1	1	165.0	- 165.0	165.0	N/Q	330	- 330	330	825	- 825	825
		D	2	3	185.0	- 185.0	185.0	20	356	- 356	356	925	- 925	925
	RS	D	2	3	185.0	- 185.0	185.0	N/Q	-	-	-	740	- 740	740
	DA	D	2	19	182.0	- 187.0	186.0	N/Q	357	- 368	361	662	- 972	894
		D	3	6	200.0	- 205.0	201.7	N/Q	370	- 380	374	923	- 1000	974
540+	DA	D	1	7	183.0	- 183.0	183.0	N/Q	366	- 366	366	1007	- 1007	1007
		D	2	6	205.0	- 205.0	205.0	27	387	- 387	387	1312	- 1312	1312
	DA	D	2	91	190.0	- 197.0	194.6	21	359	- 376	372	1095	- 1281	1181
		D	3	25	192.0	- 204.0	198.7	16	356	- 378	368	1114	- 1365	1262
	DA	D	3	2	178.0	- 178.0	178.0	N/Q	330	- 330	330	1371	- 1371	1371
		D	4	3	175.0	- 175.0	175.0	-7	318	- 318	318	1488	- 1488	1488
				169	165.0	205.0			318	387		662	1488	
Cows														
520+		D	3	1	185.0	- 185.0	185.0	N/Q	356	- 356	356	1258	- 1258	1258
		D	4	19	185.0	- 187.6	186.3	N/Q	356	- 375	369	1110	- 1238	1214
				20	185.0	187.6			356	375		1110	1258	
Bulls														
0-450		C	2	3	180.0	- 180.0	180.0	N/Q	333	- 333	333	792	- 792	792
450-600		C	2	1	190.6	- 190.6	190.6	N/Q	347	- 347	347	1105	- 1105	1105
				4	180.0	190.6			333	347		792	1105	

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2015. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.