

## Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

### Pakenham

report date 09 Feb 2015

Yarding Change <sup>3609</sup>/<sub>202</sub>

comparison date 02/02/2015

There were approximately 2,100 export and 1,500 young cattle penned, representing an increase of 200 head week-on-week. There was a full field of buyers present and operating, not quite with the fury of last sale, in a firm to slightly easier market. Quality was mixed as the large numbers brought with them a greater proportion of secondary cattle, with some showing the effects of the drying summer feed. Vealers suitable for butcher orders were keenly sought after by processors competing with lot feeders for the well-bred lines and pushing prices up 7c to 8c/kg. Yearling steers and heifers suited to the trade sold firm to 2c/kg easier. The best drafts of grown steers and bullocks held firm, while the secondary lines slipped 4c to 5c/kg with not all bullock buyers operating fully. Heavy weight grown heifers showing good finish eased 3c/kg. Heavy weight Friesian manufacturing steers slipped 5c while the crossbred portion held firm.

The vealers sold mostly from 205c to 249c/kg. Yearling trade steers made between 218c and 255c/kg. Yearling heifers suited to the trade sold between 194c and 235c/kg. Feeder steers made from 192c to 231c and the heifer portion made from 185c to 218c/kg.

Grown steers sold from 211c to 241c/kg. Bullocks made between 205c and 245c/kg. Heavy weight bullocks sold between 205c and 225c/kg. Heavy weight grown heifers showing good finish made from 195 to 218c/kg. Heavy weight Friesian manufacturing steers sold from 192c to 201c, with the crossbred portion making from 185c to 216c/kg.

| Category Weight      | Sale Prefix | Muscle Score | Fat Score | Head       | Live Weight c/kg |              |       |        | Estimated Carcase Weight c/kg |            |     | Estimated \$/Head |             |     |
|----------------------|-------------|--------------|-----------|------------|------------------|--------------|-------|--------|-------------------------------|------------|-----|-------------------|-------------|-----|
|                      |             |              |           |            | Low              | High         | Avg   | Change | Low                           | High       | Avg | Low               | High        | Avg |
| <b>Vealer Steer</b>  |             |              |           |            |                  |              |       |        |                               |            |     |                   |             |     |
| 200-280              |             | C            | 2         | 2          | 188.6            | - 202.2      | 195.4 | N/Q    | 349                           | - 374      | 362 | 490               | - 526       | 508 |
|                      | FD          | C            | 2         | 1          | 197.6            | - 197.6      | 197.6 | N/Q    | -                             | -          | -   | 553               | - 553       | 553 |
| 280-330              | FD          | C            | 2         | 2          | 219.6            | - 219.6      | 219.6 | N/C    | -                             | -          | -   | 725               | - 725       | 725 |
|                      |             | C            | 2         | 1          | 215.0            | - 215.0      | 215.0 | N/Q    | 391                           | - 391      | 391 | 688               | - 688       | 688 |
|                      |             | C            | 3         | 1          | 220.0            | - 220.0      | 220.0 | N/Q    | 393                           | - 393      | 393 | 660               | - 660       | 660 |
| 330+                 |             | B            | 2         | 14         | 226.0            | - 245.6      | 236.4 | 7      | 404                           | - 423      | 413 | 814               | - 909       | 878 |
|                      |             | B            | 3         | 13         | 230.0            | - 248.6      | 239.2 | N/Q    | 411                           | - 444      | 420 | 851               | - 986       | 903 |
|                      |             | C            | 2         | 3          | 214.0            | - 220.0      | 216.0 | 1      | 396                           | - 400      | 398 | 813               | - 836       | 821 |
|                      | FD          | C            | 2         | 13         | 212.0            | - 222.0      | 219.3 | 5      | -                             | -          | -   | 774               | - 813       | 791 |
|                      | FD          | C            | 3         | 19         | 220.0            | - 224.2      | 220.9 | 1      | -                             | -          | -   | 799               | - 830       | 810 |
|                      |             | C            | 3         | 66         | 224.6            | - 243.6      | 234.8 | 7      | 401                           | - 435      | 421 | 782               | - 1081      | 917 |
|                      |             |              |           | <b>135</b> | <b>188.6</b>     | <b>248.6</b> |       |        | <b>349</b>                    | <b>444</b> |     | <b>490</b>        | <b>1081</b> |     |
| <b>Vealer Heifer</b> |             |              |           |            |                  |              |       |        |                               |            |     |                   |             |     |
| 200-280              |             | C            | 2         | 1          | 200.0            | - 200.0      | 200.0 | N/Q    | 370                           | - 370      | 370 | 480               | - 480       | 480 |
|                      | FD          | C            | 2         | 1          | 195.0            | - 195.0      | 195.0 | N/Q    | -                             | -          | -   | 527               | - 527       | 527 |
| 280-330              |             | B            | 2         | 1          | 234.0            | - 234.0      | 234.0 | N/Q    | 418                           | - 418      | 418 | 702               | - 702       | 702 |
|                      |             | C            | 2         | 12         | 208.0            | - 220.0      | 214.5 | -2     | 385                           | - 400      | 396 | 624               | - 685       | 676 |
|                      |             | C            | 3         | 2          | 225.0            | - 225.0      | 225.0 | N/Q    | 409                           | - 409      | 409 | 743               | - 743       | 743 |
| 330+                 |             | B            | 3         | 3          | 232.0            | - 232.0      | 232.0 | N/Q    | 407                           | - 407      | 407 | 835               | - 835       | 835 |
|                      |             | C            | 2         | 26         | 195.0            | - 214.2      | 204.9 | N/Q    | 361                           | - 397      | 382 | 683               | - 746       | 718 |
|                      | FD          | C            | 2         | 8          | 208.0            | - 212.0      | 211.0 | 7      | -                             | -          | -   | 749               | - 763       | 760 |
|                      |             | C            | 3         | 63         | 207.0            | - 239.6      | 225.3 | 8      | 376                           | - 428      | 407 | 745               | - 910       | 819 |
|                      | FD          | C            | 3         | 6          | 212.0            | - 212.0      | 212.0 | -8     | -                             | -          | -   | 763               | - 763       | 763 |
|                      | FD          | D            | 3         | 2          | 205.6            | - 205.6      | 205.6 | N/Q    | -                             | -          | -   | 761               | - 761       | 761 |

| Category Weight        | Sale Prefix | Muscle Score | Fat Score | Head | Live Weight c/kg |              |              |        | Estimated Carcase Weight c/kg |            |            | Estimated \$/Head |            |             |      |
|------------------------|-------------|--------------|-----------|------|------------------|--------------|--------------|--------|-------------------------------|------------|------------|-------------------|------------|-------------|------|
|                        |             |              |           |      | Low              | High         | Avg          | Change | Low                           | High       | Avg        | Low               | High       | Avg         |      |
|                        |             |              |           |      | <b>125</b>       | <b>195.0</b> | <b>239.6</b> |        |                               | <b>361</b> | <b>428</b> |                   | <b>480</b> | <b>910</b>  |      |
| <b>Yearling Steer</b>  |             |              |           |      |                  |              |              |        |                               |            |            |                   |            |             |      |
| 200-280                | FD          | C            | 2         | 13   | 202.6            | - 219.6      | 214.9        | N/C    | -                             |            |            |                   | 486        | - 599       | 569  |
|                        | FD          | D            | 2         | 2    | 188.6            | - 188.6      | 188.6        | N/Q    | -                             |            |            |                   | 490        | - 490       | 490  |
| 280-330                | FD          | C            | 2         | 12   | 197.6            | - 218.6      | 212.3        | -11    | -                             |            |            |                   | 635        | - 656       | 649  |
|                        | RS          | C            | 2         | 3    | 205.0            | - 222.0      | 216.3        | 5      | -                             |            |            |                   | 656        | - 733       | 707  |
| 330-400                |             | B            | 2         | 2    | 220.0            | - 220.0      | 220.0        | N/Q    | 386                           | - 386      | 386        |                   | 814        | - 814       | 814  |
|                        |             | B            | 3         | 1    | 245.0            | - 245.0      | 245.0        | N/Q    | 422                           | - 422      | 422        |                   | 980        | - 980       | 980  |
|                        |             | C            | 2         | 8    | 205.6            | - 226.6      | 219.4        | 7      | 381                           | - 420      | 405        |                   | 761        | - 902       | 817  |
|                        | RS          | C            | 2         | 23   | 229.2            | - 229.2      | 229.2        | 15     | -                             |            |            |                   | 837        | - 837       | 837  |
|                        | FD          | C            | 2         | 112  | 192.0            | - 230.6      | 219.2        | 2      | -                             |            |            |                   | 691        | - 902       | 804  |
|                        |             | C            | 3         | 29   | 217.6            | - 235.0      | 225.4        | -2     | 396                           | - 427      | 410        |                   | 785        | - 920       | 873  |
|                        | FD          | D            | 2         | 4    | 184.6            | - 213.2      | 198.2        | 1      | -                             |            |            |                   | 683        | - 768       | 733  |
|                        |             | D            | 3         | 3    | 218.0            | - 220.0      | 218.7        | 9      | 404                           | - 407      | 405        |                   | 770        | - 872       | 838  |
|                        | FD          | D            | 3         | 2    | 218.0            | - 218.0      | 218.0        | N/Q    | -                             |            |            |                   | 828        | - 828       | 828  |
| 400+                   |             | B            | 2         | 2    | 226.6            | - 226.6      | 226.6        | N/Q    | 405                           | - 405      | 405        |                   | 997        | - 997       | 997  |
|                        |             | B            | 3         | 1    | 254.6            | - 254.6      | 254.6        | N/Q    | 439                           | - 439      | 439        |                   | 1120       | - 1120      | 1120 |
|                        |             | C            | 2         | 15   | 205.0            | - 225.6      | 216.9        | -1     | 380                           | - 414      | 400        |                   | 924        | - 1041      | 982  |
|                        | FD          | C            | 2         | 96   | 205.0            | - 222.0      | 217.6        | 4      | -                             |            |            |                   | 876        | - 1055      | 965  |
|                        | RS          | C            | 2         | 27   | 205.0            | - 216.2      | 212.4        | -8     | -                             |            |            |                   | 871        | - 1155      | 1067 |
|                        | FD          | C            | 3         | 16   | 220.0            | - 220.0      | 220.0        | -8     | -                             |            |            |                   | 968        | - 968       | 968  |
|                        |             | C            | 3         | 57   | 218.6            | - 236.0      | 227.9        | -2     | 395                           | - 429      | 413        |                   | 950        | - 1160      | 1008 |
|                        |             | D            | 3         | 9    | 205.0            | - 221.2      | 214.8        | -9     | 380                           | - 410      | 398        |                   | 887        | - 1003      | 943  |
|                        | FD          | D            | 3         | 1    | 223.6            | - 223.6      | 223.6        | N/Q    | -                             |            |            |                   | 984        | - 984       | 984  |
|                        |             |              |           |      | <b>438</b>       | <b>184.6</b> | <b>254.6</b> |        |                               | <b>380</b> | <b>439</b> |                   | <b>486</b> | <b>1160</b> |      |
| <b>Yearling Heifer</b> |             |              |           |      |                  |              |              |        |                               |            |            |                   |            |             |      |
| 200-280                |             | D            | 2         | 1    | 190.0            | - 190.0      | 190.0        | N/C    | 359                           | - 359      | 359        |                   | 456        | - 456       | 456  |
|                        | FD          | D            | 2         | 13   | 175.0            | - 185.6      | 184.0        | N/Q    | -                             |            |            |                   | 464        | - 473       | 465  |
| 280-330                | RS          | C            | 2         | 1    | 200.6            | - 200.6      | 200.6        | N/Q    | -                             |            |            |                   | 602        | - 602       | 602  |
|                        | RS          | D            | 1         | 6    | 183.0            | - 183.0      | 183.0        | 7      | -                             |            |            |                   | 586        | - 586       | 586  |
|                        | RS          | D            | 2         | 14   | 190.0            | - 195.0      | 191.7        | N/Q    | -                             |            |            |                   | 624        | - 629       | 627  |
|                        | FD          | D            | 2         | 4    | 177.6            | - 185.0      | 181.6        | 7      | -                             |            |            |                   | 533        | - 555       | 545  |
|                        |             | D            | 2         | 9    | 188.2            | - 205.0      | 191.8        | N/C    | 362                           | - 394      | 369        |                   | 600        | - 615       | 605  |
|                        |             | D            | 3         | 9    | 200.0            | - 209.6      | 208.5        | 6      | 377                           | - 396      | 394        |                   | 660        | - 692       | 688  |
|                        | RS          | D            | 3         | 1    | 206.6            | - 206.6      | 206.6        | N/Q    | -                             |            |            |                   | 620        | - 620       | 620  |
| 330-400                | FD          | C            | 2         | 18   | 205.0            | - 218.0      | 215.6        | 4      | -                             |            |            |                   | 776        | - 785       | 783  |
|                        | RS          | C            | 2         | 7    | 199.6            | - 199.6      | 199.6        | N/Q    | -                             |            |            |                   | 729        | - 729       | 729  |
|                        |             | C            | 3         | 3    | 221.6            | - 234.6      | 230.3        | 12     | 396                           | - 419      | 411        |                   | 842        | - 891       | 875  |
|                        |             | D            | 1         | 19   | 166.0            | - 172.0      | 171.2        | N/Q    | 319                           | - 344      | 341        |                   | 590        | - 619       | 615  |
|                        |             | D            | 2         | 24   | 175.0            | - 200.0      | 183.9        | -7     | 337                           | - 385      | 353        |                   | 597        | - 700       | 651  |
|                        | RS          | D            | 2         | 30   | 189.6            | - 213.0      | 199.2        | 20     | -                             |            |            |                   | 665        | - 756       | 708  |
|                        | FD          | D            | 2         | 42   | 184.6            | - 199.6      | 188.5        | -8     | -                             |            |            |                   | 628        | - 729       | 652  |
|                        | RS          | D            | 3         | 2    | 200.0            | - 200.0      | 200.0        | N/Q    | -                             |            |            |                   | 720        | - 720       | 720  |
|                        | FD          | D            | 3         | 60   | 200.0            | - 218.0      | 209.3        | -2     | -                             |            |            |                   | 680        | - 848       | 769  |
|                        |             | D            | 3         | 85   | 194.0            | - 224.0      | 212.0        | 2      | 366                           | - 415      | 396        |                   | 696        | - 888       | 777  |

| Category Weight            | Sale Prefix | Muscle Score | Fat Score | Head        | Live Weight c/kg |              |         |            | Estimated Carcase Weight c/kg |       |             | Estimated \$/Head |        |       |     |
|----------------------------|-------------|--------------|-----------|-------------|------------------|--------------|---------|------------|-------------------------------|-------|-------------|-------------------|--------|-------|-----|
|                            |             |              |           |             | Low              | High         | Avg     | Change     | Low                           | High  | Avg         | Low               | High   | Avg   |     |
| 400+                       | FD          | D            | 4         | 3           | 195.0            | - 195.0      | 195.0   | N/Q        | 361                           | - 361 | 361         | 741               | - 741  | 741   |     |
|                            |             | C            | 2         | 2           | 205.0            | - 205.0      | 205.0   | N/Q        | -                             | -     | -           | 861               | - 861  | 861   |     |
|                            |             | C            | 2         | 1           | 225.0            | - 225.0      | 225.0   | N/Q        | 409                           | - 409 | 409         | 1125              | - 1125 | 1125  |     |
|                            |             | C            | 3         | 5           | 228.0            | - 228.0      | 228.0   | -3         | 415                           | - 415 | 415         | 1197              | - 1197 | 1197  |     |
|                            | FD          | D            | 1         | 2           | 175.0            | - 175.0      | 175.0   | N/Q        | 350                           | - 350 | 350         | 735               | - 735  | 735   |     |
|                            |             | D            | 2         | 10          | 182.0            | - 191.6      | 188.6   | -3         | 350                           | - 369 | 360         | 764               | - 874  | 822   |     |
|                            |             | D            | 2         | 24          | 213.2            | - 213.2      | 213.2   | N/Q        | -                             | -     | -           | 906               | - 906  | 906   |     |
|                            |             | D            | 3         | 20          | 192.6            | - 208.0      | 202.1   | N/Q        | -                             | -     | -           | 819               | - 940  | 899   |     |
|                            | D           | 3            | 154       | 195.6       | - 225.0          | 215.5        | -2      | 369        | - 417                         | 399   | 822         | - 1137            | 996    |       |     |
|                            |             |              |           | <b>569</b>  | <b>166.0</b>     | <b>234.6</b> |         | <b>319</b> | <b>419</b>                    |       | <b>456</b>  | <b>1197</b>       |        |       |     |
| <b>Grown Steer</b>         |             |              |           |             |                  |              |         |            |                               |       |             |                   |        |       |     |
| 500-600                    | FD          | C            | 2         | 69          | 203.6            | - 218.0      | 214.8   | 2          | 377                           | - 404 | 398         | 1099              | - 1300 | 1239  |     |
|                            |             | C            | 2         | 17          | 200.0            | - 218.0      | 209.4   | -1         | -                             | -     | -           | 1100              | - 1221 | 1153  |     |
|                            |             | C            | 3         | 83          | 225.0            | - 240.6      | 235.8   | N/C        | 409                           | - 431 | 424         | 1260              | - 1416 | 1354  |     |
| 600-750                    |             | D            | 3         | 188         | 210.6            | - 236.6      | 223.9   | -5         | 389                           | - 430 | 409         | 1137              | - 1372 | 1262  |     |
|                            |             | C            | 2         | 16          | 205.0            | - 210.0      | 205.9   | N/Q        | 380                           | - 389 | 381         | 1281              | - 1313 | 1285  |     |
|                            |             | C            | 3         | 27          | 233.2            | - 233.2      | 233.2   | 1          | 416                           | - 416 | 416         | 1691              | - 1691 | 1691  |     |
|                            |             | C            | 4         | 139         | 225.6            | - 244.6      | 236.9   | -1         | 403                           | - 437 | 423         | 1482              | - 1764 | 1634  |     |
|                            |             | C            | 5         | 2           | 205.2            | - 206.6      | 205.9   | N/Q        | 369                           | - 373 | 371         | 1395              | - 1446 | 1421  |     |
| 750+                       |             | D            | 3         | 458         | 204.6            | - 235.6      | 223.7   | -4         | 372                           | - 428 | 407         | 1354              | - 1715 | 1503  |     |
|                            |             | C            | 4         | 139         | 204.6            | - 225.0      | 215.1   | -4         | 359                           | - 399 | 381         | 1591              | - 1854 | 1676  |     |
|                            |             |              |           | <b>1138</b> | <b>200.0</b>     | <b>244.6</b> |         | <b>359</b> | <b>437</b>                    |       | <b>1099</b> | <b>1854</b>       |        |       |     |
| <b>Grown Heifer</b>        |             |              |           |             |                  |              |         |            |                               |       |             |                   |        |       |     |
| 0-540                      |             | D            | 1         | 1           | 170.0            | - 170.0      | 170.0   | N/Q        | 354                           | - 354 | 354         | 850               | - 850  | 850   |     |
|                            |             | D            | 2         | 2           | 188.0            | - 188.0      | 188.0   | N/Q        | 376                           | - 376 | 376         | 752               | - 752  | 752   |     |
|                            |             | DA           | D         | 2           | 3                | 178.6        | - 178.6 | 178.6      | -9                            | 365   | - 365       | 365               | 964    | - 964 | 964 |
|                            |             | D            | 3         | 9           | 193.6            | - 200.0      | 198.6   | -1         | 359                           | - 385 | 379         | 880               | - 1016 | 990   |     |
|                            |             | D            | 4         | 2           | 190.0            | - 192.0      | 191.0   | N/Q        | 365                           | - 369 | 367         | 998               | - 1008 | 1003  |     |
| 540+                       |             | C            | 3         | 3           | 215.0            | - 217.6      | 215.9   | -9         | 391                           | - 396 | 393         | 1226              | - 1240 | 1230  |     |
|                            |             | D            | 3         | 44          | 196.6            | - 216.0      | 211.0   | -3         | 370                           | - 400 | 392         | 1101              | - 1538 | 1262  |     |
|                            |             | D            | 4         | 14          | 185.0            | - 205.0      | 194.0   | -3         | 343                           | - 380 | 364         | 1070              | - 1435 | 1187  |     |
|                            |             | D            | 5         | 9           | 195.0            | - 195.0      | 195.0   | N/Q        | 361                           | - 361 | 361         | 1248              | - 1248 | 1248  |     |
|                            |             |              |           | <b>87</b>   | <b>170.0</b>     | <b>217.6</b> |         | <b>343</b> | <b>400</b>                    |       | <b>752</b>  | <b>1538</b>       |        |       |     |
| <b>Manufacturing Steer</b> |             |              |           |             |                  |              |         |            |                               |       |             |                   |        |       |     |
| 0-540                      |             | D            | 1         | 8           | 162.6            | - 162.6      | 162.6   | -12        | 339                           | - 339 | 339         | 593               | - 593  | 593   |     |
|                            |             | D            | 2         | 2           | 181.0            | - 194.6      | 187.8   | N/Q        | 342                           | - 367 | 354         | 977               | - 1012 | 995   |     |
| 540+                       | DA          | E            | 2         | 2           | 165.0            | - 165.0      | 165.0   | N/Q        | 330                           | - 330 | 330         | 825               | - 825  | 825   |     |
|                            |             | D            | 1         | 1           | 181.6            | - 181.6      | 181.6   | N/Q        | 356                           | - 356 | 356         | 1180              | - 1180 | 1180  |     |
|                            | DA          | D            | 1         | 2           | 185.0            | - 185.0      | 185.0   | N/Q        | 370                           | - 370 | 370         | 1018              | - 1018 | 1018  |     |
|                            |             | D            | 2         | 131         | 192.0            | - 201.2      | 196.2   | -5         | 362                           | - 381 | 373         | 1152              | - 1379 | 1290  |     |
|                            |             | D            | 2         | 142         | 185.0            | - 204.6      | 197.3   | N/C        | 356                           | - 386 | 373         | 1023              | - 1632 | 1248  |     |
|                            |             | D            | 3         | 167         | 196.0            | - 215.6      | 208.1   | 2          | 370                           | - 399 | 386         | 1166              | - 1701 | 1379  |     |
| D                          | 4           | 3            | 196.2     | - 204.6     | 201.8            | N/Q          | 363     | - 372      | 369                           | 1373  | - 1637      | 1549              |        |       |     |
|                            |             |              |           | <b>458</b>  | <b>162.6</b>     | <b>215.6</b> |         | <b>330</b> | <b>399</b>                    |       | <b>593</b>  | <b>1701</b>       |        |       |     |

| Category Weight | Sale Prefix | Muscle Score | Fat Score | Head | Live Weight c/kg |              |              |        | Estimated Carcase Weight c/kg |      |            | Estimated \$/Head |            |     |             |      |
|-----------------|-------------|--------------|-----------|------|------------------|--------------|--------------|--------|-------------------------------|------|------------|-------------------|------------|-----|-------------|------|
|                 |             |              |           |      | Low              | High         | Avg          | Change | Low                           | High | Avg        | Low               | High       | Avg |             |      |
| <b>Cows</b>     |             |              |           |      |                  |              |              |        |                               |      |            |                   |            |     |             |      |
| 400-520         |             | D            | 4         | 1    | 175.0            | - 175.0      | 175.0        | N/Q    | 350                           | -    | 350        | 350               | 910        | -   | 910         | 910  |
|                 |             | E            | 1         | 20   | 159.6            | - 159.6      | 159.6        | -8     | 363                           | -    | 363        | 363               | 758        | -   | 758         | 758  |
| 520+            |             | D            | 2         | 1    | 167.6            | - 167.6      | 167.6        | N/Q    | 357                           | -    | 357        | 357               | 922        | -   | 922         | 922  |
|                 |             | D            | 3         | 21   | 190.0            | - 195.0      | 192.0        | 7      | 369                           | -    | 382        | 380               | 1018       | -   | 1121        | 1093 |
|                 |             | D            | 4         | 27   | 190.2            | - 198.6      | 195.2        | N/Q    | 380                           | -    | 382        | 381               | 1217       | -   | 1311        | 1273 |
|                 |             | D            | 5         | 5    | 177.6            | - 177.6      | 177.6        | N/Q    | 342                           | -    | 342        | 342               | 1243       | -   | 1243        | 1243 |
|                 |             |              |           |      | <b>75</b>        | <b>159.6</b> | <b>198.6</b> |        | <b>342</b>                    |      | <b>382</b> |                   | <b>758</b> |     | <b>1311</b> |      |
| <b>Bulls</b>    |             |              |           |      |                  |              |              |        |                               |      |            |                   |            |     |             |      |
| 0-450           | FD          | C            | 2         | 3    | 185.0            | - 185.0      | 185.0        | -1     |                               |      |            |                   | 370        | -   | 370         | 370  |
|                 | RS          | C            | 2         | 5    | 179.2            | - 179.2      | 179.2        | -3     |                               |      |            |                   | 448        | -   | 448         | 448  |
|                 |             | C            | 2         | 17   | 186.6            | - 193.6      | 192.8        | 12     | 346                           | -    | 359        | 357               | 560        | -   | 716         | 698  |
|                 |             | C            | 3         | 1    | 200.0            | - 200.0      | 200.0        | N/Q    | 357                           | -    | 357        | 357               | 900        | -   | 900         | 900  |
| 450-600         |             | C            | 2         | 1    | 186.6            | - 186.6      | 186.6        | N/Q    | 346                           | -    | 346        | 346               | 1064       | -   | 1064        | 1064 |
| 600+            |             | C            | 2         | 1    | 219.6            | - 219.6      | 219.6        | N/Q    | 392                           | -    | 392        | 392               | 1647       | -   | 1647        | 1647 |
|                 |             | C            | 3         | 1    | 224.6            | - 224.6      | 224.6        | N/Q    | 387                           | -    | 387        | 387               | 2471       | -   | 2471        | 2471 |
|                 |             |              |           |      | <b>29</b>        | <b>179.2</b> | <b>224.6</b> |        | <b>346</b>                    |      | <b>392</b> |                   | <b>370</b> |     | <b>2471</b> |      |

#### Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross  
FD: Feeder DP: Dorper

#### Disclaimer:

© MLA 2015. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.