

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Dubbo

report date 26 Mar 2015

Yarding Change 4900
-500

comparison date 19/03/2015

Numbers eased and quality varied. Young trade cattle were limited but the majority of the cattle were suited to feed or backgrounding orders. Cows were also well supplied. All the usual buyers operated along with an extra export order in a dearer market.

The best of the veal lifted 10c to 13c with steer vealers reaching 262c/kg. Trade yearling steers lifted 4c with most selling from 216c to 245c/kg. The medium and heavy feeder steers were 12c to 15c/kg stronger. Most sold from 224c to 253c/kg. Trade heifers sold close to firm selling from 190c to 230c/kg. Feeder heifers gained 9c, averaging 214c/kg.

Grown steers and bullocks gained 15c to 20c with an extra order in places. C3 and C4 steers ranged from 190c to 228c/kg. The medium weight 2 score cows averaged 20c dearer but most were closer to 12c/kg better on the back of strong restocker activity. Heavy cows gained 4c to 13c/kg depending on fat cover. The medium weight 2 scores sold from 130c to 162c and the 3 and 4 score heavy weights sold from 163c to 182c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
0-80	RS	C	1	4	162.0	- 162.0	162.0	N/Q	-			65	- 65	65
	RS	C	2	2	250.0	- 250.0	250.0	N/Q	-			175	- 175	175
		D	2	5	230.6	- 237.2	234.6	N/Q	461	- 474	469	138	- 142	141
				11	162.0	250.0			461	474		65	175	
Vealer Steer														
0-200		C	1	2	186.0	- 186.0	186.0	N/Q	358	- 358	358	316	- 316	316
	RS	C	1	1	220.0	- 220.0	220.0	N/Q	-			352	- 352	352
	RS	C	2	15	225.2	- 239.2	232.7	N/Q	-			360	- 431	398
		C	2	5	190.0	- 220.0	202.0	N/Q	359	- 407	378	342	- 352	346
200-280		C	2	8	213.2	- 237.2	232.3	12	395	- 439	430	546	- 576	563
	RS	D	2	29	187.6	- 226.0	216.8	N/Q	-			456	- 588	541
280-330	FD	C	2	3	230.0	- 230.0	230.0	23	-			736	- 736	736
		C	2	7	210.0	- 220.0	211.4	N/Q	389	- 407	392	630	- 704	641
	RS	C	2	20	230.0	- 230.0	230.0	3	-			736	- 736	736
		C	3	9	200.0	- 262.0	255.1	27	370	- 485	472	640	- 838	816
330+		C	2	5	232.2	- 232.2	232.2	N/Q	430	- 430	430	836	- 836	836
	RS	C	3	31	246.2	- 248.2	248.1	17	-			936	- 943	943
		C	3	19	235.0	- 249.2	246.5	9	435	- 454	451	810	- 987	892
				154	186.0	262.0			358	485		316	987	
Vealer Heifer														
0-200		C	1	1	170.0	- 170.0	170.0	N/Q	327	- 327	327	281	- 281	281
		C	2	1	190.0	- 190.0	190.0	N/Q	352	- 352	352	304	- 304	304
	RS	D	1	4	157.2	- 157.2	157.2	N/Q	-			283	- 283	283
	RS	D	2	5	170.0	- 170.0	170.0	N/Q	-			306	- 306	306
200-280	RS	C	2	9	170.0	- 170.0	170.0	N/Q	-			357	- 357	357
		C	2	12	170.0	- 210.0	193.3	4	327	- 389	365	383	- 567	457
	RS	D	1	13	182.2	- 182.2	182.2	N/Q	-			374	- 374	374

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
280-330	RS	D	2	4	175.2	- 175.2	175.2	N/Q	-			368	- 368	368
	C	2	13	205.0	- 234.0	207.2	13	387	- 433	390	584	- 702	593	
	C	3	8	200.0	- 240.0	220.0	18	370	- 444	407	570	- 768	669	
330+	D	3	16	195.0	- 195.0	195.0	N/Q	361	- 361	361	585	- 585	585	
	C	2	9	230.2	- 230.2	230.2	N/Q	426	- 426	426	829	- 829	829	
	C	3	79	215.6	- 247.2	238.2	22	399	- 458	441	733	- 964	877	
				174	157.2	247.2		327	458		281	964		
Yearling Steer														
200-280	FD	C	2	1	210.0	- 210.0	210.0	N/Q	-			504	- 504	504
	RS	C	2	14	200.0	- 235.2	225.1	40	-			560	- 635	614
	RS	D	2	24	184.2	- 208.2	202.2	15	-			444	- 583	559
	FD	D	2	7	217.6	- 217.6	217.6	N/Q	-			566	- 566	566
280-330	FD	C	2	19	227.2	- 232.0	231.7	14	-			738	- 754	753
	RS	C	2	24	208.2	- 244.2	223.4	N/Q	-			644	- 781	712
	RS	D	2	15	154.0	- 210.0	184.7	N/Q	-			447	- 605	543
	FD	D	2	75	188.2	- 227.0	211.5	N/Q	-			593	- 715	669
330-400	FD	C	2	118	224.0	- 249.2	236.6	20	-			762	- 942	856
	RS	C	2	106	215.0	- 250.2	237.1	N/Q	-			731	- 1001	851
		C	3	6	231.2	- 245.2	242.9	9	428	- 454	450	883	- 890	884
	RS	D	2	3	170.0	- 207.2	194.8	N/Q	-			570	- 746	687
	FD	D	2	55	190.0	- 242.2	224.9	N/Q	-			684	- 843	789
400+	FD	C	2	256	210.0	- 258.0	243.0	N/Q	-			958	- 1238	1107
	RS	C	2	133	220.0	- 257.6	246.9	N/Q	-			935	- 1159	1110
		C	2	5	219.2	- 247.2	224.8	N/Q	422	- 466	431	986	- 1187	1026
	RS	C	3	9	230.0	- 230.0	230.0	N/Q	-			1070	- 1070	1070
		C	3	60	204.2	- 243.6	229.6	4	378	- 451	425	990	- 1323	1170
	FD	C	3	91	240.0	- 253.2	243.9	12	-			1048	- 1265	1144
		D	2	4	171.2	- 171.2	171.2	N/Q	357	- 357	357	822	- 822	822
				1025	154.0	258.0		357	466		444	1323		
Yearling Heifer														
200-280	RS	C	2	18	190.0	- 190.0	190.0	5	-			475	- 475	475
	RS	D	1	12	120.0	- 170.0	161.7	N/Q	-			324	- 408	394
	RS	D	2	36	167.2	- 180.0	174.5	N/Q	-			435	- 450	444
280-330	RS	C	2	59	190.0	- 200.0	197.8	39	-			585	- 640	603
	FD	C	2	23	189.2	- 200.1	197.3	4	-			605	- 640	631
		C	3	16	229.6	- 229.6	229.6	N/Q	425	- 425	425	735	- 735	735
	RS	D	1	4	164.2	- 164.2	164.2	N/Q	-			493	- 493	493
	FD	D	2	50	160.0	- 207.0	178.2	N/Q	-			484	- 662	569
	RS	D	2	36	158.2	- 185.0	172.1	N/Q	-			506	- 601	550
		D	3	4	190.0	- 190.0	190.0	N/Q	359	- 359	359	618	- 618	618
330-400	RS	C	2	19	203.2	- 203.2	203.2	38	-			691	- 691	691
		C	2	1	165.0	- 165.0	165.0	N/Q	317	- 317	317	561	- 561	561
	FD	C	2	150	190.0	- 223.0	211.2	9	-			637	- 845	763
		C	3	52	193.6	- 229.0	215.7	11	359	- 424	400	687	- 870	791

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
400+		D	2	18	140.0	- 173.2	164.8	N/Q	292	- 361	336	469	- 658	598	
		FD	D	2	15	183.2	- 183.2	183.2	N/Q	-		623	- 623	623	
		RS	D	2	81	170.0	- 204.2	196.6	N/Q	-		570	- 776	731	
			D	3	19	185.0	- 198.2	196.4	N/Q	349	- 381	377	638	- 714	703
		RS	C	2	2	221.2	- 221.2	221.2	N/Q	-		1029	- 1029	1029	
		FD	C	2	39	213.6	- 222.0	214.9	N/Q	-		876	- 977	891	
		FD	C	3	1	232.6	- 232.6	232.6	N/Q	-		977	- 977	977	
		RS	C	3	4	210.0	- 210.0	210.0	N/Q	-		882	- 882	882	
			C	3	106	188.2	- 217.2	209.6	-4	355	- 418	389	809	- 1047	964
			C	4	27	212.0	- 229.6	226.1	N/Q	393	- 425	419	1044	- 1284	1192
		RS	C	4	10	216.2	- 216.2	216.2	N/Q	-		1038	- 1038	1038	
		RS	D	3	6	217.6	- 217.6	217.6	N/Q	-		947	- 947	947	
		D	3	34	182.0	- 214.6	202.0	18	343	- 397	380	779	- 944	909	
				842	120.0	232.6			292	425		324	1284		
Grown Steer															
0-400	FD	C	2	4	203.0	- 203.0	203.0	N/Q	-		680	- 680	680		
		C	2	2	192.2	- 192.2	192.2	N/Q	370	- 370	370	663	- 663	663	
400-500		C	2	13	187.2	- 187.2	187.2	N/Q	347	- 347	347	899	- 899	899	
	FD	C	2	13	198.2	- 231.0	210.8	13	-		941	- 1109	1006		
		C	3	6	210.0	- 215.0	214.2	9	389	- 398	397	1019	- 1032	1030	
500-600		C	2	16	189.2	- 215.0	192.7	N/Q	357	- 406	364	984	- 1118	1002	
		C	3	141	190.0	- 229.6	213.5	21	359	- 425	397	988	- 1366	1185	
		C	4	13	230.0	- 230.2	230.1	13	426	- 426	426	1220	- 1311	1269	
600-750		C	4	11	200.0	- 222.0	219.8	8	370	- 411	407	1240	- 1496	1411	
				219	187.2	231.0			347	426		663	1496		
Grown Heifer															
0-540		C	2	1	175.0	- 175.0	175.0	N/Q	337	- 337	337	665	- 665	665	
		C	3	19	195.0	- 215.2	211.1	26	368	- 414	402	995	- 1113	1044	
		C	4	5	184.0	- 185.0	184.4	-1	341	- 343	342	883	- 888	885	
	RS	D	2	3	145.0	- 145.0	145.0	27	-		508	- 508	508		
		D	2	3	154.2	- 170.0	159.5	N/Q	308	- 340	319	648	- 731	675	
		D	3	16	162.2	- 210.6	183.3	21	312	- 405	353	746	- 922	779	
540+		C	4	1	180.0	- 180.0	180.0	N/Q	333	- 333	333	1008	- 1008	1008	
		D	3	12	183.2	- 183.2	183.2	N/Q	339	- 339	339	1026	- 1026	1026	
		D	4	8	202.0	- 202.0	202.0	N/Q	374	- 374	374	1293	- 1293	1293	
				68	145.0	215.2			308	414		508	1293		
Manufacturing Steer															
0-540		C	3	3	189.2	- 189.2	189.2	N/Q	350	- 350	350	908	- 908	908	
		D	1	7	130.0	- 130.0	130.0	N/Q	260	- 260	260	429	- 429	429	
		D	2	7	150.0	- 150.0	150.0	N/Q	300	- 300	300	570	- 570	570	
540+	DA	D	2	11	176.6	- 183.6	177.9	N/Q	353	- 353	353	1095	- 1138	1103	
				28	130.0	189.2			260	353		429	1138		
Cows															
0-400		D	1	75	100.0	- 150.2	139.9	N/Q	213	- 320	300	365	- 578	537	
	RS	D	1	4	137.6	- 137.6	137.6	N/Q	-		523	- 523	523		

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400-520		D	2	7	110.0	- 145.0	140.0	15	229	- 315	303	424	- 558	539
	RS	E	1	16	60.0	- 106.2	77.3	N/Q	-			228	- 361	278
	RS	D	1	41	124.2	- 155.0	150.5	N/Q	-			509	- 654	637
		D	1	1	120.0	- 120.0	120.0	N/Q	255	- 255	255	492	- 492	492
	RS	D	2	28	153.6	- 155.0	154.2	24	-			668	- 674	671
520+		D	2	159	130.0	- 168.2	155.6	29	262	- 356	325	585	- 786	707
		D	3	264	159.2	- 176.2	170.9	11	318	- 358	342	772	- 900	850
		C	3	4	182.6	- 182.6	182.6	N/Q	351	- 351	351	1187	- 1187	1187
		D	3	112	163.2	- 180.2	173.3	13	326	- 360	345	881	- 1188	987
		D	4	321	169.2	- 182.2	177.6	4	333	- 357	349	897	- 1305	1117
		D	5	18	151.6	- 170.0	163.5	-2	297	- 333	321	864	- 1326	1163
				1050	60.0	182.6			213	360		228	1326	
Bulls														
0-450		C	2	1	199.2	- 199.2	199.2	N/Q	369	- 369	369	837	- 837	837
		D	2	18	155.0	- 155.0	155.0	N/Q	287	- 287	287	558	- 558	558
450-600		D	2	7	140.0	- 170.0	162.3	N/Q	259	- 315	302	679	- 986	904
600+		B	2	8	191.2	- 222.2	207.9	11	335	- 370	355	1568	- 2333	1918
		C	2	6	194.2	- 200.0	195.3	26	347	- 357	349	1437	- 1640	1478
		D	2	2	100.0	- 185.0	142.5	N/Q	185	- 343	264	700	- 1203	951
				42	100.0	222.2			185	370		558	2333	

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2015. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.