

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Dubbo

report date 23 Apr 2015

Yarding Change 2320
-3855

comparison date 16/04/2015

Following the excellent rains over the past few days, numbers were back by almost 4,000 head. It was a fair quality yarding, with limited numbers of ideal trade cattle. There were good numbers of cows, along with a reasonable selection of grown steers. The market was strong.

Vealers and yearlings to the trade were 15c to 18c dearer, with vealers selling to 262c for the steers and 260c/kg for the heifers. Prime condition yearling steers sold from 222c to 267c, while the prime heifer yearlings sold from 225c to 265c/kg. Young feeder cattle were 17c to 22c dearer, with feeder steers selling from 235c to 284c, while the feeder heifers sold from 211c to 255c/kg.

Grown steers were 17c to 22c dearer, with the prime condition and medium and heavy weights selling from 248c to 270c/kg. Grown heifers sold to 255c/kg. Cows were 20c to 24c dearer, with 2 scores selling from 140c to 176c/kg. The better 3 and 4 scores sold from 180c to 232c, with the 4 score heavy weights averaging 220c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
0-80	RS	C	2	17	238.0	- 263.0	254.2	-10	-	-	-	145	- 206	162
		C	2	5	260.0	- 300.0	292.0	N/Q	500	- 577	562	195	- 195	195
80+		C	2	24	234.0	- 290.0	258.4	N/Q	442	- 558	492	247	- 532	380
	RS	C	2	20	232.0	- 310.0	254.8	-5	-	-	-	279	- 419	332
				66	232.0	310.0			442	577		145	532	
Vealer Steer														
0-200	RS	C	2	12	217.0	- 217.0	217.0	-62	-	-	-	293	- 293	293
200-280	RS	C	2	25	237.0	- 260.0	250.8	17	-	-	-	557	- 688	605
		C	2	1	190.0	- 190.0	190.0	N/Q	365	- 365	365	523	- 523	523
	FD	C	2	26	269.0	- 269.0	269.0	N/Q	-	-	-	713	- 713	713
280-330	RS	C	2	31	238.0	- 270.0	259.7	15	-	-	-	678	- 770	740
	FD	C	3	3	258.0	- 259.0	258.7	13	-	-	-	839	- 842	841
		C	3	1	254.0	- 254.0	254.0	N/Q	479	- 479	479	724	- 724	724
330+		C	3	6	220.0	- 262.0	251.2	3	415	- 493	464	737	- 1005	884
	FD	C	3	23	262.0	- 266.0	265.0	16	-	-	-	904	- 1096	1011
				128	190.0	270.0			365	493		293	1096	
Vealer Heifer														
0-200		C	2	2	260.0	- 260.0	260.0	N/Q	500	- 500	500	377	- 377	377
	RS	D	3	3	194.0	- 194.0	194.0	N/Q	-	-	-	359	- 359	359
200-280	RS	C	2	54	200.0	- 233.0	229.6	26	-	-	-	490	- 587	561
		C	2	8	220.0	- 224.0	223.5	10	423	- 431	430	495	- 549	542
		C	3	10	232.0	- 232.0	232.0	N/Q	438	- 446	439	638	- 638	638
280-330		C	2	3	223.0	- 223.0	223.0	8	429	- 429	429	702	- 702	702
		C	3	19	235.0	- 240.0	237.9	10	443	- 453	449	764	- 780	773
	FD	D	3	1	200.0	- 200.0	200.0	N/Q	-	-	-	650	- 650	650
330+		C	3	23	238.0	- 252.0	244.7	15	449	- 476	462	869	- 920	893
				123	194.0	260.0			423	500		359	920	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Yearling Steer														
200-280	FD	C	2	7	244.0	- 244.0	244.0	N/Q	-			671	- 671	671
280-330	FD	C	2	50	245.0	- 269.0	256.7	19	-			746	- 874	830
		D	3	1	170.0	- 170.0	170.0	N/Q	327	- 327	327	536	- 536	536
330-400	FD	C	2	120	247.0	- 268.0	262.4	27	-			852	- 1032	956
		C	2	2	222.0	- 222.0	222.0	N/Q	427	- 427	427	855	- 855	855
	FD	C	3	50	245.0	- 269.0	257.6	8	-			943	- 1039	996
		C	3	6	250.0	- 262.0	258.0	35	472	- 485	481	838	- 1035	969
400+	FD	C	2	55	235.0	- 284.0	272.9	35	-			975	- 1228	1148
		C	3	40	250.0	- 267.0	261.5	16	459	- 494	483	1063	- 1268	1196
	FD	C	3	122	249.0	- 279.0	265.9	17	-			1058	- 1343	1180
				453	170.0	284.0			327	494		536	1343	
Yearling Heifer														
200-280	FD	C	2	28	223.0	- 225.0	224.5	2	-			613	- 619	617
	RS	D	3	25	192.0	- 192.0	192.0	N/Q	-			470	- 470	470
280-330	FD	C	2	50	222.0	- 240.0	237.5	20	-			722	- 764	757
		C	2	9	226.0	- 226.0	226.0	11	435	- 435	435	644	- 644	644
330-400		C	2	14	219.0	- 226.0	220.0	N/Q	421	- 435	423	843	- 870	847
	FD	C	2	95	211.0	- 246.0	235.5	8	-			728	- 936	871
	FD	C	3	40	236.0	- 248.0	241.8	19	-			861	- 955	914
		C	3	73	230.0	- 265.0	245.9	13	434	- 491	462	869	- 1020	946
		D	3	5	195.0	- 195.0	195.0	N/Q	375	- 375	375	751	- 751	751
400+	FD	C	2	15	226.0	- 240.0	235.9	N/Q	-			961	- 1068	1012
	FD	C	3	152	232.0	- 255.0	243.0	16	-			986	- 1211	1083
		C	3	39	225.0	- 265.0	255.6	22	425	- 491	474	1041	- 1232	1163
		D	3	19	195.0	- 195.0	195.0	N/Q	424	- 424	424	946	- 946	946
				564	192.0	265.0			375	491		470	1232	
Grown Steer														
0-400	FD	C	2	18	248.0	- 248.0	248.0	N/Q	-			955	- 955	955
400-500	FD	C	2	48	225.0	- 248.0	239.2	27	-			931	- 1128	1044
		C	2	4	213.0	- 234.0	228.8	20	402	- 442	432	905	- 1018	990
		C	3	17	224.0	- 248.0	234.6	12	423	- 468	443	1041	- 1203	1103
	FD	C	3	50	215.0	- 253.0	244.8	3	-			935	- 1217	1128
		C	4	24	262.0	- 265.0	262.9	23	485	- 491	487	1285	- 1297	1294
	FD	D	3	5	224.0	- 224.0	224.0	N/Q	-			1064	- 1064	1064
		D	3	5	190.0	- 190.0	190.0	N/Q	359	- 359	359	903	- 922	910
500-600	FD	C	2	3	265.0	- 265.0	265.0	N/Q	-			1391	- 1391	1391
		C	2	3	232.0	- 232.0	232.0	N/Q	446	- 446	446	1195	- 1195	1195
		C	3	8	233.0	- 245.0	239.8	5	440	- 471	454	1223	- 1262	1256
	FD	C	3	25	250.0	- 264.0	257.8	N/Q	-			1275	- 1360	1322
		C	4	60	255.0	- 265.0	259.1	17	472	- 491	478	1339	- 1509	1417
		D	2	3	188.0	- 188.0	188.0	N/Q	369	- 369	369	1100	- 1100	1100
600-750		C	4	23	248.0	- 270.0	266.4	25	459	- 491	481	1600	- 1701	1674
		D	3	4	230.0	- 230.0	230.0	N/Q	434	- 434	434	1576	- 1576	1576
				300	188.0	270.0			359	491		903	1701	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Grown Heifer														
0-540	FD	C	2	39	223.0	- 239.0	233.3	24	-			859	- 1001	969
		C	3	11	210.0	- 240.0	226.0	20	396	- 453	429	914	- 1188	1060
	FD	C	3	39	229.0	- 236.0	233.0	12	-			999	- 1093	1069
		C	4	43	230.0	- 255.0	245.0	15	434	- 472	456	1185	- 1339	1281
	RS	D	2	2	170.0	- 170.0	170.0	N/Q	-			655	- 655	655
	FD	D	3	8	189.0	- 189.0	189.0	-31	-			775	- 775	775
		D	3	5	206.0	- 210.0	206.8	16	389	- 404	392	979	- 998	982
	RS	D	3	5	190.0	- 190.0	190.0	N/Q	-			789	- 789	789
				152	170.0	255.0			389	472		655	1339	
Manufacturing Steer														
0-540		D	3	4	175.0	- 218.0	196.5	N/Q	365	- 419	392	919	- 1145	1032
				4	175.0	218.0			365	419		919	1145	
Cows														
0-400		D	1	1	94.0	- 94.0	94.0	N/Q	224	- 224	224	306	- 306	306
		D	2	7	140.0	- 155.0	152.9	15	318	- 352	347	497	- 581	569
	RS	D	2	24	162.0	- 176.0	170.8	13	-			559	- 678	633
400-520		C	3	1	225.0	- 225.0	225.0	N/Q	441	- 441	441	1091	- 1091	1091
	RS	D	2	8	170.0	- 170.0	170.0	25	-			723	- 723	723
		D	2	12	132.0	- 170.0	161.7	16	300	- 386	367	561	- 808	706
		D	3	77	180.0	- 215.0	200.0	21	383	- 463	429	855	- 1056	964
		D	4	18	221.0	- 222.0	221.6	N/Q	433	- 435	435	1094	- 1143	1124
520+		D	3	30	185.0	- 212.0	201.1	22	394	- 451	428	971	- 1113	1056
		D	4	191	200.0	- 232.0	220.3	26	392	- 463	435	1050	- 1431	1233
		D	5	2	180.0	- 204.0	192.0	N/Q	375	- 425	400	945	- 1601	1273
				371	94.0	232.0			224	463		306	1601	
Bulls														
0-450	FD	C	2	27	158.0	- 200.0	176.7	N/Q	-			624	- 770	689
	RS	C	2	3	200.0	- 200.0	200.0	N/Q	-			570	- 570	570
450-600		C	2	35	179.0	- 220.0	182.3	-18	344	- 415	350	832	- 1088	912
600+		B	2	8	190.0	- 220.0	211.1	-6	352	- 396	384	1452	- 1817	1588
		C	2	15	180.0	- 215.0	205.1	20	333	- 398	386	1359	- 1688	1439
				88	158.0	220.0			333	415		570	1817	

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2015. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.