

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Dubbo

report date 07 May 2015

Yarding Change 4630
-130

comparison date 30/04/2015

It was a very plain quality yarding, with limited numbers of properly finished cattle in all sections. Plain conditioned and plain quality cattle made up the bulk of the yarding throughout.

The few trade cattle suitable for the processors were firm to 3c dearer, with vealers selling to 279c/kg. Prime yearling steers sold from 246c to 278c while the prime heifer yearlings sold from 223c to 269c/kg. Young feeder cattle were 2c to 5c cheaper, with the feeder steers selling from 206c to 282c/kg. Feeder heifers sold from 212c to 258c/kg.

Grown steers were 8c dearer, with the prime medium and heavy weights selling from 238c to 276c/kg. Grown heifers sold to 271c/kg. Plain condition cows were 5c dearer while the better 3 and 4 scores were 10c to 12c/kg cheaper. 2 score cows sold from 124 to 179c to the processors and 180c/kg to the restockers. 3 and 4 score cows sold from 165c to 209c, with the 4 score heavy weights averaging 199c/kg. Bulls sold to 249c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
0-80	RS	C	2	1	246.0	- 246.0	246.0	N/Q	-			135	- 135	135
80+	RS	C	2	6	240.0	- 240.0	240.0	-13	-			264	- 264	264
		C	2	10	220.0	- 260.0	240.0	N/Q	415	- 491	453	221	- 242	232
				17	220.0	260.0			415	491		135	264	
Vealer Steer														
0-200	RS	C	2	52	211.0	- 248.0	227.6	-15	-			360	- 396	373
200-280	RS	C	2	108	220.0	- 273.0	253.6	-6	-			495	- 712	619
	FD	C	2	40	273.0	- 282.0	279.5	16	-			663	- 751	687
280-330	FD	C	2	3	252.0	- 252.0	252.0	-2	-			718	- 718	718
	RS	C	2	23	275.0	- 275.0	275.0	23	-			784	- 784	784
330+	FD	C	2	4	240.0	- 240.0	240.0	-31	-			804	- 804	804
		C	3	4	273.0	- 276.0	274.5	N/Q	502	- 515	509	942	- 1063	1002
	FD	C	3	66	265.0	- 279.0	276.8	-1	-			914	- 1201	1051
				300	211.0	282.0			502	515		360	1201	
Vealer Heifer														
0-200		C	2	30	192.0	- 192.0	192.0	-40	369	- 369	369	355	- 355	355
	FD	C	2	10	227.0	- 227.0	227.0	N/Q	-			420	- 420	420
	RS	C	2	18	232.0	- 232.0	232.0	-17	-			406	- 406	406
	RS	D	2	29	189.0	- 189.0	189.0	N/Q	-			350	- 350	350
200-280	FD	C	2	10	220.0	- 220.0	220.0	-5	-			605	- 605	605
		C	2	5	207.0	- 207.0	207.0	-15	398	- 398	398	528	- 528	528
	RS	C	2	158	210.0	- 244.0	233.1	16	-			481	- 641	576
		C	3	8	258.0	- 259.0	258.6	N/Q	489	- 496	492	710	- 712	711
280-330		C	2	11	225.0	- 225.0	225.0	N/C	433	- 433	433	641	- 641	641
	FD	C	2	18	225.0	- 225.0	225.0	5	-			641	- 641	641
		C	3	27	248.0	- 260.0	248.4	-2	468	- 491	469	741	- 756	756
330+		C	3	52	250.0	- 279.0	273.2	16	463	- 517	506	960	- 1046	1031

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
					376	189.0	279.0			369	517		350	1046	
Yearling Steer															
0-200	RS	D	2	22	256.0	- 256.0	256.0	N/Q	-				499	- 499	499
280-330	FD	C	2	108	206.0	- 270.0	253.0	-13	-				670	- 852	795
	RS	C	2	105	230.0	- 274.0	252.7	13	-				679	- 822	754
	FD	C	3	22	258.0	- 274.0	265.3	11	-				808	- 839	825
330-400	RS	D	2	18	220.0	- 220.0	220.0	N/Q	-				627	- 627	627
	RS	D	3	1	180.0	- 180.0	180.0	N/Q	-				585	- 585	585
	FD	C	2	69	255.0	- 279.0	271.6	N/C	-				897	- 1074	972
	FD	C	3	76	246.0	- 288.0	273.8	-4	-				824	- 1080	1036
	RS	C	3	6	230.0	- 230.0	230.0	N/Q	-				794	- 794	794
400+		C	3	15	246.0	- 278.0	262.1	5	464	- 525	493		824	- 1082	968
	RS	D	3	27	185.0	- 189.0	185.7	N/Q	-				638	- 690	648
	FD	C	2	44	258.0	- 279.0	269.2	-8	-				1144	- 1183	1150
	FD	C	3	108	248.0	- 271.0	266.3	-2	-				1084	- 1302	1157
		C	3	27	249.0	- 275.0	270.1	3	470	- 515	503		1083	- 1361	1183
	FD	D	3	15	185.0	- 185.0	185.0	N/Q	-				768	- 768	768
					663	180.0	288.0			464	525		499	1361	
Yearling Heifer															
200-280	FD	C	2	22	217.0	- 217.0	217.0	-8	-				597	- 597	597
	RS	C	2	19	200.0	- 200.0	200.0	-20	-				510	- 510	510
		D	3	8	170.0	- 195.0	176.3	N/Q	327	- 375	339		468	- 536	485
280-330		C	2	10	229.0	- 229.0	229.0	N/Q	440	- 440	440		653	- 653	653
	RS	C	2	17	190.0	- 190.0	190.0	N/Q	-				542	- 542	542
	FD	C	2	22	229.0	- 230.0	229.8	9	-				653	- 748	730
330-400		D	3	18	177.0	- 177.0	177.0	-23	340	- 340	340		575	- 575	575
		C	2	18	212.0	- 220.0	213.3	-7	400	- 423	404		795	- 847	804
	FD	C	2	108	190.0	- 250.0	229.0	4	-				656	- 913	815
		C	3	28	223.0	- 267.0	245.9	-4	421	- 486	458		814	- 1003	937
	FD	C	3	75	224.0	- 249.0	238.0	-4	-				794	- 959	886
400+		D	3	8	192.0	- 192.0	192.0	-35	369	- 369	369		662	- 662	662
	FD	C	2	14	237.0	- 237.0	237.0	-13	-				1031	- 1031	1031
		C	3	61	237.0	- 269.0	261.7	N/C	447	- 498	483		1031	- 1418	1264
	FD	C	3	72	212.0	- 258.0	248.2	-1	-				922	- 1133	1087
					500	170.0	269.0			327	498		468	1418	
Grown Steer															
0-400	FD	C	2	18	235.0	- 235.0	235.0	N/Q	-				928	- 928	928
	RS	D	2	59	163.0	- 200.0	178.2	N/Q	-				465	- 635	548
		D	2	15	141.0	- 141.0	141.0	N/Q	271	- 271	271		486	- 486	486
		D	3	13	184.0	- 184.0	184.0	N/Q	354	- 354	354		672	- 672	672
400-500		C	2	18	218.0	- 218.0	218.0	N/Q	419	- 419	419		992	- 992	992
	FD	C	3	92	250.0	- 274.0	260.7	28	-				1062	- 1256	1153
		C	3	19	205.0	- 259.0	232.6	7	387	- 489	438		974	- 1250	1063
	FD	D	2	15	201.0	- 201.0	201.0	N/Q	-				894	- 894	894
	RS	D	2	18	158.0	- 161.0	160.0	N/Q	-				656	- 765	728

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg

© MLA 2015. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.