

## Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

### CTLX

report date 23 Jun 2015

Yarding Change 2286  
-760

comparison date 16/06/2015

Numbers reduced, with substantial rain over the supply area. Quality remains plain on the young cattle. There was a small but good run of vealers. Feedlot orders picked up most of the yearlings and prime cattle were in limited numbers. Grown steers and bullocks were in short supply and there was a large run of cows. All the usual buying orders were in place in a dearer market.

Vealers to restocking orders lifted 14c, with steers selling from 263c to 319c/kg. Feeder steers gained 17c with most ranging from 300c to 325c/kg. The heifers to feed gained 3c, selling from 248c to 313c/kg. Heavy trade yearling steers lifted 6c but heifers to the trade jumped 11c to 15c/kg and more in places. Steers sold from 298c to 327c and heifers 280c to 324c/kg.

Grown steers were 20c dearer and more in places on a run of well finished Angus steers and sold between 255c and 324c to average 320c/kg. Cows also had strong competition and prices reflected this. Most cows gained 10c to 15c/kg. The 2 score cows ranged from 160c to 211c/kg. Heavy 3 and 4 scores 200c to 230c and C muscled cows reached 238c/kg. The best of the heavy bulls reached 278c and the best of the light weights 373c/kg.

Category	Sale Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
						Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
<b>Calves</b>															
80+			C	1	5	220.0	- 240.0	232.0	12	440	- 462	453	220	- 240	232
					<b>5</b>	<b>220.0</b>	<b>240.0</b>			<b>440</b>	<b>462</b>		<b>220</b>	<b>240</b>	
<b>Vealer Steer</b>															
0-200	RS	D	2	8	240.0	- 270.0	255.0	75	-	-	-	432	- 486	459	
200-280		C	2	3	280.0	- 280.0	280.0	N/Q	539	- 539	539	728	- 728	728	
	RS	C	2	48	263.0	- 319.2	301.2	16	-	-	-	552	- 842	743	
		C	3	3	309.6	- 310.6	309.9	N/Q	573	- 575	574	808	- 867	847	
	RS	D	2	7	190.0	- 280.2	267.3	24	-	-	-	418	- 574	552	
		D	2	6	220.0	- 220.0	220.0	N/Q	423	- 423	423	528	- 528	528	
280-330		C	2	1	280.0	- 280.0	280.0	N/Q	528	- 528	528	798	- 798	798	
	RS	C	2	4	298.2	- 298.2	298.2	N/Q	-	-	-	910	- 910	910	
					<b>80</b>	<b>190.0</b>	<b>319.2</b>			<b>423</b>	<b>575</b>		<b>418</b>	<b>910</b>	
<b>Vealer Heifer</b>															
0-200		C	1	2	265.2	- 265.2	265.2	N/Q	510	- 510	510	424	- 424	424	
	RS	C	1	4	255.2	- 255.2	255.2	N/Q	-	-	-	459	- 459	459	
		C	2	4	247.2	- 247.2	247.2	27	458	- 458	458	494	- 494	494	
	RS	D	2	4	170.0	- 170.0	170.0	-32	-	-	-	298	- 298	298	
200-280	RS	C	2	29	218.2	- 250.0	232.1	9	-	-	-	458	- 638	542	
		C	2	55	220.0	- 255.0	248.2	-9	407	- 481	467	550	- 688	651	
	FD	C	2	13	230.0	- 261.6	234.9	13	-	-	-	598	- 719	617	
		C	3	13	282.6	- 304.2	297.9	N/Q	523	- 563	552	735	- 821	801	
	RS	D	2	15	191.0	- 220.2	211.5	5	-	-	-	420	- 551	509	
280-330		C	2	5	263.2	- 291.6	274.6	N/Q	497	- 550	514	750	- 933	836	
		C	3	11	284.2	- 300.0	288.4	-10	526	- 576	538	909	- 974	926	
	RS	C	3	16	300.0	- 300.0	300.0	N/Q	-	-	-	960	- 960	960	
					<b>171</b>	<b>170.0</b>	<b>304.2</b>			<b>407</b>	<b>576</b>		<b>298</b>	<b>974</b>	
<b>Yearling Steer</b>															

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
200-280	RS	C	2	45	311.2	- 320.0	315.6	39	-			809	- 860	840
	RS	D	2	1	250.0	- 250.0	250.0	N/Q	-			575	- 575	575
280-330	FD	C	2	16	305.0	- 314.6	312.2	17	-			976	- 1007	999
	RS	C	2	66	306.2	- 314.2	310.1	15	-			880	- 1005	939
		C	3	3	298.0	- 300.2	298.7	-8	552	- 556	553	901	- 969	946
330-400	FD	C	3	4	300.0	- 300.0	300.0	N/Q	-			900	- 900	900
	FD	C	2	165	300.0	- 325.0	316.5	19	-			1039	- 1256	1151
	FD	C	3	2	315.6	- 315.6	315.6	N/Q	-			1199	- 1199	1199
400+	RS	D	2	1	234.2	- 234.2	234.2	N/Q	-			808	- 808	808
	FD	C	2	56	300.2	- 327.2	317.5	5	-			1323	- 1561	1421
		C	2	3	260.0	- 260.0	260.0	N/Q	482	- 482	482	1248	- 1248	1248
	FD	C	3	65	308.0	- 324.8	318.4	12	-			1326	- 1559	1478
		C	3	12	305.0	- 305.0	305.0	6	565	- 565	565	1373	- 1617	1576
		C	4	13	313.0	- 317.2	314.9	10	580	- 587	583	1659	- 1713	1684
				<b>452</b>	<b>234.2</b>	<b>327.2</b>			<b>482</b>	<b>587</b>		<b>575</b>	<b>1713</b>	
<b>Yearling Heifer</b>														
200-280	RS	C	2	26	248.2	- 277.2	268.3	N/Q	-			633	- 748	713
		C	2	3	210.0	- 210.0	210.0	-18	412	- 412	412	483	- 483	483
	FD	C	2	36	236.6	- 251.0	239.4	-51	-			627	- 653	632
	RS	D	2	1	200.0	- 200.0	200.0	N/Q	-			470	- 470	470
280-330	RS	C	2	21	226.6	- 260.0	237.4	N/Q	-			702	- 832	724
	FD	C	2	8	290.0	- 290.0	290.0	32	-			914	- 914	914
		C	2	5	220.0	- 270.6	242.1	N/Q	423	- 520	466	682	- 866	756
		C	3	3	278.6	- 278.6	278.6	N/Q	536	- 536	536	892	- 892	892
		D	2	13	194.6	- 248.2	219.3	N/Q	389	- 496	439	642	- 745	689
	D	3	7	260.0	- 260.0	260.0	28	500	- 500	500	832	- 832	832	
330-400	FD	C	2	123	248.6	- 313.2	281.5	3	-			870	- 1112	967
		C	2	19	292.2	- 301.0	295.6	41	546	- 562	557	993	- 1084	1036
		C	3	52	280.0	- 313.4	295.3	9	519	- 580	547	938	- 1207	1062
	FD	C	3	17	295.6	- 301.0	300.0	31	-			1084	- 1094	1085
	FD	D	2	6	203.6	- 203.6	203.6	N/Q	-			702	- 702	702
	FD	D	3	3	280.0	- 280.0	280.0	N/Q	-			1008	- 1008	1008
		D	3	6	265.0	- 265.0	265.0	17	510	- 510	510	888	- 888	888
400+	FD	C	2	1	230.0	- 230.0	230.0	N/Q	-			1104	- 1104	1104
	FD	C	3	4	289.2	- 289.2	289.2	N/Q	-			1215	- 1215	1215
		C	3	36	280.0	- 310.0	300.2	20	519	- 574	556	1176	- 1420	1294
		C	4	7	302.2	- 324.2	321.1	N/Q	560	- 600	595	1426	- 1451	1430
		D	3	4	240.0	- 255.2	247.6	-19	453	- 482	467	1032	- 1072	1052
				<b>401</b>	<b>194.6</b>	<b>324.2</b>			<b>389</b>	<b>600</b>		<b>470</b>	<b>1451</b>	
<b>Grown Steer</b>														
400-500		C	2	5	254.4	- 254.4	254.4	14	489	- 489	489	1107	- 1107	1107
	FD	C	2	21	326.4	- 326.4	326.4	37	-			1567	- 1567	1567
500-600	FD	C	3	19	319.2	- 319.2	319.2	N/Q	-			1660	- 1660	1660
		C	3	35	255.0	- 315.0	305.6	24	472	- 583	566	1377	- 1796	1707

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
600-750		C	4	12	310.0	- 324.6	323.4	43	574	- 601	599	1798	- 1866	1861
		C	3	1	240.0	- 240.0	240.0	N/Q	444	- 444	444	1488	- 1488	1488
		C	4	19	319.6	- 319.6	319.6	35	592	- 592	592	1982	- 1982	1982
				<b>112</b>	<b>240.0</b>	<b>326.4</b>			<b>444</b>	<b>601</b>		<b>1107</b>	<b>1982</b>	
<b>Grown Heifer</b>														
0-540	RS	C	2	12	243.8	- 243.8	243.8	N/Q	-			1048	- 1048	1048
		C	3	6	246.0	- 260.0	250.7	26	456	- 482	464	1092	- 1352	1260
		C	4	2	250.0	- 260.0	255.0	N/Q	463	- 482	472	1325	- 1404	1365
		D	2	12	200.0	- 221.2	217.7	N/Q	385	- 410	406	880	- 1018	995
		D	3	24	210.0	- 290.0	247.1	2	396	- 547	464	987	- 1357	1234
540+		C	3	2	295.2	- 295.2	295.2	N/Q	547	- 547	547	1653	- 1653	1653
		C	4	6	250.6	- 306.2	269.1	N/Q	464	- 567	498	1453	- 1715	1541
		D	3	5	220.0	- 280.0	236.2	N/Q	415	- 519	441	1232	- 1568	1323
		D	4	7	238.0	- 250.0	240.8	N/Q	441	- 463	446	1344	- 1600	1404
				<b>76</b>	<b>200.0</b>	<b>306.2</b>			<b>385</b>	<b>567</b>		<b>880</b>	<b>1715</b>	
<b>Cows</b>														
0-400		D	1	1	160.0	- 160.0	160.0	N/Q	340	- 340	340	608	- 608	608
		E	1	11	55.0	- 55.0	55.0	-13	120	- 120	120	187	- 187	187
	RS	E	1	8	150.0	- 150.0	150.0	28	-			570	- 570	570
400-520		D	1	13	120.0	- 155.0	149.4	-1	255	- 330	318	504	- 674	644
		D	2	253	158.6	- 211.0	191.8	12	330	- 440	399	737	- 1062	920
		D	3	16	200.0	- 223.6	209.2	15	400	- 447	420	920	- 1163	1047
520+		C	3	3	231.2	- 231.2	231.2	21	436	- 436	436	1248	- 1248	1248
		C	4	5	226.0	- 238.6	228.5	N/Q	426	- 468	445	1243	- 1356	1302
		D	2	3	183.2	- 183.2	183.2	N/Q	382	- 382	382	971	- 971	971
		D	3	91	200.6	- 226.0	211.7	10	401	- 452	423	1063	- 1236	1156
		D	4	153	208.6	- 230.0	221.5	18	408	- 460	434	1222	- 1514	1351
				<b>557</b>	<b>55.0</b>	<b>238.6</b>			<b>120</b>	<b>468</b>		<b>187</b>	<b>1514</b>	
<b>Bulls</b>														
0-450		C	2	14	215.0	- 373.2	341.4	16	384	- 691	631	912	- 1120	1085
		D	1	1	80.0	- 80.0	80.0	N/Q	160	- 160	160	336	- 336	336
450-600		C	2	6	215.0	- 240.0	224.8	8	384	- 444	408	1011	- 1314	1133
		D	2	1	200.0	- 200.0	200.0	N/Q	385	- 385	385	1020	- 1020	1020
600+		B	2	16	240.0	- 278.2	266.8	18	421	- 473	451	1852	- 3021	2319
		C	2	6	227.6	- 260.0	243.1	4	399	- 456	429	1518	- 2210	1847
				<b>44</b>	<b>80.0</b>	<b>373.2</b>			<b>160</b>	<b>691</b>		<b>336</b>	<b>3021</b>	

#### Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross  
FD: Feeder DP: Dorper

#### Disclaimer:

© MLA 2015. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.