

## Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

### NVLX Barnawartha

report date 30 Jun 2015

Yarding Change  $\frac{1675}{210}$

comparison date 23/06/2015

Numbers increased slightly and the quality of the yarding was mixed, with smaller lines of cattle on offer. The usual field of domestic and export buyers were in attendance.

There was an increased supply of quality veal suited to domestic orders, with the best veal selling from 290c to 338c/kg. Secondary lines of vealer steers and heifers to suit the trade were met with strong competition from both feedlot buyers and restockers. The steer portion traded between 282c and 320c, to average 314c/kg. The heifer portion sold between 255c and 320c, to average 244.5c/kg. Trade yearling steers sold to some heated competition, with the heavier weight classes that were well finished selling to the processors between 295c and 327c and the feeder types sold from 282c to 320c/kg. Trade heifers also sold 12c dearer, selling between 255c and 320c, with the feeder portion trading between 255c and 289/kg.

A mixed quality yarding of grown steers and bullocks were in high demand from export processors, with prices between 287c and 325c/kg. Heavy grown heifers with good cover sold to stronger competition, trading between 256c to 320c/kg. Bulls sold between 236c and 286c to average 272c/kg.

| Category Weight       | Sale Prefix | Muscle Score | Fat Score | Head | Live Weight c/kg |              |              |        | Estimated Carcase Weight c/kg |            |     | Estimated \$/Head |             |        |      |
|-----------------------|-------------|--------------|-----------|------|------------------|--------------|--------------|--------|-------------------------------|------------|-----|-------------------|-------------|--------|------|
|                       |             |              |           |      | Low              | High         | Avg          | Change | Low                           | High       | Avg | Low               | High        | Avg    |      |
| <b>Vealer Steer</b>   |             |              |           |      |                  |              |              |        |                               |            |     |                   |             |        |      |
| 0-200                 | RS          | C            | 2         | 2    | 317.2            | - 317.2      | 317.2        | N/Q    | -                             | -          | -   | 571               | - 571       | 571    |      |
| 200-280               | RS          | C            | 2         | 9    | 302.2            | - 308.0      | 305.4        | N/Q    | -                             | -          | -   | 635               | - 708       | 676    |      |
| 280-330               |             | C            | 2         | 22   | 314.2            | - 316.0      | 315.4        | N/Q    | 582                           | - 585      | 584 | 901               | - 943       | 914    |      |
|                       |             | C            | 3         | 5    | 318.2            | - 318.2      | 318.2        | N/Q    | 589                           | - 589      | 589 | 955               | - 955       | 955    |      |
| 330+                  |             | B            | 2         | 27   | 298.2            | - 338.2      | 314.5        | -5     | 552                           | - 583      | 565 | 1103              | - 1353      | 1205   |      |
|                       |             | C            | 2         | 36   | 309.2            | - 318.0      | 313.0        | 12     | 573                           | - 589      | 580 | 1072              | - 1240      | 1111   |      |
|                       |             | FD           | C         | 2    | 13               | 312.0        | - 312.0      | 312.0  | 10                            | -          | -   | -                 | 1279        | - 1279 | 1279 |
|                       |             | C            | 3         | 11   | 322.0            | - 322.0      | 322.0        | 12     | 596                           | - 596      | 596 | 1127              | - 1127      | 1127   |      |
|                       |             |              |           |      | <b>125</b>       | <b>298.2</b> | <b>338.2</b> |        | <b>552</b>                    | <b>596</b> |     | <b>571</b>        | <b>1353</b> |        |      |
| <b>Vealer Heifer</b>  |             |              |           |      |                  |              |              |        |                               |            |     |                   |             |        |      |
| 200-280               |             | C            | 2         | 42   | 260.0            | - 313.0      | 281.2        | 18     | 482                           | - 580      | 521 | 689               | - 876       | 785    |      |
|                       |             | RS           | C         | 2    | 27               | 248.0        | - 257.2      | 251.4  | N/Q                           | -          | -   | -                 | 546         | - 694  | 601  |
| 280-330               |             | B            | 2         | 7    | 302.2            | - 302.2      | 302.2        | 12     | 560                           | - 560      | 560 | 967               | - 967       | 967    |      |
|                       |             | C            | 2         | 34   | 250.0            | - 326.0      | 293.2        | 23     | 463                           | - 604      | 543 | 749               | - 986       | 891    |      |
|                       |             | RS           | C         | 2    | 5                | 256.2        | - 256.2      | 256.2  | N/Q                           | -          | -   | -                 | 845         | - 845  | 845  |
| 330+                  |             | C            | 3         | 18   | 307.2            | - 315.0      | 309.6        | 26     | 569                           | - 583      | 573 | 952               | - 1040      | 987    |      |
|                       |             | B            | 2         | 4    | 309.0            | - 309.0      | 309.0        | N/C    | 572                           | - 572      | 572 | 1174              | - 1174      | 1174   |      |
|                       |             | C            | 2         | 28   | 292.0            | - 325.0      | 312.2        | N/Q    | 541                           | - 602      | 578 | 993               | - 1203      | 1133   |      |
|                       |             | RS           | C         | 2    | 4                | 266.2        | - 266.2      | 266.2  | N/Q                           | -          | -   | -                 | 932         | - 932  | 932  |
|                       |             | RS           | C         | 3    | 4                | 276.0        | - 276.0      | 276.0  | N/Q                           | -          | -   | -                 | 938         | - 938  | 938  |
|                       |             | C            | 3         | 8    | 278.0            | - 307.0      | 288.9        | -18    | 515                           | - 569      | 535 | 973               | - 1044      | 1000   |      |
|                       |             |              |           |      | <b>181</b>       | <b>248.0</b> | <b>326.0</b> |        | <b>463</b>                    | <b>604</b> |     | <b>546</b>        | <b>1203</b> |        |      |
| <b>Yearling Steer</b> |             |              |           |      |                  |              |              |        |                               |            |     |                   |             |        |      |
| 280-330               |             | C            | 2         | 3    | 295.2            | - 295.2      | 295.2        | 20     | 547                           | - 547      | 547 | 886               | - 886       | 886    |      |
|                       |             | RS           | C         | 2    | 16               | 295.0        | - 318.2      | 312.4  | 12                            | -          | -   | -                 | 944         | - 1018 | 1000 |
|                       |             | FD           | C         | 2    | 3                | 308.0        | - 308.0      | 308.0  | 32                            | -          | -   | -                 | 1016        | - 1016 | 1016 |

| Category Weight            | Sale Prefix | Muscle Score | Fat Score | Head       | Live Weight c/kg |              |         |            | Estimated Carcase Weight c/kg |       |             | Estimated \$/Head |        |        |
|----------------------------|-------------|--------------|-----------|------------|------------------|--------------|---------|------------|-------------------------------|-------|-------------|-------------------|--------|--------|
|                            |             |              |           |            | Low              | High         | Avg     | Change     | Low                           | High  | Avg         | Low               | High   | Avg    |
| 330-400                    | RS          | C            | 2         | 8          | 305.0            | - 305.0      | 305.0   | N/Q        | -                             |       |             | 1037              | - 1037 | 1037   |
|                            |             | C            | 2         | 7          | 325.0            | - 325.0      | 325.0   | 37         | 602                           | - 602 | 602         | 1203              | - 1203 | 1203   |
|                            | FD          | C            | 3         | 33         | 316.2            | - 327.2      | 320.7   | N/Q        | -                             |       |             | 1075              | - 1257 | 1147   |
|                            |             | C            | 3         | 13         | 302.0            | - 311.0      | 307.6   | -8         | 559                           | - 576 | 570         | 1048              | - 1182 | 1131   |
| 400+                       | C           | 2            | 4         | 315.0      | - 315.0          | 315.0        | 17      | 606        | - 606                         | 606   | 1386        | - 1386            | 1386   |        |
|                            |             | RS           | C         | 2          | 10               | 275.0        | - 310.0 | 303.0      | N/Q                           | -     |             |                   | 1293   | - 1395 |
|                            | FD          | C            | 2         | 86         | 304.0            | - 323.0      | 315.6   | 7          | -                             |       |             | 1249              | - 1549 | 1467   |
|                            | RS          | C            | 3         | 49         | 248.0            | - 305.0      | 288.6   | N/Q        | -                             |       |             | 1215              | - 1464 | 1367   |
|                            | FD          | C            | 3         | 77         | 290.0            | - 320.0      | 310.7   | N/Q        | -                             |       |             | 1376              | - 1481 | 1411   |
|                            |             | C            | 3         | 43         | 270.0            | - 317.2      | 308.4   | -11        | 500                           | - 587 | 571         | 1260              | - 1427 | 1376   |
|                            |             |              |           | <b>352</b> | <b>248.0</b>     | <b>327.2</b> |         | <b>500</b> | <b>606</b>                    |       | <b>886</b>  | <b>1549</b>       |        |        |
| <b>Yearling Heifer</b>     |             |              |           |            |                  |              |         |            |                               |       |             |                   |        |        |
| 330-400                    | C           | 2            | 20        | 244.2      | - 280.2          | 263.9        | 17      | 452        | - 519                         | 489   | 830         | - 1037            | 982    |        |
|                            |             | RS           | C         | 2          | 12               | 258.2        | - 280.2 | 272.9      | N/Q                           | -     |             |                   | 1007   | - 1037 |
|                            | RS          | C            | 3         | 5          | 284.0            | - 284.0      | 284.0   | N/Q        | -                             |       |             | 1108              | - 1108 | 1108   |
|                            | FD          | C            | 3         | 7          | 255.0            | - 255.0      | 255.0   | N/Q        | -                             |       |             | 995               | - 995  | 995    |
| C                          |             | 3            | 30        | 294.0      | - 304.2          | 298.8        | 12      | 544        | - 563                         | 553   | 1066        | - 1186            | 1148   |        |
| 400+                       | C           | 2            | 31        | 255.0      | - 292.3          | 277.9        | -10     | 472        | - 541                         | 515   | 1148        | - 1403            | 1304   |        |
|                            |             | FD           | C         | 3          | 9                | 279.2        | - 280.2 | 280.0      | N/Q                           | -     |             |                   | 1131   | - 1149 |
|                            | C           | 3            | 113       | 268.2      | - 320.2          | 294.8        | 2       | 497        | - 593                         | 549   | 1236        | - 1569            | 1359   |        |
|                            |             | RS           | C         | 3          | 22               | 268.2        | - 289.2 | 284.5      | N/Q                           | -     |             |                   | 1153   | - 1258 |
|                            |             |              |           | <b>249</b> | <b>244.2</b>     | <b>320.2</b> |         | <b>452</b> | <b>593</b>                    |       | <b>830</b>  | <b>1569</b>       |        |        |
| <b>Grown Steer</b>         |             |              |           |            |                  |              |         |            |                               |       |             |                   |        |        |
| 400-500                    |             | C            | 3         | 2          | 264.0            | - 264.0      | 264.0   | N/Q        | 489                           | - 489 | 489         | 1241              | - 1241 | 1241   |
| 500-600                    | C           | 2            | 50        | 255.6      | - 305.2          | 281.2        | -3      | 473        | - 565                         | 521   | 1352        | - 1626            | 1517   |        |
|                            |             | 3            | 64        | 283.2      | - 324.2          | 307.2        | 2       | 524        | - 600                         | 569   | 1505        | - 1913            | 1676   |        |
|                            |             | 4            | 28        | 314.2      | - 322.2          | 316.6        | N/Q     | 582        | - 597                         | 586   | 1697        | - 1885            | 1811   |        |
| 600-750                    | C           | 2            | 7         | 307.2      | - 310.0          | 308.0        | N/Q     | 569        | - 574                         | 570   | 1874        | - 1922            | 1888   |        |
|                            |             | RS           | C         | 2          | 9                | 314.0        | - 314.0 | 314.0      | N/Q                           | -     |             |                   | 2010   | - 2010 |
|                            | C           | 3            | 39        | 305.0      | - 327.2          | 320.9        | N/Q     | 565        | - 606                         | 594   | 1861        | - 2154            | 2041   |        |
|                            |             | 4            | 41        | 294.2      | - 327.2          | 317.6        | 2       | 545        | - 606                         | 588   | 1853        | - 2066            | 1998   |        |
|                            |             |              |           | <b>240</b> | <b>255.6</b>     | <b>327.2</b> |         | <b>473</b> | <b>606</b>                    |       | <b>1241</b> | <b>2154</b>       |        |        |
| <b>Grown Heifer</b>        |             |              |           |            |                  |              |         |            |                               |       |             |                   |        |        |
| 0-540                      | B           | 3            | 10        | 312.0      | - 312.0          | 312.0        | N/Q     | 578        | - 578                         | 578   | 1435        | - 1685            | 1560   |        |
|                            |             | C            | 2         | 15         | 256.2            | - 256.2      | 256.2   | N/Q        | 474                           | - 474 | 474         | 1383              | - 1383 | 1383   |
|                            | RS          | C            | 3         | 13         | 222.0            | - 222.0      | 222.0   | N/Q        | -                             |       |             | 866               | - 866  | 866    |
|                            |             | C            | 3         | 29         | 263.2            | - 295.0      | 274.5   | 40         | 487                           | - 546 | 508         | 1181              | - 1551 | 1361   |
|                            |             | D            | 3         | 2          | 258.0            | - 276.0      | 267.0   | N/Q        | 478                           | - 511 | 494         | 1161              | - 1242 | 1202   |
| 540+                       | C           | 2            | 5         | 248.0      | - 260.0          | 254.4        | N/Q     | 459        | - 482                         | 471   | 1438        | - 1612            | 1507   |        |
|                            |             | 3            | 8         | 264.0      | - 318.0          | 304.5        | 50      | 489        | - 589                         | 564   | 1558        | - 1813            | 1749   |        |
|                            | C           | 4            | 34        | 255.0      | - 320.0          | 291.6        | 8       | 472        | - 593                         | 540   | 1543        | - 1888            | 1733   |        |
|                            |             | D            | 5         | 1          | 238.0            | - 238.0      | 238.0   | N/Q        | 441                           | - 441 | 441         | 1499              | - 1499 | 1499   |
|                            |             |              |           | <b>117</b> | <b>222.0</b>     | <b>320.0</b> |         | <b>441</b> | <b>593</b>                    |       | <b>866</b>  | <b>1888</b>       |        |        |
| <b>Manufacturing Steer</b> |             |              |           |            |                  |              |         |            |                               |       |             |                   |        |        |
| 0-540                      | DA          | D            | 2         | 12         | 224.0            | - 260.0      | 242.0   | 17         | 439                           | - 510 | 475         | 1165              | - 1404 | 1284   |

| Category Weight | Sale Prefix | Muscle Score | Fat Score | Head      | Live Weight c/kg |              |       |        | Estimated Carcase Weight c/kg |            |     | Estimated \$/Head |             |      |
|-----------------|-------------|--------------|-----------|-----------|------------------|--------------|-------|--------|-------------------------------|------------|-----|-------------------|-------------|------|
|                 |             |              |           |           | Low              | High         | Avg   | Change | Low                           | High       | Avg | Low               | High        | Avg  |
|                 |             |              |           | <b>12</b> | <b>224.0</b>     | <b>260.0</b> |       |        | <b>439</b>                    | <b>510</b> |     | <b>1165</b>       | <b>1404</b> |      |
| <b>Bulls</b>    |             |              |           |           |                  |              |       |        |                               |            |     |                   |             |      |
| 0-450           |             | C            | 2         | 7         | 236.0            | - 252.2      | 249.9 | -12    | 437                           | - 467      | 463 | 850               | - 1110      | 1073 |
| 450-600         |             | D            | 2         | 11        | 286.2            | - 286.2      | 286.2 | N/Q    | 530                           | - 530      | 530 | 1717              | - 1717      | 1717 |
|                 |             |              |           | <b>18</b> | <b>236.0</b>     | <b>286.2</b> |       |        | <b>437</b>                    | <b>530</b> |     | <b>850</b>        | <b>1717</b> |      |

#### Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross  
FD: Feeder DP: Dorper

#### Disclaimer:

© MLA 2015. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.