

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Wagga

report date 06 Jul 2015

Yarding Change 5425
1075

comparison date 29/06/2015

Numbers totalled close to 5,400 head, up around 1,300 on last week. There were some very good quality steers suitable for processor buyers, with a large percentage in store condition. The usual processor and restocker buyers were operating, with good demand for heavy grown steers and the better quality D3 cows.

Light vealers steers ranged from 200c to 315c to restock, while the heifer portion sold 25c dearer, topping at 277c and averaging 266c/kg. Medium weight feeders steers averaged 2c higher, selling from 270c to 329c/kg. Medium weight yearling heifers to feeders lifted 6c on average, while those to processors lifted 6c to 12c and averaged close to 298c/kg. Heavy bullocks sold slightly cheaper on average, despite prices reaching 344c/kg for a good run of supplementary fed steers. Light weight grown heifers sold 16c dearer to process, averaging 310c/kg.

Medium weight D2 cows ranged from 156c to 230c, averaging 211c, up 15c/kg on last week. Heavy D2 lines sold to a top price of 251c, to average 226c, while the better quality D3 lines sold from 216c to 258c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
Undefined		D	2	1	266.0	- 266.0	266.0	N/Q	512	- 512	512	841	- 841	841
80+		C	2	8	248.0	- 260.0	254.0	2	459	- 482	470	352	- 369	361
	RS	D	2	29	230.0	- 261.0	247.7	2	-	-	-	426	- 512	501
		D	2	12	220.0	- 260.0	254.7	N/Q	440	- 500	492	378	- 637	599
				50	220.0	266.0			440	512		352	841	
Vealer Steer														
0-200		C	2	2	270.0	- 270.0	270.0	N/Q	519	- 519	519	518	- 518	518
	RS	C	2	7	288.0	- 288.0	288.0	N/Q	-	-	-	533	- 533	533
200-280	RS	C	2	79	200.0	- 315.0	264.4	-31	-	-	-	472	- 772	628
		C	2	6	240.0	- 240.0	240.0	-47	462	- 462	462	593	- 593	593
	FD	C	2	5	270.0	- 285.0	273.0	-3	-	-	-	702	- 755	713
		D	2	7	292.0	- 292.0	292.0	N/Q	562	- 562	562	724	- 724	724
	RS	D	2	26	180.0	- 287.0	263.9	N/Q	-	-	-	405	- 662	616
280-330	FD	C	3	7	313.0	- 313.0	313.0	N/Q	-	-	-	948	- 948	948
330+	FD	C	2	1	272.0	- 272.0	272.0	N/Q	-	-	-	966	- 966	966
		C	3	12	305.0	- 315.0	310.0	N/C	545	- 563	554	1403	- 1424	1413
				152	180.0	315.0			462	563		405	1424	
Vealer Heifer														
0-200	RS	C	2	16	240.0	- 240.0	240.0	N/Q	-	-	-	470	- 470	470
200-280	RS	C	2	35	224.0	- 279.0	256.1	14	-	-	-	464	- 625	581
		C	2	2	298.0	- 298.0	298.0	N/Q	532	- 532	532	834	- 834	834
	RS	D	1	1	155.0	- 155.0	155.0	N/Q	-	-	-	411	- 411	411
	RS	D	2	111	200.0	- 275.0	266.0	25	-	-	-	496	- 684	628
		D	2	10	190.0	- 276.0	239.2	N/Q	373	- 541	466	517	- 762	607
280-330		C	2	14	296.0	- 312.0	304.7	26	557	- 569	564	927	- 977	945
	RS	D	2	7	250.0	- 270.0	261.4	N/Q	-	-	-	715	- 818	774
		D	3	10	318.0	- 318.0	318.0	N/Q	612	- 612	612	973	- 973	973

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
330+		C	2	20	255.0	- 318.0	270.8	-14	464	- 568	490	1127	- 1161	1136
	FD	D	3	3	295.0	- 295.0	295.0	N/Q	-			1027	- 1027	1027
	RS	D	3	7	288.0	- 288.0	288.0	N/Q	-			1181	- 1181	1181
		D	3	18	290.0	- 325.0	314.3	N/Q	558	- 625	600	986	- 1316	1133
				254	155.0	325.0		373	625		411	1316		
Yearling Steer														
0-200	FD	C	2	8	270.0	- 270.0	270.0	N/Q	-			540	- 540	540
	RS	C	2	5	260.0	- 260.0	260.0	N/Q	-			520	- 520	520
200-280	RS	C	2	163	260.0	- 319.0	294.2	15	-			572	- 818	712
	FD	C	2	73	267.0	- 318.0	296.2	5	-			646	- 834	739
		D	2	24	240.0	- 271.0	243.9	N/Q	462	- 511	468	605	- 753	623
	RS	D	2	2	240.0	- 240.0	240.0	N/Q	-			552	- 552	552
280-330	FD	C	2	55	270.0	- 321.0	303.2	4	-			815	- 1059	943
	RS	C	2	110	245.0	- 320.0	295.9	-3	-			710	- 1046	920
		C	2	42	226.0	- 310.0	284.2	N/Q	411	- 574	529	746	- 1004	897
		D	2	10	200.0	- 270.0	243.0	23	385	- 519	467	590	- 791	724
330-400		C	2	10	284.0	- 318.0	314.6	20	536	- 578	574	951	- 1189	1166
	RS	C	2	13	248.0	- 316.0	288.1	-4	-			843	- 1207	1012
	FD	C	2	288	270.0	- 329.0	313.5	2	-			966	- 1269	1143
	FD	C	3	10	285.0	- 313.0	301.8	-5	-			1026	- 1199	1130
	C	3	61	309.0	- 330.0	319.4	7	572	- 611	591	1051	- 1308	1160	
400+		C	2	17	250.0	- 315.0	285.0	-2	446	- 583	524	1206	- 1534	1379
	FD	C	2	133	278.0	- 322.0	300.1	-13	-			1169	- 1569	1366
	FD	C	3	89	295.0	- 320.0	313.2	3	-			1239	- 1584	1402
		C	3	63	285.0	- 336.0	316.6	8	509	- 622	578	1235	- 1646	1443
		D	3	1	283.0	- 283.0	283.0	N/Q	544	- 544	544	1443	- 1443	1443
	FD	D	3	2	316.0	- 316.0	316.0	N/Q	-			1507	- 1507	1507
				1179	200.0	336.0		385	622		520	1646		
Yearling Heifer														
0-200	RS	C	2	6	230.0	- 230.0	230.0	N/Q	-			460	- 460	460
200-280	RS	C	2	187	210.0	- 290.0	264.4	-12	-			452	- 665	573
		C	2	42	240.0	- 276.0	267.0	N/Q	444	- 519	497	653	- 756	720
	FD	C	2	99	246.0	- 285.0	264.2	N/C	-			620	- 784	696
	RS	D	2	5	265.0	- 265.0	265.0	N/Q	-			710	- 710	710
		D	2	11	284.0	- 290.0	287.8	N/Q	557	- 580	572	761	- 798	784
280-330		B	2	5	337.0	- 337.0	337.0	N/Q	624	- 624	624	1018	- 1018	1018
	FD	C	2	65	220.0	- 294.0	275.9	7	-			717	- 935	864
		C	2	53	255.0	- 295.0	271.8	-20	472	- 567	505	804	- 908	824
	RS	C	2	50	212.0	- 276.0	258.7	N/Q	-			625	- 852	769
		C	3	5	289.0	- 289.0	289.0	N/Q	535	- 535	535	913	- 913	913
	FD	D	2	20	288.0	- 309.0	295.4	47	-			871	- 919	902
	RS	D	2	43	206.0	- 310.0	233.3	N/Q	-			624	- 961	721
330-400		B	3	12	325.0	- 325.0	325.0	N/Q	580	- 580	580	1095	- 1095	1095
	FD	C	2	127	266.0	- 316.0	293.7	6	-			952	- 1160	1076

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400+		C	2	43	268.0	- 306.0	285.2	N/Q	496	- 567	530	935	- 1196	1048
	RS	C	2	46	263.0	- 316.0	290.0	8	-			902	- 1115	1034
		C	3	61	272.0	- 316.0	298.7	12	504	- 585	553	1004	- 1154	1087
	FD	D	2	11	294.0	- 305.0	300.0	N/Q	-			1013	- 1070	1039
		D	2	23	185.0	- 293.0	270.4	N/Q	370	- 564	516	638	- 1154	1020
		D	3	20	240.0	- 309.0	296.8	41	462	- 606	577	948	- 1208	1087
		C	2	42	242.0	- 280.0	269.7	N/Q	463	- 519	500	1003	- 1202	1138
	FD	C	2	38	265.0	- 290.0	280.2	-8	-			1087	- 1203	1162
	GF	C	2	8	282.0	- 282.0	282.0	N/Q	522	- 522	522	1134	- 1134	1134
	FD	C	3	5	315.0	- 315.0	315.0	25	-			1310	- 1310	1310
	GF	C	3	22	290.0	- 295.0	293.2	N/Q	537	- 546	543	1200	- 1422	1319
		C	3	56	280.0	- 315.0	295.9	6	519	- 583	548	1183	- 1554	1281
		D	1	1	212.0	- 212.0	212.0	N/Q	424	- 424	424	869	- 869	869
		D	2	41	220.0	- 299.0	281.8	30	440	- 575	540	1012	- 1376	1266
	FD	D	2	4	273.0	- 281.0	275.0	35	-			1196	- 1236	1206
	RS	D	3	4	260.0	- 260.0	260.0	N/Q	-			1160	- 1160	1160
	D	3	33	284.0	- 326.0	300.5	N/Q	546	- 604	576	1247	- 1695	1408	
				1188	185.0	337.0		370	624		452	1695		
Grown Steer														
0-400		C	2	15	213.0	- 275.0	250.5	N/Q	394	- 509	460	650	- 1037	820
		C	3	1	280.0	- 280.0	280.0	N/Q	509	- 509	509	1050	- 1050	1050
400-500		C	2	8	220.0	- 296.0	267.5	11	400	- 548	493	902	- 1252	1121
		C	3	31	230.0	- 277.0	242.1	40	411	- 513	437	1145	- 1288	1182
		D	2	1	190.0	- 190.0	190.0	N/Q	365	- 365	365	789	- 789	789
500-600		C	2	54	252.0	- 320.0	282.1	19	467	- 593	519	1305	- 1824	1476
	FD	C	2	28	312.0	- 322.0	316.8	60	-			1638	- 1775	1704
	FD	C	3	13	324.0	- 338.0	332.6	22	-			1873	- 1981	1939
		C	3	130	262.0	- 344.0	308.4	-5	485	- 637	565	1393	- 1887	1704
		C	4	3	295.0	- 295.0	295.0	-9	546	- 546	546	1608	- 1608	1608
600-750	FD	C	3	19	320.0	- 326.0	322.2	N/Q	-			2152	- 2163	2159
		C	3	45	255.0	- 326.0	310.1	47	472	- 589	560	1632	- 2057	1955
750+		C	2	4	255.0	- 255.0	255.0	N/Q	455	- 455	455	1933	- 1933	1933
		C	3	3	274.0	- 274.0	274.0	N/Q	489	- 489	489	2063	- 2063	2063
		C	4	1	160.0	- 160.0	160.0	N/Q	286	- 286	286	1440	- 1440	1440
				356	160.0	344.0		286	637		650	2163		
Grown Heifer														
0-540		C	2	9	225.0	- 234.0	228.0	N/Q	417	- 433	422	918	- 1072	969
	GF	C	2	28	245.0	- 260.0	255.9	N/Q	454	- 482	474	1046	- 1293	1229
	GF	C	3	26	263.0	- 276.0	270.5	N/Q	487	- 511	501	1234	- 1380	1287
		C	3	24	250.0	- 324.0	301.4	16	463	- 600	558	1325	- 1704	1546
	GF	C	4	5	313.0	- 313.0	313.0	N/Q	580	- 580	580	1609	- 1609	1609
		D	1	6	206.0	- 206.0	206.0	N/Q	404	- 404	404	748	- 748	748
		D	2	21	245.0	- 265.0	257.2	N/Q	454	- 520	501	1217	- 1357	1285
		D	3	5	242.0	- 250.0	246.6	22	475	- 504	482	1063	- 1329	1266
	RS	D	3	1	222.0	- 222.0	222.0	N/Q	-			1088	- 1088	1088

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
540+	GF	C	3	8	290.0	- 298.0	295.0	N/Q	537	- 552	546	1598	- 1645	1627	
		C	3	48	255.0	- 312.0	287.0	N/Q	472	- 578	531	1485	- 2042	1673	
		D	2	2	247.0	- 247.0	247.0	N/Q	504	- 504	504	1396	- 1396	1396	
		D	3	5	252.0	- 252.0	252.0	N/Q	485	- 485	485	1583	- 1583	1583	
				188	206.0	324.0		404	600		748	2042			
Manufacturing Steer															
0-540		C	2	6	162.0	- 238.0	194.3	-34	312	- 441	381	373	- 1083	744	
		D	1	21	150.0	- 198.0	177.3	N/Q	300	- 390	358	386	- 794	594	
540+		C	3	1	225.0	- 225.0	225.0	N/Q	402	- 402	402	1496	- 1496	1496	
					28	150.0	238.0		300	441		373	1496		
Cows															
0-400	RS	D	1	6	212.0	- 212.0	212.0	N/Q		-		731	- 731	731	
		D	1	6	165.0	- 165.0	165.0	-3	359	- 359	359	629	- 629	629	
		D	2	17	164.0	- 184.0	172.2	-3	342	- 400	366	574	- 666	612	
		E	2	1	140.0	- 140.0	140.0	N/Q	311	- 311	311	469	- 469	469	
400-520		C	3	1	321.0	- 321.0	321.0	N/Q	669	- 669	669	1669	- 1669	1669	
		D	1	51	156.0	- 218.0	197.9	N/Q	339	- 467	422	671	- 1114	928	
		RS	D	1	36	180.0	- 220.0	193.7	N/Q		-		780	- 952	863
		RS	D	2	7	189.0	- 189.0	189.0	N/Q		-		794	- 794	794
		D	2	191	156.0	- 230.0	211.5	15	327	- 489	448	715	- 1146	997	
		D	3	61	210.0	- 241.0	228.3	11	429	- 482	469	1008	- 1229	1143	
		520+	C	3	6	240.0	- 244.0	242.7	N/Q	480	- 488	485	1440	- 1610	1575
			D	1	7	170.0	- 226.0	203.7	N/Q	362	- 470	433	910	- 1537	1206
RS	D		1	7	198.0	- 198.0	198.0	N/Q		-		1034	- 1034	1034	
RS	D		2	13	196.0	- 296.0	211.4	N/Q		-		1043	- 1569	1124	
	DA	D	2	1	214.0	- 214.0	214.0	N/Q	465	- 465	465	1487	- 1487	1487	
		D	2	229	176.0	- 251.0	226.7	24	367	- 517	475	933	- 1857	1310	
		D	3	310	216.0	- 258.0	240.7	10	429	- 531	493	1192	- 2070	1536	
		D	4	129	180.0	- 252.0	238.2	2	375	- 510	480	1225	- 1827	1519	
				1103	140.0	321.0		306	669		469	2070			
Bulls															
0-450		B	2	1	290.0	- 290.0	290.0	N/Q	537	- 537	537	725	- 725	725	
		C	2	7	232.0	- 255.0	242.3	62	430	- 472	449	500	- 928	786	
		RS	C	2	3	264.0	- 264.0	264.0	-30		-		496	- 496	496
		RS	C	3	1	250.0	- 250.0	250.0	N/Q		-		750	- 750	750
450-600		B	3	10	249.0	- 249.0	249.0	N/Q	461	- 461	461	1384	- 1384	1384	
		C	2	2	190.0	- 205.0	197.5	N/Q	339	- 366	353	950	- 1189	1070	
		C	3	7	196.0	- 250.0	234.9	-13	350	- 463	433	1137	- 1200	1178	
600+		C	3	4	210.0	- 231.0	221.8	15	372	- 413	393	1469	- 1955	1683	
					35	190.0	290.0		339	537		496	1955		

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© 2015 Meat and Livestock Australia Limited

Page: 4 of 5

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg

© MLA 2015. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.