

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Pakenham

report date 13 Jul 2015

Yarding Change 933
-88

comparison date 06/07/2015

There were approximately 430 export and 500 young cattle penned representing a decrease of 90 head week-on-week. Most of the usual buying group was present and competing in a generally dearer market. Quality was plainer, with most prime lines showing the effects of the cold while secondary and plainer cattle were well supplied. There was only a limited supply of grain assisted trade cattle on offer. Lot feeders were very keen for suitable young cattle to feed on. The limited selection of vealers suited to butcher orders sold up to 15c/kg dearer. Yearling trade steers eased 5c/kg due to quality. Medium weight yearling heifers sold firm while the heavy weights over 400kg were keenly sought after improving 19c/kg. Feeder cattle gained 4c to 6c/kg for most and more in places. Grown steers and bullocks lifted 3c to 6c/kg.

The vealers sold mostly from 280c to 333c/kg. Yearling trade steers made between 295c and 334c/kg. Yearling heifers suited to the trade sold between 255c and 328c/kg. Feeder steers made from 263c to 308c, with the heifer portion from 245c to 290c/kg.

Grown steers sold from 274c to 329c/kg. Bullocks made between 290c and 320c/kg. Heavy weight crossbred manufacturing steers sold between 242c and 290c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Vealer Steer														
200-280	FD	C	2	7	263.6	- 271.6	269.3	11	-	-	-	738	- 760	754
280-330	FD	C	2	7	295.0	- 295.0	295.0	20	-	-	-	944	- 944	944
		C	3	2	310.0	- 310.0	310.0	N/Q	564	- 564	564	992	- 992	992
330+	FD	B	2	3	292.2	- 292.2	292.2	N/Q	-	-	-	993	- 993	993
		C	2	2	289.6	- 289.6	289.6	N/Q	536	- 536	536	1014	- 1014	1014
		C	3	5	310.0	- 332.6	327.5	15	554	- 605	587	1054	- 1260	1210
				26	263.6	332.6			536	605		738	1260	
Vealer Heifer														
200-280		C	2	1	260.0	- 260.0	260.0	N/Q	482	- 482	482	728	- 728	728
280-330	FD	C	2	9	290.0	- 290.0	290.0	21	-	-	-	870	- 870	870
330+	FD	C	2	7	282.0	- 282.0	282.0	13	-	-	-	959	- 959	959
		C	2	3	290.0	- 308.6	302.4	-8	537	- 572	560	1044	- 1065	1058
		C	3	5	295.0	- 319.2	313.8	1	536	- 580	571	1106	- 1181	1155
		D	3	2	295.0	- 295.0	295.0	N/Q	546	- 546	546	1003	- 1003	1003
				27	260.0	319.2			482	580		728	1181	
Yearling Steer														
200-280	RS	C	2	3	278.6	- 278.6	278.6	N/Q	-	-	-	752	- 752	752
280-330	FD	D	2	2	242.0	- 244.6	243.3	N/Q	-	-	-	726	- 734	730
330-400		B	2	4	325.6	- 330.0	326.7	N/Q	552	- 559	554	1254	- 1302	1290
		C	2	16	276.0	- 318.6	293.9	12	511	- 590	542	994	- 1211	1100
	FD	C	2	19	262.6	- 307.6	292.5	6	-	-	-	932	- 1146	1040
		C	3	19	295.0	- 333.6	310.9	-5	543	- 607	566	1039	- 1334	1168
		D	2	1	252.6	- 252.6	252.6	N/Q	477	- 477	477	935	- 935	935
	FD	D	2	3	272.0	- 272.0	272.0	10	-	-	-	1088	- 1088	1088
		D	3	1	303.6	- 303.6	303.6	N/Q	562	- 562	562	1123	- 1123	1123
400+	FD	C	2	34	272.0	- 308.0	294.8	4	-	-	-	1197	- 1463	1364

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
		D	2	3	287.6	- 287.6	287.6	N/Q	533	- 533	533	1294	- 1294	1294
				105	242.0	333.6			477	607		726	1463	
Yearling Heifer														
200-280	RS	D	1	1	237.6	- 237.6	237.6	N/Q	-			642	- 642	642
280-330		D	1	4	211.6	- 211.6	211.6	N/Q	423	- 423	423	677	- 677	677
	FD	D	2	40	245.0	- 285.2	279.1	15	-			809	- 913	866
	RS	D	2	1	247.6	- 247.6	247.6	N/Q	-			743	- 743	743
		D	3	3	260.0	- 260.0	260.0	-20	491	- 491	491	832	- 832	832
330-400		B	2	5	325.6	- 327.6	326.0	N/Q	561	- 565	562	1212	- 1302	1284
		C	2	2	245.0	- 282.0	263.5	N/Q	462	- 532	497	907	- 1043	975
	FD	C	2	4	285.0	- 287.6	287.0	6	-			1007	- 1026	1011
		C	3	1	300.0	- 300.0	300.0	N/Q	546	- 546	546	1080	- 1080	1080
		D	1	1	242.0	- 242.0	242.0	N/Q	484	- 484	484	895	- 895	895
	RS	D	1	1	245.0	- 245.0	245.0	N/Q	-			858	- 858	858
	RS	D	2	1	244.6	- 244.6	244.6	N/Q	-			844	- 844	844
	FD	D	2	37	258.6	- 287.2	280.5	10	-			901	- 1055	998
		D	3	53	255.0	- 310.0	282.9	-2	481	- 574	529	918	- 1200	1043
	FD	D	3	1	272.0	- 272.0	272.0	N/Q	-			1006	- 1006	1006
400+		C	2	1	270.0	- 270.0	270.0	N/C	500	- 500	500	1188	- 1188	1188
	FD	D	2	2	252.0	- 252.0	252.0	N/Q	-			1134	- 1134	1134
		D	2	6	236.0	- 245.0	240.5	-11	454	- 471	463	1078	- 1086	1082
		D	3	125	266.0	- 315.0	302.6	19	499	- 588	563	1170	- 1590	1370
				289	211.6	327.6			423	588		642	1590	
Grown Steer														
400-500	FD	C	1	43	294.0	- 305.0	299.9	N/Q	-			1323	- 1342	1333
		C	2	4	272.6	- 272.6	272.6	-12	505	- 505	505	1145	- 1145	1145
500-600		C	2	37	274.6	- 305.0	289.2	3	518	- 565	537	1483	- 1830	1571
	FD	C	2	9	274.0	- 306.6	300.6	20	-			1482	- 1686	1644
	RS	C	2	34	302.6	- 316.6	309.2	N/Q	-			1574	- 1836	1697
		C	3	36	321.6	- 329.0	326.2	3	574	- 598	589	1769	- 1972	1885
		D	3	39	298.6	- 324.0	318.6	6	553	- 589	582	1601	- 1944	1823
600-750		C	2	24	290.0	- 296.2	295.2	22	527	- 549	545	1925	- 1958	1931
		C	3	6	310.0	- 310.0	310.0	N/Q	544	- 554	550	2108	- 2170	2160
		D	3	25	295.0	- 320.0	316.4	21	546	- 592	583	1859	- 2190	2035
				257	272.6	329.0			505	598		1145	2190	
Grown Heifer														
0-540		D	2	21	223.6	- 244.0	233.5	-5	447	- 488	467	897	- 1220	1098
		D	3	17	252.0	- 265.0	255.0	-3	479	- 510	494	1171	- 1369	1275
540+		C	3	1	250.0	- 250.0	250.0	N/Q	455	- 455	455	1875	- 1875	1875
		D	3	1	243.6	- 243.6	243.6	N/Q	469	- 469	469	1340	- 1340	1340
		D	4	13	246.0	- 273.6	255.5	4	473	- 507	485	1492	- 1722	1583
				53	223.6	273.6			447	510		897	1875	
Manufacturing Steer														
0-540	DA	D	1	2	230.0	- 230.0	230.0	N/Q	460	- 460	460	920	- 920	920
		D	1	17	220.0	- 236.6	230.4	N/Q	458	- 494	475	770	- 1124	935

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
	RS	D	1	4	233.0	- 233.0	233.0	N/Q	-			792	- 792	792
	RS	D	2	2	240.0	- 253.6	246.8	N/Q	-			864	- 938	901
	FD	D	2	12	250.0	- 260.0	255.5	N/Q	-			1105	- 1331	1254
		D	2	3	255.6	- 268.6	264.3	8	482	- 507	499	1182	- 1380	1248
	DA	D	2	5	251.6	- 252.6	251.8	N/Q	484	- 486	484	1137	- 1208	1193
		D	3	2	255.6	- 270.0	262.8	N/Q	482	- 500	491	1214	- 1458	1336
540+		B	2	1	297.6	- 297.6	297.6	N/Q	513	- 513	513	2306	- 2306	2306
		D	2	13	241.6	- 265.0	261.6	14	456	- 500	494	1329	- 1590	1519
	DA	D	2	8	244.0	- 245.0	244.5	-1	471	- 478	475	1537	- 1593	1565
		D	3	14	262.0	- 290.0	275.5	-2	494	- 537	517	1537	- 2115	1827
				83	220.0	297.6			456	537		770	2306	
Cows														
0-400	RS	D	1	6	200.6	- 200.6	200.6	N/Q	-			762	- 762	762
400-520		D	1	3	215.0	- 215.0	215.0	N/Q	467	- 467	467	1118	- 1118	1118
				9	200.6	215.0			467	467		762	1118	
Bulls														
0-450		C	2	5	225.6	- 225.6	225.6	N/Q	426	- 426	426	902	- 902	902
	RS	C	2	3	245.0	- 245.0	245.0	N/Q	-			833	- 833	833
				8	225.6	245.0			426	426		833	902	

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2015. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.