

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Wagga

report date 13 Jul 2015

Yarding Change 3470
-1955

comparison date 06/07/2015

Numbers eased and quality remained similar with good numbers of supplementary fed and crop finished cattle on offer, along with larger drafts of young cattle more suited to feeder and restocking orders. Grown heifers were in reasonable numbers and around 650 cows were penned. All the usual buyers operated in a dearer market.

Restocking steers vealers reached 358c and heifers 303c/kg. The best of the kill veal reached 331c/kg. Medium weight feeder steers remained firm while heavy weights were in demand and lifted 18c/kg. Feeder steers ranged from 298c to 338c/kg. Medium weight feeder heifers also remained steady ranging from 255c to 302c/kg. Trade steers gained 5c selling from 300c to 333.8c/kg. Trade heifers jumped 8c to 12c, topping at 333c/kg.

The quality of the grown steers was back and prices reflected this on average, dropping as a result. Steers and bullocks ranged from 280c to 329c/kg. Grown heifers gained 7c, with heavy weights ranging from 255c to 293c/kg. Cows lifted on a smaller offering with 2 score cows selling from 192c to 238c, averaging 2c stronger while the heavy 3 and 4 scores received 200c to 258c gaining 3c to 8c/kg on average.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
80+		C	1	2	255.0	- 255.0	255.0	N/Q	500	- 500	500	446	- 446	446
				2	255.0	255.0			500	500		446	446	
Vealer Steer														
0-200	RS	C	1	14	285.2	- 340.0	336.1	N/Q	-	-	-	547	- 570	549
	RS	C	2	6	286.2	- 358.2	335.4	47	-	-	-	572	- 586	578
200-280	RS	C	2	86	285.0	- 321.2	306.0	42	-	-	-	612	- 804	719
		C	2	3	288.2	- 288.2	288.2	48	534	- 534	534	706	- 706	706
	FD	C	2	3	280.0	- 306.2	297.5	24	-	-	-	728	- 781	763
	RS	D	2	7	324.2	- 324.2	324.2	60	-	-	-	704	- 704	704
280-330	FD	C	2	3	250.0	- 312.0	270.7	N/Q	-	-	-	768	- 1030	855
		C	2	2	280.2	- 280.2	280.2	N/Q	519	- 519	519	832	- 832	832
	RS	C	2	1	285.0	- 285.0	285.0	N/Q	-	-	-	841	- 841	841
		C	3	6	295.0	- 320.0	313.2	N/Q	546	- 593	580	915	- 1024	990
	RS	C	3	3	320.2	- 320.2	320.2	N/Q	-	-	-	1021	- 1021	1021
	FD	C	3	1	311.2	- 311.2	311.2	N/Q	-	-	-	962	- 962	962
330+		C	2	7	224.2	- 306.0	235.9	N/Q	415	- 567	437	762	- 1040	802
	RS	C	2	1	308.2	- 308.2	308.2	N/Q	-	-	-	1310	- 1310	1310
		C	3	9	300.0	- 327.0	320.4	10	556	- 606	593	1148	- 1343	1234
				152	224.2	358.2			415	606		547	1343	
Vealer Heifer														
0-200	RS	C	2	6	274.6	- 285.6	276.4	36	-	-	-	475	- 571	491
	RS	D	1	1	276.2	- 276.2	276.2	N/Q	-	-	-	428	- 428	428
	RS	D	2	45	220.0	- 316.2	303.0	N/Q	-	-	-	429	- 567	509
		D	2	3	255.0	- 255.0	255.0	N/Q	490	- 490	490	492	- 492	492
200-280	FD	C	2	2	266.6	- 266.6	266.6	N/Q	-	-	-	653	- 653	653
		C	2	13	276.2	- 286.2	285.4	-13	512	- 530	529	608	- 741	729

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
280-330	RS	C	2	28	260.0	- 289.2	282.9	27	-			523	- 646	620
	RS	D	2	24	260.0	- 275.2	267.2	1	-			528	- 671	601
	FD	C	2	2	305.2	- 305.2	305.2	N/Q	-			977	- 977	977
		C	2	17	300.0	- 312.0	306.4	2	556	- 589	576	855	- 961	910
		C	3	20	296.0	- 318.2	307.5	N/Q	548	- 589	569	900	- 1012	974
330+	C	2	11	296.0	- 305.2	301.0	30	548	- 565	557	1000	- 1111	1056	
	C	3	26	302.0	- 331.2	310.2	N/Q	559	- 613	575	1042	- 1242	1086	
				198	220.0	331.2			490	613		428	1242	
Yearling Steer														
200-280	FD	C	2	5	292.2	- 292.2	292.2	-4	-			768	- 768	768
	RS	C	2	20	296.2	- 302.2	300.0	6	-			626	- 755	717
	RS	D	1	1	150.0	- 150.0	150.0	N/Q	-			369	- 369	369
	RS	D	2	15	286.2	- 292.2	291.0	51	-			646	- 704	657
	FD	D	2	8	280.0	- 280.0	280.0	N/Q	-			784	- 784	784
280-330	FD	C	2	49	280.0	- 320.0	310.1	7	-			804	- 1020	962
		C	2	8	270.0	- 304.0	295.5	11	519	- 563	552	810	- 939	907
	RS	C	2	32	288.2	- 319.0	304.0	8	-			864	- 963	910
	RS	D	1	1	190.2	- 190.2	190.2	N/Q	-			609	- 609	609
	RS	D	2	7	263.0	- 276.2	272.4	N/Q	-			852	- 887	877
330-400		D	2	1	210.0	- 210.0	210.0	N/Q	447	- 447	447	609	- 609	609
	FD	D	2	20	262.2	- 280.2	275.7	N/Q	-			850	- 877	870
	FD	C	2	195	280.0	- 326.2	312.7	-1	-			930	- 1250	1125
	RS	C	2	57	270.0	- 331.0	326.4	38	-			972	- 1255	1151
	GF	C	2	5	290.0	- 290.0	290.0	N/Q	558	- 558	558	1073	- 1073	1073
	FD	C	3	10	315.2	- 320.0	318.1	16	-			1160	- 1245	1211
		C	3	13	317.2	- 320.0	318.9	-1	587	- 593	591	1130	- 1245	1198
	DA	D	1	5	190.2	- 190.2	190.2	N/Q	405	- 405	405	740	- 740	740
	RS	D	2	28	212.0	- 283.2	267.1	N/Q	-			721	- 971	913
	FD	D	2	4	267.2	- 275.0	273.1	N/Q	-			963	- 981	967
400+		D	3	3	253.6	- 253.6	253.6	N/Q	479	- 479	479	959	- 959	959
		C	2	14	280.0	- 318.2	312.7	28	539	- 612	601	1134	- 1384	1348
	FD	C	2	69	290.0	- 323.2	318.2	18	-			1204	- 1581	1412
	FD	C	3	26	294.0	- 326.0	316.7	4	-			1279	- 1568	1413
		C	3	144	300.0	- 338.2	322.0	5	556	- 617	596	1320	- 1802	1524
		C	4	14	316.0	- 325.0	319.8	N/Q	585	- 602	592	1463	- 1628	1567
	FD	C	4	14	330.0	- 330.0	330.0	N/Q	-			1495	- 1495	1495
				768	150.0	338.2			405	617		369	1802	
Yearling Heifer														
200-280		C	2	2	278.0	- 278.0	278.0	N/Q	535	- 535	535	695	- 695	695
	RS	C	2	95	252.2	- 293.2	280.5	16	-			630	- 733	698
	FD	D	2	24	262.2	- 271.2	268.6	N/Q	-			729	- 746	741
280-330	RS	D	2	44	188.0	- 274.2	245.9	-19	-			432	- 676	576
		C	2	20	276.0	- 276.0	276.0	4	531	- 531	531	908	- 908	908
	RS	C	2	66	271.2	- 291.2	281.7	23	-			792	- 932	827
	FD	C	2	45	290.0	- 301.2	298.6	23	-			910	- 954	922

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
330-400		C	3	26	290.0	- 307.0	300.1	11	537	- 569	556	821	- 1013	927
	FD	D	2	21	218.2	- 256.6	252.6	-43	-	-	-	714	- 844	814
		D	2	8	240.0	- 257.2	246.5	N/Q	480	- 514	493	773	- 802	785
	RS	D	2	23	220.0	- 270.2	239.2	6	-	-	-	660	- 846	736
		D	3	21	252.2	- 289.2	276.9	N/Q	472	- 546	517	727	- 897	849
		C	2	21	280.0	- 296.6	287.1	2	548	- 570	553	973	- 1055	1030
	FD	C	2	151	279.2	- 302.2	294.0	N/C	-	-	-	930	- 1200	1059
	RS	C	2	8	294.2	- 294.2	294.2	4	-	-	-	991	- 991	991
	FD	C	3	8	294.2	- 294.2	294.2	N/Q	-	-	-	1174	- 1174	1174
		C	3	167	286.0	- 326.0	306.8	8	530	- 604	568	1001	- 1291	1150
400+		D	2	5	230.0	- 230.0	230.0	-40	460	- 460	460	764	- 764	764
	FD	D	2	3	236.2	- 236.2	236.2	-64	-	-	-	787	- 787	787
	RS	D	2	27	200.0	- 272.2	226.9	N/Q	-	-	-	740	- 966	808
		C	2	3	255.0	- 266.0	262.3	-7	481	- 512	501	1123	- 1352	1199
	FD	C	2	20	255.0	- 266.2	259.1	-21	-	-	-	1105	- 1128	1122
	FD	C	3	2	290.2	- 290.2	290.2	N/Q	-	-	-	1254	- 1254	1254
		C	3	178	270.0	- 330.2	307.6	12	500	- 610	570	1193	- 1814	1399
		C	4	87	275.0	- 333.2	307.7	N/Q	509	- 606	568	1109	- 1686	1501
		D	3	61	230.0	- 290.2	267.3	-33	442	- 548	506	1116	- 1405	1256
		D	4	1	246.0	- 246.0	246.0	N/Q	456	- 456	456	1439	- 1439	1439
				1137	188.0	333.2		442	610		432	1814		
Grown Steer														
0-400		C	2	9	250.0	- 250.0	250.0	-1	481	- 481	481	900	- 900	900
	FD	C	2	5	276.0	- 276.0	276.0	N/Q	-	-	-	977	- 977	977
	RS	D	2	11	255.0	- 255.0	255.0	N/Q	-	-	-	722	- 722	722
400-500	FD	C	2	12	260.0	- 306.0	290.7	N/Q	-	-	-	1144	- 1316	1259
		C	2	9	248.2	- 278.0	267.7	N/C	477	- 515	498	1067	- 1214	1183
		C	3	3	286.0	- 320.0	297.3	55	530	- 593	551	1178	- 1504	1287
		C	4	3	295.0	- 295.0	295.0	N/Q	546	- 546	546	1448	- 1448	1448
500-600		C	3	71	280.0	- 312.6	298.9	-10	519	- 579	554	1458	- 1733	1602
	FD	C	3	3	292.0	- 292.0	292.0	-41	-	-	-	1475	- 1475	1475
		C	4	23	309.2	- 329.2	318.7	24	573	- 610	584	1771	- 1934	1897
600-750		C	3	4	280.0	- 300.0	285.0	-25	519	- 556	528	1725	- 2025	1800
		C	4	12	250.0	- 290.0	281.7	N/Q	463	- 537	522	1631	- 1870	1788
		C	5	1	282.0	- 282.0	282.0	N/Q	513	- 513	513	1875	- 1875	1875
				166	248.2	329.2		463	610		722	2025		
Grown Heifer														
0-540		C	2	3	244.0	- 244.0	244.0	16	469	- 469	469	1076	- 1076	1076
	FD	C	2	5	210.0	- 268.0	256.4	N/Q	-	-	-	809	- 1195	1118
	RS	C	2	2	250.0	- 250.0	250.0	N/Q	-	-	-	1118	- 1118	1118
		C	3	24	280.0	- 307.6	297.8	-4	528	- 570	553	1208	- 1545	1438
		C	4	8	270.0	- 300.0	288.8	N/Q	500	- 556	535	899	- 1572	1320
	DA	D	1	1	160.0	- 160.0	160.0	N/Q	340	- 340	340	640	- 640	640
	RS	D	1	7	198.2	- 198.2	198.2	N/Q	-	-	-	688	- 688	688

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
540+	FD	D	2	25	197.2	- 197.2	197.2	N/Q	-			680	- 680	680
		D	2	1	180.2	- 180.2	180.2	N/Q	383	- 383	383	676	- 676	676
	RS	D	3	1	250.0	- 250.0	250.0	N/Q	-			963	- 963	963
		D	3	29	225.0	- 283.0	253.5	7	433	- 534	486	1124	- 1410	1225
		D	4	10	230.0	- 255.2	252.6	N/Q	434	- 510	485	1150	- 1323	1296
		D	5	1	230.0	- 230.0	230.0	N/Q	426	- 426	426	1150	- 1150	1150
		C	3	2	276.0	- 293.2	284.6	N/Q	531	- 543	537	1546	- 1730	1638
		C	4	43	270.2	- 306.2	287.1	N/Q	500	- 567	532	1578	- 1816	1722
		D	3	11	266.0	- 288.0	274.4	22	502	- 533	515	1471	- 1647	1581
		D	4	9	255.0	- 285.0	272.2	N/Q	472	- 528	506	1428	- 1665	1553
		D	5	3	245.0	- 245.0	245.0	N/Q	490	- 490	490	1514	- 1514	1514
				185	160.0	307.6		340	570		640	1816		
Manufacturing Steer														
0-540		D	3	3	260.0	- 260.0	260.0	N/Q	520	- 520	520	1053	- 1053	1053
540+		C	3	12	275.0	- 275.0	275.0	50	519	- 519	519	1581	- 1581	1581
	DA	D	2	1	259.2	- 259.2	259.2	N/Q	518	- 518	518	1439	- 1439	1439
				16	259.2	275.0		518	520		1053	1581		
Cows														
0-400		D	1	1	200.0	- 200.0	200.0	N/Q	417	- 417	417	690	- 690	690
	RS	D	2	5	187.2	- 252.0	213.1	N/Q	-			717	- 988	825
		D	2	8	200.0	- 222.0	219.3	47	417	- 463	457	800	- 859	852
400-520	RS	D	1	12	176.2	- 176.2	176.2	-17	-			765	- 765	765
		D	1	8	176.0	- 210.0	184.5	-13	375	- 447	393	755	- 893	789
	DA	D	1	1	155.0	- 155.0	155.0	N/Q	330	- 330	330	736	- 736	736
	DA	D	2	1	215.0	- 215.0	215.0	N/Q	448	- 448	448	1086	- 1086	1086
	RS	D	2	2	194.2	- 194.2	194.2	N/Q	-			932	- 932	932
		D	2	104	192.0	- 238.0	213.6	2	406	- 496	446	812	- 1121	964
		D	3	62	210.0	- 247.2	235.2	7	424	- 494	471	996	- 1224	1149
520+		C	3	9	248.0	- 256.6	252.2	10	486	- 503	495	1545	- 1694	1586
		C	4	1	258.0	- 258.0	258.0	N/Q	506	- 506	506	1587	- 1587	1587
	DA	D	2	1	226.0	- 226.0	226.0	N/Q	471	- 471	471	1548	- 1548	1548
		D	2	8	220.0	- 228.0	222.0	-5	440	- 456	444	1190	- 1247	1204
		D	3	99	210.0	- 247.2	238.6	-2	420	- 494	475	1220	- 1449	1337
	DA	D	3	1	240.0	- 240.0	240.0	N/Q	480	- 480	480	2088	- 2088	2088
		D	4	166	200.0	- 256.0	246.3	8	392	- 502	484	1302	- 1923	1550
		D	5	33	200.0	- 246.0	230.4	9	392	- 482	453	1204	- 2013	1558
		D	6	7	200.0	- 234.0	224.0	N/Q	392	- 459	439	1491	- 1735	1647
				529	155.0	258.0		330	506		690	2088		
Bulls														
600+		B	2	2	230.0	- 230.0	230.0	N/Q	404	- 404	404	1403	- 1403	1403
		C	2	3	205.0	- 230.0	216.7	N/Q	366	- 404	385	1538	- 1725	1604
				5	205.0	230.0		366	404		1403	1725		

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral CATTLE SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© 2015 Meat and Livestock Australia Limited

Page: 4 of 5

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg

© MLA 2015. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.