

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

CTLX

report date 21 Jul 2015

Yarding Change ³³³⁰
1660

comparison date 14/07/2015

The better weather conditions doubled the size of the yarding. It was a good quality yarding with a good selection of prime cattle in all sections a number of which are coming off crops. There were also good numbers of young cattle to suit the feeder orders.

Young cattle to the processors were 3c dearer with vealers selling to 334c for the steers and 325c/kg for the heifers. Prime yearling steers sold from 310c to 332c, with the heavier weights averaging 327c/kg. Feeder steers were 3c dearer selling from 310c to 339c while the feeder heifers were 8c cheaper selling from 280c to 314c/kg.

Grown steers were firm with the prime medium weights selling from 302c to 332c averaging 323c/kg. Grown heifers were dearer selling to 317c/kg. Plain condition cows were cheaper while the better types were firm with the 2 scores selling from 140c to 215c/kg. The better 3 and 4 scores sold from 210c to 262c for C muscle cows with the 4 score heavy weighs averaging 248c/kg. Bulls were dearer selling to 290c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Vealer Steer														
200-280	RS	C	2	111	260.0	- 330.0	302.1	-7	-	-	-	676	- 908	784
	FD	C	2	5	270.0	- 270.0	270.0	N/Q	-	-	-	608	- 608	608
280-330	FD	C	2	47	300.0	- 323.0	314.8	N/Q	-	-	-	855	- 1017	958
	RS	C	2	38	315.0	- 326.0	321.7	52	-	-	-	898	- 929	917
		C	3	4	307.0	- 307.0	307.0	N/Q	579	- 579	579	998	- 998	998
	FD	C	3	9	307.0	- 310.0	307.3	N/Q	-	-	-	915	- 998	989
330+	RS	C	2	21	321.0	- 321.0	321.0	N/Q	-	-	-	1091	- 1091	1091
	FD	C	2	3	305.0	- 305.0	305.0	N/Q	-	-	-	1022	- 1022	1022
	FD	C	3	3	310.0	- 310.0	310.0	N/Q	-	-	-	1132	- 1132	1132
		C	3	12	330.0	- 334.0	332.3	2	619	- 623	620	1205	- 1219	1213
				253	260.0	334.0			579	623		608	1219	
Vealer Heifer														
200-280		C	2	5	285.0	- 285.0	285.0	20	548	- 548	548	727	- 727	727
	RS	C	2	36	279.0	- 279.0	279.0	19	-	-	-	711	- 739	722
		C	3	2	303.0	- 303.0	303.0	N/Q	572	- 572	572	833	- 833	833
280-330	RS	C	2	8	285.0	- 285.0	285.0	16	-	-	-	812	- 812	812
	FD	C	2	30	265.0	- 300.0	293.0	N/Q	-	-	-	755	- 990	943
	FD	C	3	2	285.0	- 285.0	285.0	N/Q	-	-	-	812	- 812	812
		C	3	3	300.0	- 325.0	311.7	-3	566	- 602	584	884	- 1008	925
330+		C	3	12	304.0	- 320.0	309.5	8	574	- 604	584	1018	- 1104	1039
	FD	C	3	1	290.0	- 290.0	290.0	N/Q	-	-	-	1001	- 1001	1001
				99	265.0	325.0			548	604		711	1104	
Yearling Steer														
200-280	FD	C	2	6	276.0	- 276.0	276.0	N/Q	-	-	-	759	- 759	759
	RS	C	2	27	273.0	- 281.0	277.1	N/Q	-	-	-	669	- 745	708
	RS	D	2	15	260.0	- 260.0	260.0	-65	-	-	-	715	- 715	715
280-330	RS	C	2	32	275.0	- 310.0	296.7	-18	-	-	-	858	- 992	936

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
330-400	FD	C	2	14	310.0	- 310.0	310.0	-2	-			1023	- 1023	1023
	FD	C	2	194	296.0	- 333.0	320.9	1	-			1021	- 1278	1194
		C	3	3	317.0	- 317.0	317.0	-1	587	- 587	587	1157	- 1157	1157
400+	FD	C	3	35	310.0	- 320.0	315.9	N/Q	-			1139	- 1201	1180
	FD	C	2	261	310.0	- 330.0	323.9	1	-			1296	- 1596	1392
	FD	C	3	234	306.0	- 339.0	329.4	4	-			1336	- 1727	1578
		C	3	83	310.0	- 332.0	326.6	4	574	- 626	612	1318	- 1849	1593
				904	260.0	339.0			574	626		669	1849	
Yearling Heifer														
200-280	RS	C	2	28	275.0	- 280.0	277.5	-10	-			742	- 770	756
280-330	RS	C	2	12	255.0	- 255.0	255.0	N/Q	-			829	- 829	829
	FD	C	2	38	284.0	- 284.0	284.0	-10	-			809	- 923	863
		C	2	4	280.0	- 280.0	280.0	N/Q	528	- 528	528	910	- 910	910
330-400	FD	C	2	31	280.0	- 292.0	285.3	-12	-			951	- 1050	992
	FD	C	3	40	299.0	- 308.0	302.2	N/Q	-			1095	- 1186	1150
		C	3	42	280.0	- 316.0	306.6	8	519	- 591	574	983	- 1248	1170
	FD	D	3	6	242.0	- 242.0	242.0	2	-			932	- 932	932
400+	FD	C	2	16	290.0	- 290.0	290.0	4	-			1233	- 1233	1233
	FD	C	3	46	285.0	- 314.0	301.9	-19	-			1173	- 1565	1356
		C	3	90	294.0	- 320.0	306.9	-1	544	- 593	571	1210	- 1483	1375
				353	242.0	320.0			519	593		742	1565	
Grown Steer														
400-500	FD	C	2	14	321.0	- 321.0	321.0	41	-			1316	- 1316	1316
	FD	C	3	8	283.0	- 283.0	283.0	N/Q	-			1373	- 1373	1373
		C	3	5	280.0	- 309.0	297.4	N/Q	528	- 572	555	1274	- 1406	1353
		C	4	1	326.0	- 326.0	326.0	N/Q	604	- 604	604	1451	- 1451	1451
500-600		C	3	32	315.0	- 325.0	320.6	-14	594	- 613	605	1622	- 1690	1660
		C	4	90	302.0	- 332.0	323.3	N/C	559	- 615	595	1601	- 1942	1830
				150	280.0	332.0			528	615		1274	1942	
Grown Heifer														
0-540		C	2	7	255.0	- 255.0	255.0	N/Q	500	- 500	500	1186	- 1186	1186
	FD	C	3	5	230.0	- 230.0	230.0	N/Q	-			1001	- 1001	1001
		C	3	59	253.0	- 312.0	285.3	N/Q	477	- 585	545	1227	- 1628	1451
		C	4	8	299.0	- 317.0	311.0	N/Q	564	- 591	583	1450	- 1643	1555
540+	RS	D	2	43	160.0	- 190.0	179.5	N/Q	-			424	- 808	674
		D	3	27	203.0	- 260.0	233.2	-23	398	- 500	454	809	- 1261	1093
		C	3	7	268.0	- 304.0	278.3	N/Q	506	- 574	525	1514	- 1718	1572
		C	4	49	274.0	- 314.0	310.6	17	507	- 582	575	1493	- 1825	1764
		D	4	8	266.0	- 290.0	274.0	8	502	- 558	525	1526	- 1639	1561
				213	160.0	317.0			398	591		424	1825	
Manufacturing Steer														
540+		D	3	13	205.0	- 246.0	235.5	N/Q	394	- 473	453	1340	- 1685	1572
				13	205.0	246.0			394	473		1340	1685	
Cows														
0-400		D	2	37	140.0	- 192.0	182.4	N/Q	318	- 447	418	455	- 749	692

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400-520		D	3	1	240.0	- 240.0	240.0	N/Q	511	- 511	511	924	- 924	924
		D	2	63	155.0	- 212.0	193.5	-22	352	- 482	429	736	- 1028	875
	RS	D	2	4	167.0	- 167.0	167.0	N/Q	-	-	-	760	- 760	760
		D	3	256	210.0	- 239.0	225.5	1	447	- 509	482	990	- 1210	1099
520+		D	4	6	241.0	- 241.0	241.0	N/Q	492	- 492	492	1241	- 1241	1241
		C	3	3	262.0	- 262.0	262.0	N/Q	494	- 494	494	1795	- 1795	1795
		D	2	1	215.0	- 215.0	215.0	N/Q	489	- 489	489	1129	- 1129	1129
		D	3	78	218.0	- 239.0	226.3	-15	464	- 509	482	1145	- 1357	1200
		D	4	284	236.0	- 257.0	247.9	-1	458	- 513	485	1260	- 1915	1435
	MR	D	4	2	240.0	- 240.0	240.0	N/Q	471	- 471	471	1572	- 1572	1572
	D	5	7	220.0	- 230.0	225.7	N/C	423	- 460	445	1226	- 1507	1368	
				742	140.0	262.0		318	513		455	1915		
Bulls														
450-600		B	2	1	290.0	- 290.0	290.0	N/Q	500	- 500	500	1726	- 1726	1726
		C	2	4	215.0	- 240.0	233.3	-9	422	- 458	446	1000	- 1392	1252
600+		B	2	27	240.0	- 286.0	269.8	3	444	- 520	488	1729	- 3348	2390
		C	2	3	224.0	- 268.0	250.7	-4	400	- 506	465	1781	- 2814	2353
	RS	C	2	1	259.0	- 259.0	259.0	N/Q	-	-	-	1619	- 1619	1619
				36	215.0	290.0		400	520		1000	3348		

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2015. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.