

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Dubbo

report date 29 Oct 2015

Yarding Change 3660
-165

comparison date 22/10/2015

It was a mixed yarding, with some good runs of prime yearlings, bullocks and cows, along with a reasonable percentage of far western cattle lacking finish. All the regular buyers were operating along with the addition of an extra northern feeder order.

Young cattle to the trade were 6c to 12c dearer, with prime yearling steers selling from 290c to 311c/kg. Prime heifer yearlings sold from 253c to 311c/kg. Young feeder cattle were 17c dearer, with the feeder steers selling from 270c to 332c/kg. Young steers to the restockers sold to 354c/kg.

Grown steers were 8c to 13c dearer, with the prime medium and heavy weights selling from 270c to 309c/kg. Grown heifers sold to 277c/kg. Plainer conditioned cows were firm while the better finished cows were 10c to 18c/kg dearer. 2 score cows sold from 180c to 207c to the processors and 224c/kg to the restockers. The better 3 and 4 scores sold from 210c to 250c, with the 4 score heavy weights averaging 242c/kg. Bulls sold to 290c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
Calves															
0-80	RS	C	2	4	203.0	- 203.0	203.0	73	-	-	-	71	- 71	71	
		C	2	8	270.0	- 290.0	285.0	N/Q	519	- 558	548	176	- 189	185	
80+	RS	C	2	34	284.0	- 327.0	303.4	-18	-	-	-	276	- 312	303	
		D	2	4	220.0	- 220.0	220.0	N/Q	-	-	-	253	- 253	253	
				50	203.0	327.0			519	558		71	312		
Vealer Steer															
0-200		C	2	8	265.0	- 265.0	265.0	N/Q	510	- 510	510	331	- 331	331	
		RS	C	2	14	308.0	- 308.0	308.0	-4	-	-	-	477	- 477	477
		RS	D	2	6	214.0	- 214.0	214.0	N/Q	-	-	-	353	- 353	353
200-280	RS	C	2	16	327.0	- 327.0	327.0	17	-	-	-	834	- 834	834	
280-330	RS	C	2	17	319.0	- 321.0	319.1	N/Q	-	-	-	909	- 915	909	
		FD	C	2	12	315.0	- 315.0	315.0	N/Q	-	-	-	1024	- 1024	1024
330+	RS	C	3	9	327.0	- 327.0	327.0	N/Q	-	-	-	1063	- 1063	1063	
		FD	C	3	3	309.0	- 320.0	312.7	N/Q	-	-	-	1190	- 1232	1204
				85	214.0	327.0			510	510		331	1232		
Vealer Heifer															
0-200	RS	C	2	24	238.0	- 247.0	245.1	-45	-	-	-	440	- 457	453	
200-280	RS	C	2	45	273.0	- 304.0	291.6	10	-	-	-	684	- 723	700	
		C	2	12	270.0	- 270.0	270.0	8	519	- 519	519	635	- 635	635	
		C	3	5	270.0	- 270.0	270.0	N/Q	509	- 519	517	689	- 716	694	
280-330	RS	C	2	6	280.0	- 280.0	280.0	N/Q	528	- 539	530	798	- 826	821	
		FD	C	2	8	287.0	- 287.0	287.0	21	-	-	-	818	- 818	818
330+	RS	C	3	13	280.0	- 284.0	282.8	N/Q	-	-	-	798	- 809	806	
		C	3	5	290.0	- 303.0	294.6	N/Q	547	- 566	554	855	- 943	909	
		C	3	7	292.0	- 305.0	295.0	10	551	- 576	555	1022	- 1095	1043	
330+	FD	C	3	12	280.0	- 293.0	289.4	11	-	-	-	990	- 1078	1037	
		RS	C	3	5	290.0	- 290.0	290.0	N/Q	-	-	-	972	- 972	972

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
					142	238.0	305.0			509	576		440	1095	
Yearling Steer															
0-200	RS	C	2	20	354.0	- 354.0	354.0	N/Q	-				620	- 620	620
200-280	RS	C	2	27	274.0	- 322.0	297.1	12	-				617	- 676	645
	FD	C	2	4	317.0	- 317.0	317.0	32	-				872	- 872	872
280-330	RS	C	2	19	321.0	- 328.0	324.9	26	-				951	- 1056	1044
	FD	C	3	3	318.0	- 318.0	318.0	26	-				1034	- 1034	1034
		C	3	3	302.0	- 302.0	302.0	N/Q	570	- 570	570		982	- 982	982
330-400	FD	C	2	4	315.0	- 315.0	315.0	14	-				1213	- 1213	1213
	RS	C	2	27	328.0	- 330.0	328.7	30	-				1106	- 1164	1145
	RS	C	3	10	322.0	- 322.0	322.0	N/Q	-				1175	- 1175	1175
	FD	C	3	118	270.0	- 329.0	314.4	16	-				986	- 1236	1184
		C	3	3	290.0	- 290.0	290.0	-7	547	- 547	547		1117	- 1117	1117
400+	FD	C	2	22	309.0	- 322.0	318.5	28	-				1267	- 1336	1317
	RS	C	3	5	321.0	- 321.0	321.0	N/Q	-				1316	- 1316	1316
	FD	C	3	343	270.0	- 332.0	314.4	17	-				1204	- 1654	1433
		C	3	49	295.0	- 311.0	304.9	19	546	- 576	565		1254	- 1726	1627
		C	4	14	296.0	- 296.0	296.0	N/Q	548	- 548	548		1613	- 1613	1613
					671	270.0	354.0			546	576		617	1726	
Yearling Heifer															
0-200	RS	C	2	22	304.0	- 304.0	304.0	N/Q	-				547	- 547	547
200-280	RS	C	2	78	285.0	- 300.0	294.7	48	-				727	- 795	766
280-330	RS	C	2	30	240.0	- 303.0	285.2	19	-				780	- 864	822
		C	2	15	273.0	- 273.0	273.0	19	525	- 525	525		778	- 778	778
		C	3	5	305.0	- 305.0	305.0	22	576	- 576	576		1007	- 1007	1007
330-400		C	2	5	260.0	- 260.0	260.0	N/Q	491	- 491	491		897	- 897	897
	FD	C	2	25	278.0	- 295.0	286.7	13	-				1011	- 1136	1068
	RS	C	3	17	270.0	- 298.0	296.4	N/Q	-				1028	- 1040	1029
	FD	C	3	138	281.0	- 298.0	289.1	17	-				955	- 1147	1072
		C	3	30	253.0	- 311.0	288.2	17	477	- 587	544		949	- 1135	1052
400+		C	3	51	259.0	- 300.0	279.3	6	489	- 556	522		1075	- 1387	1203
	FD	C	3	178	270.0	- 306.0	285.2	2	-				1144	- 1363	1267
	FD	D	3	3	264.0	- 264.0	264.0	N/Q	-				1175	- 1175	1175
					597	240.0	311.0			477	587		547	1387	
Grown Steer															
0-400	RS	C	2	7	247.0	- 247.0	247.0	N/Q	-				951	- 951	951
	RS	D	3	10	240.0	- 270.0	255.0	N/Q	-				804	- 896	850
400-500	RS	C	2	8	246.0	- 246.0	246.0	N/Q	-				1046	- 1046	1046
		C	2	17	262.0	- 262.0	262.0	N/Q	504	- 504	504		1245	- 1245	1245
	FD	C	2	18	263.0	- 315.0	306.3	29	-				1249	- 1339	1324
		C	3	27	250.0	- 293.0	261.0	N/Q	472	- 553	497		1213	- 1392	1250
	FD	C	3	47	275.0	- 310.0	298.3	16	-				1334	- 1442	1381
	FD	C	4	21	285.0	- 318.0	310.6	N/Q	-				1240	- 1574	1512
		C	4	1	285.0	- 285.0	285.0	N/Q	538	- 538	538		1240	- 1240	1240
	FD	D	3	12	259.0	- 259.0	259.0	N/Q	-				1256	- 1256	1256

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
		D	3	21	231.0	- 248.0	240.7	N/Q	436	- 477	459	982	- 1128	1066
	RS	D	3	1	276.0	- 276.0	276.0	N/Q	-			1256	- 1256	1256
500-600	FD	C	3	2	295.0	- 295.0	295.0	N/Q	-			1549	- 1549	1549
		C	3	38	255.0	- 298.0	281.4	21	481	- 562	533	1339	- 1580	1512
		C	4	124	270.0	- 309.0	295.6	8	491	- 572	548	1418	- 1808	1633
	FD	C	4	44	295.0	- 316.0	303.7	12	-			1545	- 1722	1574
600-750		C	4	51	287.0	- 309.0	301.0	17	522	- 572	555	1813	- 2110	1956
750+		C	3	3	264.0	- 264.0	264.0	N/Q	498	- 498	498	2072	- 2072	2072
				452	231.0	318.0			436	572		804	2110	
Grown Heifer														
0-540		C	3	24	255.0	- 265.0	257.3	7	483	- 500	491	1084	- 1216	1120
	FD	C	3	9	270.0	- 270.0	270.0	N/Q	-			1175	- 1175	1175
	FD	C	4	12	270.0	- 270.0	270.0	N/Q	-			1418	- 1418	1418
		C	4	109	250.0	- 277.0	265.7	12	472	- 523	497	1160	- 1454	1312
		D	3	17	204.0	- 204.0	204.0	-17	408	- 408	408	704	- 704	704
540+		C	3	12	266.0	- 266.0	266.0	N/Q	502	- 502	502	1450	- 1450	1450
		C	4	26	250.0	- 274.0	259.6	6	463	- 507	486	1373	- 1563	1438
				209	204.0	277.0			408	523		704	1563	
Manufacturing Steer														
540+		D	3	1	230.0	- 230.0	230.0	N/Q	442	- 442	442	1806	- 1806	1806
				1	230.0	230.0			442	442		1806	1806	
Cows														
0-400		D	2	61	185.0	- 204.0	197.1	-1	421	- 464	448	680	- 770	719
	RS	D	2	11	200.0	- 205.0	202.7	-5	-			770	- 789	781
400-520	RS	D	2	6	224.0	- 224.0	224.0	34	-			1064	- 1064	1064
		D	2	7	180.0	- 207.0	192.4	1	409	- 471	437	765	- 1002	891
		D	3	60	210.0	- 235.0	223.7	27	447	- 500	476	914	- 1185	1067
		D	4	30	244.0	- 244.0	244.0	34	519	- 519	519	1183	- 1183	1183
520+		C	3	3	230.0	- 230.0	230.0	N/Q	489	- 489	489	1208	- 1208	1208
		D	3	58	214.0	- 239.0	233.7	17	455	- 509	497	1124	- 1350	1252
		D	4	240	215.0	- 250.0	242.2	9	430	- 500	471	1150	- 2205	1494
		D	5	15	220.0	- 228.0	221.6	27	423	- 447	428	1375	- 1995	1499
				491	180.0	250.0			409	519		680	2205	
Bulls														
0-450		B	2	4	252.0	- 252.0	252.0	N/Q	485	- 485	485	1071	- 1071	1071
		C	2	29	230.0	- 285.0	239.7	8	442	- 538	459	886	- 1240	942
	FD	C	2	38	230.0	- 256.0	237.5	-3	-			679	- 730	693
	RS	C	2	84	251.0	- 328.0	306.2	35	-			640	- 1150	737
450-600		C	2	38	250.0	- 283.0	252.4	N/Q	472	- 534	477	1163	- 1486	1290
600+		B	2	15	260.0	- 290.0	277.1	15	482	- 516	509	1945	- 3563	2480
		C	2	4	240.0	- 258.0	249.0	2	487	- 546	516	1500	- 1974	1737
				212	230.0	328.0			442	546		640	3563	

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© 2015 Meat and Livestock Australia Limited

Page: 3 of 4

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg

© MLA 2015. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.