

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Dubbo

report date 05 Nov 2015

Yarding Change 3510
-150

comparison date 29/10/2015

It was a good quality yarding with a good selection of prime cattle in all sections along with a fair selection of plainer types in from the far-west. All the regular buyers were operating along with the addition of some extra northern restocker and feeder orders.

Young cattle to the trade were 6c to 12c dearer with prime steer yearlings selling from 304c to 321c, while the prime heifer yearlings sold from 293c to 317c/kg. Young feeder cattle were 13c to 22c dearer with the feeder steers selling from 297c to 353c, while the feeder heifers sold from 283c to 327c/kg. Young steers to the restocker sold to 349c/kg.

Grown steers were 12c to 15c dearer with the prime medium and heavy weights selling from 302c to 317c to slaughter and 332c/kg to feed. Grown heifers sold to 306c/kg. Plain condition cows were 20c dearer while the better types were 9c to 15c/kg dearer. The 2 scores sold from 205c to 237c while the better 3 and 4 scores sold from 233c to 272c with the 4 score heavy weights averaging 258c/kg. Bulls sold to 307c/kg.

A reminder that all red meat producers need to be using the current LPA NVD from the 16th November for all livestock movements and sales.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
0-80		C	2	3	253.0	- 357.0	322.3	37	487	- 687	620	139	- 232	201
	RS	C	2	8	345.0	- 345.0	345.0	N/Q		-		190	- 190	190
80+	RS	C	2	31	316.0	- 380.0	340.4	37		-		289	- 395	321
				42	253.0	380.0			487	687		139	395	
Vealer Steer														
0-200	RS	C	2	18	270.0	- 301.0	273.4	-35		-		473	- 557	482
200-280	RS	C	2	28	326.0	- 345.0	340.3	13		-		797	- 893	868
	FD	C	2	14	337.0	- 349.0	341.3	N/Q		-		855	- 910	890
	FD	C	3	1	315.0	- 315.0	315.0	N/Q		-		866	- 866	866
280-330	FD	C	2	8	338.0	- 338.0	338.0	23		-		963	- 963	963
	FD	C	3	1	320.0	- 320.0	320.0	N/Q		-		912	- 912	912
330+	FD	C	3	3	327.0	- 328.0	327.7	15		-		1095	- 1132	1120
				73	270.0	349.0			0	0		473	1132	
Vealer Heifer														
0-200		C	2	2	290.0	- 300.0	295.0	N/Q	558	- 577	567	555	- 566	560
	RS	C	2	18	310.0	- 310.0	310.0	65		-		527	- 527	527
200-280		C	2	18	290.0	- 308.0	304.5	35	558	- 592	586	711	- 808	766
	FD	C	2	13	289.0	- 310.0	305.2	N/Q		-		795	- 822	815
		C	3	5	290.0	- 301.0	298.8	29	547	- 568	564	653	- 798	769
280-330	FD	C	2	6	297.0	- 297.0	297.0	10		-		846	- 846	846
	RS	C	2	11	290.0	- 290.0	290.0	N/Q		-		827	- 827	827
		C	3	3	308.0	- 308.0	308.0	13	592	- 592	592	878	- 878	878
330+		C	3	17	290.0	- 310.0	305.0	10	547	- 585	576	972	- 1113	1049
	FD	C	3	7	316.0	- 316.0	316.0	27		-		1153	- 1153	1153
				100	289.0	316.0			547	592		527	1153	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Yearling Steer														
200-280	FD	C	2	5	342.0	- 342.0	342.0	25	-	-	-	941	- 941	941
	RS	C	2	39	349.0	- 349.0	349.0	52	-	-	-	960	- 960	960
	FD	D	3	3	278.0	- 278.0	278.0	N/Q	-	-	-	737	- 737	737
	RS	D	3	16	298.0	- 298.0	298.0	N/Q	-	-	-	820	- 820	820
280-330	FD	C	2	19	297.0	- 353.0	336.4	N/Q	-	-	-	846	- 1147	1055
	RS	C	2	33	315.0	- 354.0	338.2	13	-	-	-	938	- 1009	983
330-400	FD	C	2	45	310.0	- 341.0	331.5	17	-	-	-	1085	- 1245	1165
	RS	C	3	35	322.0	- 349.0	346.7	25	-	-	-	1187	- 1317	1205
	FD	C	3	119	321.0	- 349.0	337.6	23	-	-	-	1075	- 1321	1256
400+	FD	C	2	98	311.0	- 339.0	332.3	14	-	-	-	1275	- 1441	1418
	FD	C	3	322	307.0	- 344.0	328.4	14	-	-	-	1259	- 1643	1474
	RS	C	3	29	338.0	- 338.0	338.0	17	-	-	-	1403	- 1403	1403
		C	3	15	304.0	- 321.0	310.6	6	553	- 606	574	1332	- 1474	1429
				778	278.0	354.0			553	606		737	1643	
Yearling Heifer														
200-280	FD	C	2	69	309.0	- 311.0	310.0	N/Q	-	-	-	762	- 819	790
	RS	C	2	33	270.0	- 304.0	288.4	-6	-	-	-	684	- 731	693
280-330	RS	C	2	16	304.0	- 304.0	304.0	19	-	-	-	897	- 897	897
	FD	C	2	21	300.0	- 310.0	303.3	N/Q	-	-	-	930	- 946	935
		C	2	5	268.0	- 268.0	268.0	-5	515	- 515	515	764	- 764	764
330-400	FD	C	3	45	302.0	- 306.0	302.4	N/Q	-	-	-	982	- 995	983
	FD	C	2	1	292.0	- 292.0	292.0	N/Q	-	-	-	1124	- 1124	1124
		C	3	79	300.0	- 312.0	305.8	18	566	- 589	577	1005	- 1159	1118
400+	FD	C	2	13	313.0	- 313.0	313.0	N/Q	-	-	-	1518	- 1518	1518
	FD	C	3	183	292.0	- 327.0	309.4	24	-	-	-	1275	- 1504	1386
		C	3	88	293.0	- 317.0	304.3	25	553	- 598	573	1245	- 1575	1350
				803	268.0	327.0			515	598		684	1575	
Grown Steer														
0-400	FD	C	2	14	290.0	- 290.0	290.0	N/Q	-	-	-	798	- 798	798
	RS	C	2	6	292.0	- 292.0	292.0	45	-	-	-	832	- 832	832
	FD	C	3	11	288.0	- 314.0	304.5	N/Q	-	-	-	978	- 1209	1140
400-500	FD	C	2	71	260.0	- 325.0	298.4	-8	-	-	-	1131	- 1447	1297
	FD	C	3	161	318.0	- 332.0	325.6	27	-	-	-	1332	- 1577	1543
	FD	C	4	13	324.0	- 324.0	324.0	13	-	-	-	1571	- 1571	1571
		C	4	17	309.0	- 316.0	311.5	26	572	- 596	581	1499	- 1501	1499
500-600	FD	C	2	25	266.0	- 266.0	266.0	N/Q	-	-	-	1397	- 1397	1397
		C	2	6	270.0	- 270.0	270.0	N/Q	509	- 509	509	1418	- 1418	1418
		C	3	11	305.0	- 305.0	305.0	24	576	- 576	576	1601	- 1601	1601
		C	4	84	304.0	- 319.0	310.9	15	563	- 602	578	1571	- 1854	1684
600-750	FD	C	4	49	305.0	- 323.0	318.7	15	-	-	-	1628	- 1784	1711
		B	4	13	302.0	- 302.0	302.0	N/Q	559	- 559	559	1888	- 1888	1888
		C	4	10	313.0	- 313.0	313.0	12	569	- 569	569	1956	- 1956	1956
				491	260.0	332.0			509	602		798	1956	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Grown Heifer														
0-540	RS	C	2	34	274.0	- 304.0	300.5	N/Q	-			918	- 1292	1160
	FD	C	3	15	270.0	- 297.0	286.1	16	-			1175	- 1381	1340
		C	3	20	280.0	- 306.0	298.9	42	539	- 577	565	1190	- 1392	1312
		C	4	56	265.0	- 299.0	291.1	25	500	- 564	546	1391	- 1565	1504
	FD	C	4	13	283.0	- 306.0	299.4	29	-			1301	- 1525	1367
	RS	D	2	3	248.0	- 248.0	248.0	N/Q	-			707	- 707	707
	FD	D	3	5	269.0	- 288.0	276.6	N/Q	-			1224	- 1305	1272
		D	3	22	258.0	- 269.0	262.0	58	508	- 527	520	1251	- 1278	1261
540+		C	4	6	293.0	- 293.0	293.0	33	543	- 543	543	1831	- 1831	1831
				174	248.0	306.0			500	577		707	1831	
Manufacturing Steer														
0-540		D	3	7	243.0	- 248.0	243.7	N/Q	496	- 517	514	1276	- 1302	1280
540+		D	3	1	254.0	- 254.0	254.0	N/Q	489	- 489	489	1588	- 1588	1588
				8	243.0	254.0			489	517		1276	1588	
Cows														
0-400	RS	D	2	3	238.0	- 238.0	238.0	35	-			845	- 845	845
		D	2	11	218.0	- 218.0	218.0	21	496	- 496	496	709	- 709	709
400-520		D	2	6	220.0	- 233.0	224.3	32	500	- 530	510	913	- 967	931
	RS	D	2	13	237.0	- 237.0	237.0	13	-			1007	- 1007	1007
	DA	D	2	8	205.0	- 205.0	205.0	N/Q	466	- 466	466	994	- 994	994
	RS	D	3	3	233.0	- 233.0	233.0	N/Q	-			1107	- 1107	1107
		D	3	25	233.0	- 250.0	244.0	20	506	- 532	520	1048	- 1213	1135
		D	4	42	246.0	- 258.0	252.9	9	490	- 502	495	1193	- 1316	1264
520+		C	3	5	270.0	- 270.0	270.0	40	519	- 519	519	1580	- 1580	1580
	DA	D	2	4	228.0	- 228.0	228.0	N/Q	496	- 496	496	1197	- 1197	1197
		D	3	9	240.0	- 250.0	242.8	9	490	- 532	505	1260	- 1313	1275
		D	4	193	242.0	- 272.0	257.5	15	465	- 560	502	1271	- 2081	1501
		D	5	6	230.0	- 230.0	230.0	8	451	- 451	451	1553	- 1553	1553
				328	205.0	272.0			451	560		709	2081	
Bulls														
0-450	RS	C	2	24	200.0	- 260.0	207.5	-99	-			710	- 741	714
		C	2	43	230.0	- 230.0	230.0	-10	442	- 442	442	955	- 955	955
		D	3	14	230.0	- 257.0	248.7	N/Q	442	- 494	478	963	- 1001	982
450-600		C	2	3	253.0	- 253.0	253.0	1	477	- 477	477	1480	- 1480	1480
600+		B	2	17	250.0	- 307.0	290.7	14	455	- 563	533	1959	- 3250	2344
		C	2	9	260.0	- 274.0	263.1	14	491	- 517	496	1781	- 2370	1912
		C	3	1	294.0	- 294.0	294.0	N/Q	544	- 544	544	2543	- 2543	2543
				111	200.0	307.0			442	563		710	3250	

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2015. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.