

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Naracoorte

report date 02 Feb 2016

Yarding Change ¹⁹⁴¹
191

comparison date 19/01/2016

Cattle yardings increased compared to the last sale held two week's ago. Quality was mainly good and sold to a regular following of buyers with restocker activity very strong. Prices lifted 3c to 8c for most vealers and plain quality yearlings but good quality yearlings remained unchanged. The grown steers sold around the levels of last sale however the grown heifers averaged 10c/kg higher. The market comprised of 1,195 live weight cattle, 625 cows, 66 open auction young cattle and 55 bulls.

The C2 and C3 vealers, along with some B muscled 2 and 3 scores, sold from 270c to 315c with restockers going to 320c/kg to secure supply. The yearling portions were from 252c to 295c with restockers paying to 308c/kg. Restockers were very strong on D2 yearlings and paid to 304c with most sales from 240c to 285c/kg.

Grown steers made from 260c to 292c for the C3 and C4 grades to processors, and from 256c to 288c/kg for the C2 and C3 grades to restockers. Most C2 to C4 grown heifers were in a range of 240c to 282c/kg.

Cows sold from unchanged to 12c/kg higher in a plain to very good quality offering. The D1 grades made 162c to 190c, D2's were from 200c to 220c and the 3 to 5 scores made 210c to 232c/kg.

There was a good line up of B2 heavy weight bulls and they sold from 210c to 235c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Vealer Steer														
200-280		B	2	1	299.0	- 299.0	299.0	N/Q	564	- 564	564	822	- 822	822
	RS	B	2	8	311.0	- 314.0	312.9	N/Q	-	-	-	809	- 816	813
	RS	C	2	7	320.0	- 320.0	320.0	N/Q	-	-	-	832	- 832	832
280-330		B	3	1	318.0	- 318.0	318.0	N/Q	568	- 568	568	922	- 922	922
	FD	C	2	1	286.0	- 286.0	286.0	N/Q	-	-	-	944	- 944	944
		C	2	3	305.0	- 305.0	305.0	N/Q	565	- 565	565	869	- 869	869
	RS	C	2	4	288.0	- 292.0	290.5	-2	-	-	-	827	- 964	926
	FD	C	3	16	300.0	- 302.0	301.4	N/Q	-	-	-	930	- 997	976
		C	3	19	296.0	- 314.0	302.6	-7	546	- 582	560	942	- 1007	981
	RS	C	3	19	306.0	- 314.0	311.8	2	-	-	-	926	- 995	947
330+	RS	C	2	5	319.0	- 319.0	319.0	N/Q	-	-	-	1085	- 1085	1085
	FD	C	3	10	300.0	- 300.0	300.0	4	-	-	-	1035	- 1035	1035
		C	3	13	295.0	- 301.0	300.2	6	536	- 547	546	1136	- 1159	1156
	RS	C	3	8	295.0	- 295.0	295.0	-13	-	-	-	1018	- 1018	1018
		C	4	2	295.0	- 295.0	295.0	N/Q	527	- 527	527	1298	- 1298	1298
				117	286.0	320.0			527	582		809	1298	
Vealer Heifer														
200-280	RS	C	2	1	272.0	- 272.0	272.0	N/Q	-	-	-	721	- 721	721
		C	2	10	282.0	- 288.0	284.8	N/Q	532	- 554	544	734	- 753	743
		C	3	1	315.0	- 315.0	315.0	N/Q	573	- 573	573	851	- 851	851
280-330	FD	C	2	1	282.0	- 282.0	282.0	N/Q	-	-	-	804	- 804	804
	RS	C	2	38	285.0	- 297.0	291.1	N/Q	-	-	-	812	- 934	850
	RS	C	3	15	280.0	- 290.0	286.7	N/Q	-	-	-	826	- 827	826
		C	3	10	288.0	- 304.0	291.5	7	533	- 553	538	821	- 866	848

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
330+		C	3	19	286.0	- 305.0	292.2	9	527	- 545	534	979	- 1218	1022
	RS	C	3	26	264.0	- 293.0	287.4	N/Q	-	-	-	884	- 1113	1020
				121	264.0	315.0			527	573		721	1218	
Yearling Steer														
200-280	RS	C	1	6	250.0	- 304.0	295.0	N/Q	-	-	-	625	- 669	662
	RS	D	1	1	155.0	- 155.0	155.0	N/Q	-	-	-	434	- 434	434
	RS	D	2	2	304.0	- 304.0	304.0	N/Q	-	-	-	760	- 760	760
280-330		D	2	4	226.0	- 270.0	259.0	N/Q	452	- 563	535	610	- 702	679
	RS	C	2	17	290.0	- 302.0	294.0	-8	-	-	-	827	- 921	856
330-400	RS	D	2	9	303.0	- 303.0	303.0	N/Q	-	-	-	939	- 939	939
	RS	C	1	4	236.0	- 236.0	236.0	N/Q	-	-	-	814	- 814	814
400+	RS	C	2	36	272.0	- 308.0	302.0	5	-	-	-	998	- 1124	1082
	FD	C	2	35	265.0	- 302.0	293.5	N/Q	-	-	-	914	- 1087	1024
		C	3	3	285.0	- 295.0	288.3	-11	528	- 546	534	1047	- 1097	1081
	FD	C	3	20	296.0	- 302.0	300.5	4	-	-	-	1154	- 1208	1195
400+	FD	C	2	27	296.0	- 296.0	296.0	6	-	-	-	1228	- 1376	1295
	RS	C	2	7	255.0	- 278.0	263.4	N/Q	-	-	-	1148	- 1186	1162
	RS	C	3	1	280.0	- 280.0	280.0	N/Q	-	-	-	1148	- 1148	1148
	FD	C	3	6	290.0	- 290.0	290.0	N/C	-	-	-	1276	- 1276	1276
		C	3	25	278.0	- 285.0	282.7	-1	522	- 536	527	1154	- 1481	1412
	RS	D	2	8	270.0	- 270.0	270.0	N/Q	-	-	-	1188	- 1188	1188
				211	155.0	308.0			452	563		434	1481	
Yearling Heifer														
200-280	RS	D	1	9	220.0	- 265.0	225.0	N/Q	-	-	-	528	- 649	541
	FD	D	2	22	277.0	- 286.0	283.5	N/Q	-	-	-	693	- 801	771
		D	2	2	240.0	- 240.0	240.0	N/Q	490	- 490	490	588	- 588	588
280-330	RS	D	2	22	233.0	- 303.0	262.7	N/Q	-	-	-	572	- 803	654
	RS	C	2	11	280.0	- 288.0	284.7	N/Q	-	-	-	924	- 950	940
	RS	D	1	4	223.0	- 223.0	223.0	N/Q	-	-	-	714	- 714	714
	FD	D	2	12	256.0	- 272.0	264.8	N/Q	-	-	-	758	- 884	777
330-400	RS	D	2	22	256.0	- 275.0	270.0	-9	-	-	-	767	- 866	812
	RS	C	2	16	269.0	- 290.0	279.5	16	-	-	-	986	- 1076	1031
	FD	C	2	24	260.0	- 280.0	273.3	12	-	-	-	897	- 1120	1046
		C	3	11	265.0	- 285.0	266.8	-10	510	- 538	512	1060	- 1140	1067
	FD	C	3	28	274.0	- 274.0	274.0	1	-	-	-	1055	- 1055	1055
	RS	D	1	7	255.0	- 255.0	255.0	N/Q	-	-	-	867	- 867	867
		D	2	3	250.0	- 250.0	250.0	N/Q	500	- 500	500	863	- 863	863
400+	RS	D	2	24	240.0	- 284.0	273.0	N/Q	-	-	-	888	- 980	963
		D	3	3	270.0	- 270.0	270.0	N/Q	551	- 551	551	1040	- 1040	1040
		C	2	4	252.0	- 252.0	252.0	N/Q	494	- 494	494	1096	- 1096	1096
	FD	C	2	14	252.0	- 277.0	274.4	N/Q	-	-	-	1096	- 1163	1155
	RS	C	2	2	274.0	- 274.0	274.0	N/Q	-	-	-	1247	- 1247	1247
400+	RS	C	3	28	272.0	- 285.0	278.0	N/Q	-	-	-	1211	- 1224	1218
		C	3	100	260.0	- 286.0	275.0	5	491	- 540	523	1148	- 1430	1246
		D	1	3	180.0	- 180.0	180.0	N/Q	375	- 375	375	765	- 765	765

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
	RS	D	1	15	260.0	- 260.0	260.0	N/Q	-			1118	- 1118	1118	
	FD	D	2	1	235.0	- 235.0	235.0	N/Q	-			1140	- 1140	1140	
		D	2	2	258.0	- 258.0	258.0	N/Q	527	- 527	527	1058	- 1058	1058	
				389	180.0	303.0			375	551		528	1430		
Grown Steer															
0-400	FD	C	3	5	275.0	- 275.0	275.0	N/Q	-			729	- 729	729	
400-500	RS	D	2	1	250.0	- 250.0	250.0	N/Q	-			1225	- 1225	1225	
500-600	RS	C	3	26	256.0	- 288.0	274.0	N/Q	-			1370	- 1598	1492	
		C	3	29	270.0	- 290.0	283.5	2	513	- 540	531	1565	- 1711	1653	
		C	4	14	292.0	- 292.0	292.0	N/Q	521	- 521	521	1708	- 1708	1708	
600-750	C	3	25	270.0	- 283.0	281.8	N/Q	509	- 534	532	1715	- 1769	1747		
		4	38	260.0	- 288.0	280.7	N/Q	473	- 533	517	1706	- 1904	1830		
				138	250.0	292.0			473	540		729	1904		
Grown Heifer															
0-540	RS	C	2	6	252.0	- 252.0	252.0	N/Q	-			1310	- 1310	1310	
		C	3	3	274.0	- 274.0	274.0	12	517	- 517	517	1439	- 1439	1439	
540+	RS	D	2	11	239.0	- 239.0	239.0	N/Q	-			1147	- 1147	1147	
		FD	C	2	2	260.0	- 260.0	260.0	N/Q	-			1443	- 1443	1443
			C	2	1	242.0	- 242.0	242.0	N/Q	475	- 475	475	1319	- 1319	1319
	C	3	32	236.0	- 276.0	266.9	11	454	- 531	512	1333	- 1540	1499		
	C	4	10	248.0	- 282.0	275.2	N/Q	468	- 532	519	1538	- 1593	1586		
	C	5	5	225.0	- 270.0	243.0	N/Q	425	- 509	459	1496	- 1526	1508		
RS	D	2	8	230.0	- 230.0	230.0	N/Q	-			1277	- 1277	1277		
	D	2	10	210.0	- 240.0	236.5	N/Q	429	- 480	473	1176	- 1332	1311		
				88	210.0	282.0			425	532		1147	1593		
Manufacturing Steer															
0-540		D	1	5	210.0	- 210.0	210.0	N/Q	438	- 438	438	966	- 966	966	
		D	2	1	240.0	- 240.0	240.0	N/Q	490	- 490	490	1152	- 1152	1152	
		RS	D	2	10	206.0	- 206.0	206.0	N/Q	-			958	- 958	958
540+	DA	D	2	13	236.0	- 236.0	236.0	N/Q	463	- 463	463	1522	- 1522	1522	
				29	206.0	240.0			438	490		958	1522		
Cows															
400-520	C	2	3	220.0	- 232.0	228.0	N/Q	440	- 464	456	1023	- 1195	1138		
		RS	D	1	11	164.0	- 190.0	173.5	3	-		853	- 893	867	
520+	D	1	7	160.0	- 188.0	172.0	N/Q	364	- 418	387	720	- 978	830		
		C	2	22	202.0	- 225.0	214.4	N/Q	430	- 469	446	1273	- 1328	1305	
	C	3	117	218.0	- 232.0	224.9	N/Q	440	- 460	451	1298	- 1631	1388		
	C	4	126	210.0	- 232.0	227.7	N/Q	412	- 465	451	1345	- 1859	1466		
	C	5	11	230.0	- 230.0	230.0	N/Q	451	- 451	451	1518	- 1518	1518		
	RS	D	1	28	182.0	- 215.0	205.2	N/Q	-			983	- 1212	1123	
		D	1	12	162.0	- 190.0	179.8	N/Q	360	- 427	402	940	- 1026	990	
	DA	D	1	1	186.0	- 186.0	186.0	N/Q	423	- 423	423	1190	- 1190	1190	
D		2	36	200.0	- 220.0	213.9	18	426	- 468	443	1107	- 1350	1213		
RS	D	2	5	199.0	- 199.0	199.0	N/Q	-			1154	- 1154	1154		
	D	3	40	215.0	- 225.0	223.3	9	439	- 463	455	1258	- 1376	1337		

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
				419	160.0	232.0			360	469		720	1859	
Bulls														
0-450		C	2	12	227.0	- 256.0	243.6	N/Q	437	- 483	470	103	- 905	712
	RS	C	2	22	247.0	- 258.0	256.9	N/Q		-		803	- 851	846
	RS	D	1	2	246.0	- 246.0	246.0	N/Q		-		554	- 554	554
		D	2	2	216.0	- 216.0	216.0	N/Q	424	- 424	424	940	- 940	940
450-600		B	2	7	228.0	- 235.0	233.0	N/Q	430	- 443	435	1269	- 1351	1318
		C	1	1	158.0	- 158.0	158.0	N/Q	310	- 310	310	924	- 924	924
		C	2	8	212.0	- 212.0	212.0	N/Q	408	- 408	408	1028	- 1028	1028
600+		B	2	31	210.0	- 235.0	222.8	N/Q	362	- 414	397	1725	- 2486	2106
		C	2	10	170.0	- 220.0	203.0	-2	315	- 404	377	1161	- 1958	1617
	DA	D	2	1	148.0	- 148.0	148.0	N/Q	285	- 285	285	940	- 940	940
				96	148.0	258.0			285	483		103	2486	

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2016. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.