

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

NVLX Wodonga

report date 12 Apr 2016

Yarding Change 1955
425

comparison date 05/04/2016

There was a slight increase in the number of cattle offered. Quality was plainer over most of the categories, with only a limited supply of well finished supplementary fed lines. Grown steers and bullocks were in fewer numbers and there were plenty that had 4 and 6 teeth. All the usual buyers attended the sale but not all operated fully in a cheaper market.

Vealers reflected the quality and slipped 10c to 12c to processors to range between 290c and 320c/kg. Trade yearling steers were up to 15c easier, with the medium and heavy weights ranging from 278c to 316c/kg. Heavy trade heifers eased 8c, selling between 280c and 308c/kg. Feeder steers were firm to 4c easier, with most selling from 282c to 320c and heifers to feed were only slightly cheaper, selling from 276c to 308c/kg for the medium weights.

Grown steers lost 7c and the older bullocks were 15c/kg cheaper due to age. A small run of 2 and 4 tooth heifers sold to a dearer trend, selling up to 280c/kg for the better shaped lines.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
0-80	RS	D	1	1	252.2	- 252.2	252.2	N/Q	-			202	- 202	202
80+	RS	C	2	2	315.2	- 315.2	315.2	N/Q	-			504	- 504	504
		C	2	1	356.2	- 356.2	356.2	N/Q	712	- 712	712	570	- 570	570
		D	2	2	291.2	- 291.2	291.2	N/Q	582	- 582	582	349	- 349	349
				6	252.2	356.2			582	712		202	570	
Vealer Steer														
0-200		C	2	1	272.0	- 272.0	272.0	N/Q	504	- 504	504	462	- 462	462
	RS	D	2	2	300.2	- 300.2	300.2	N/Q	-			540	- 540	540
200-280	RS	B	2	1	280.0	- 280.0	280.0	N/Q	-			728	- 728	728
		B	2	1	305.0	- 305.0	305.0	N/Q	565	- 565	565	671	- 671	671
	RS	C	2	43	294.0	- 320.0	310.2	-2	-			651	- 848	782
	RS	D	2	4	240.0	- 285.0	273.8	N/Q	-			576	- 656	636
		D	2	1	266.2	- 266.2	266.2	N/Q	532	- 532	532	639	- 639	639
280-330		C	2	11	304.0	- 304.0	304.0	-7	563	- 563	563	866	- 866	866
	FD	C	2	33	299.2	- 322.0	312.5	-4	-			957	- 1002	981
	RS	C	2	19	298.0	- 309.0	305.1	-1	-			855	- 958	913
330+	FD	C	2	1	300.2	- 300.2	300.2	N/Q	-			1051	- 1051	1051
		C	3	13	300.0	- 320.0	314.6	-10	556	- 593	583	1020	- 1280	1140
		C	4	1	292.0	- 292.0	292.0	N/Q	541	- 541	541	1022	- 1022	1022
				131	240.0	322.0			504	593		462	1280	
Vealer Heifer														
0-200		C	2	2	275.0	- 275.0	275.0	N/Q	529	- 529	529	495	- 495	495
	RS	D	2	9	259.2	- 284.2	270.9	N/Q	-			363	- 512	465
200-280	RS	C	2	68	275.2	- 313.2	296.2	-14	-			578	- 781	713
		C	2	9	295.0	- 295.6	295.5	1	546	- 569	566	797	- 798	798
	RS	D	1	2	100.0	- 206.2	153.1	N/Q	-			260	- 516	388
		D	2	1	250.0	- 250.0	250.0	N/Q	481	- 481	481	625	- 625	625

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
280-330	RS	D	2	32	220.0	- 290.2	274.0	N/Q	-			462	- 702	655
		B	2	8	300.0	- 300.0	300.0	-20	556	- 556	556	855	- 900	878
	RS	C	2	36	285.0	- 300.2	294.6	-6	-			817	- 912	879
	RS	C	3	12	306.2	- 306.2	306.2	N/Q	-			980	- 980	980
		C	3	21	295.0	- 308.2	304.8	N/Q	546	- 571	565	944	- 986	976
330+		C	3	72	296.2	- 318.0	303.2	-19	549	- 589	562	1040	- 1177	1068
	RS	C	3	16	314.0	- 314.0	314.0	N/Q	-			1052	- 1052	1052
					288	100.0	318.0		481	589		260	1177	
Yearling Steer														
200-280	FD	C	2	23	305.0	- 306.0	305.2	-5	-			826	- 839	836
280-330	RS	D	2	16	279.2	- 297.2	295.0	N/Q	-			754	- 802	796
	RS	C	2	17	296.2	- 310.0	304.0	N/Q	-			948	- 977	966
	FD	C	2	28	287.2	- 317.2	302.5	15	-			919	- 1015	976
		C	3	10	308.0	- 308.0	308.0	N/Q	570	- 570	570	986	- 986	986
	FD	C	3	4	300.0	- 305.0	303.8	N/Q	-			960	- 976	972
330-400	DA	D	1	2	210.0	- 210.0	210.0	N/Q	438	- 438	438	672	- 672	672
		B	2	7	324.0	- 324.0	324.0	N/Q	600	- 600	600	1134	- 1134	1134
	RS	C	2	9	260.0	- 300.0	277.4	N/Q	-			863	- 1140	975
		C	2	1	306.0	- 306.0	306.0	N/Q	589	- 589	589	1025	- 1025	1025
	FD	C	2	197	282.2	- 320.2	308.1	2	-			966	- 1186	1094
400+	RS	D	2	2	235.0	- 235.0	235.0	N/Q	-			893	- 893	893
		D	2	14	264.2	- 264.2	264.2	N/Q	528	- 528	528	925	- 925	925
		B	2	1	308.2	- 308.2	308.2	N/Q	571	- 571	571	1325	- 1325	1325
	FD	C	2	17	291.0	- 305.0	299.2	-4	-			1256	- 1446	1335
		C	2	5	265.0	- 280.0	274.0	-17	510	- 539	527	1176	- 1246	1209
		C	3	160	278.0	- 316.0	292.9	-17	515	- 585	542	1250	- 1548	1457
	FD	C	3	14	291.0	- 293.0	291.7	N/Q	-			1289	- 1339	1321
		C	4	8	300.0	- 300.0	300.0	N/Q	556	- 556	556	1740	- 1740	1740
	RS	D	2	1	226.6	- 226.6	226.6	N/Q	-			974	- 974	974
		D	2	13	250.0	- 250.0	250.0	N/Q	481	- 481	481	1050	- 1050	1050
					549	210.0	324.0		438	600		672	1740	
Yearling Heifer														
0-200	RS	D	2	18	284.2	- 284.2	284.2	N/Q	-			512	- 512	512
200-280		C	2	3	284.0	- 284.0	284.0	N/Q	546	- 546	546	738	- 738	738
	FD	C	2	19	294.2	- 294.2	294.2	N/C	-			794	- 794	794
	RS	C	2	17	280.0	- 287.0	282.0	N/Q	-			747	- 775	753
	RS	D	1	1	200.0	- 200.0	200.0	N/Q	-			560	- 560	560
	RS	D	2	24	230.0	- 282.0	273.0	9	-			621	- 723	701
280-330	FD	C	2	33	292.0	- 296.2	295.3	N/Q	-			832	- 945	928
		C	2	18	286.0	- 286.0	286.0	N/Q	550	- 550	550	915	- 915	915
	RS	C	2	5	290.2	- 290.2	290.2	-13	-			871	- 871	871
	RS	C	3	4	285.0	- 285.0	285.0	N/Q	-			855	- 855	855
	FD	C	3	8	300.0	- 300.0	300.0	N/Q	-			960	- 960	960
		C	3	8	304.2	- 304.2	304.2	N/Q	563	- 563	563	973	- 973	973
	RS	D	2	4	255.0	- 280.0	261.3	N/Q	-			816	- 840	822

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
330-400		C	2	8	270.2	- 281.2	277.1	N/Q	520	- 541	533	932	- 1069	1017
	FD	C	2	99	276.0	- 308.0	293.9	2	-			938	- 1096	1029
	RS	C	2	10	280.0	- 288.0	285.6	N/Q	-			952	- 979	971
		C	3	23	287.2	- 305.0	294.3	10	532	- 565	545	962	- 1159	1089
	RS	D	2	9	272.0	- 272.0	272.0	N/Q	-			925	- 925	925
	DA	D	2	5	273.0	- 273.0	273.0	N/Q	581	- 581	581	956	- 956	956
		D	2	4	250.0	- 250.0	250.0	N/Q	490	- 490	490	875	- 875	875
400+	FD	C	2	3	262.0	- 262.0	262.0	-24	-			1074	- 1074	1074
		C	2	22	280.0	- 289.6	287.0	N/C	519	- 557	544	1181	- 1216	1201
		C	3	74	280.0	- 304.0	284.3	-8	519	- 563	527	1189	- 1454	1339
		D	3	8	280.0	- 280.0	280.0	N/Q	528	- 528	528	1330	- 1330	1330
					427	200.0	308.0		490	581		512	1454	
Grown Steer														
0-400		C	3	3	272.0	- 272.0	272.0	N/Q	504	- 504	504	1034	- 1034	1034
	FD	D	2	3	262.0	- 262.0	262.0	N/Q	-			996	- 996	996
400-500	FD	C	2	5	255.0	- 275.0	267.0	N/Q	-			1148	- 1210	1180
		C	2	7	266.0	- 266.0	266.0	N/Q	502	- 502	502	1277	- 1277	1277
		C	3	2	270.0	- 276.0	273.0	N/Q	500	- 511	506	1310	- 1325	1317
	RS	D	2	2	194.2	- 194.2	194.2	N/Q	-			839	- 839	839
500-600		C	3	126	258.0	- 298.0	285.7	-7	478	- 552	529	1428	- 1720	1592
600-750		C	4	29	268.0	- 288.2	280.6	-17	496	- 534	520	1725	- 1983	1797
					177	194.2	298.0		478	552		839	1983	
Grown Heifer														
0-540		C	2	5	258.2	- 258.2	258.2	N/Q	497	- 497	497	1110	- 1110	1110
	FD	C	2	1	255.0	- 255.0	255.0	N/Q	-			1071	- 1071	1071
	RS	C	2	1	273.6	- 273.6	273.6	N/Q	-			1122	- 1122	1122
		C	3	24	252.0	- 280.0	271.1	6	467	- 531	510	1176	- 1452	1335
		C	4	4	240.0	- 240.0	240.0	-50	444	- 444	444	1272	- 1272	1272
	RS	D	2	15	180.0	- 234.2	222.1	N/Q	-			756	- 960	933
		D	2	9	212.0	- 255.0	234.5	N/Q	408	- 500	459	890	- 1097	995
		D	3	13	232.0	- 248.0	243.5	-4	438	- 475	464	1149	- 1299	1223
540+		C	3	1	270.0	- 270.0	270.0	N/Q	500	- 500	500	1512	- 1512	1512
		D	3	4	210.0	- 220.0	217.5	N/Q	396	- 431	423	1176	- 1232	1218
		D	4	4	220.0	- 247.2	226.8	N/Q	415	- 458	426	1384	- 1408	1402
					81	180.0	280.0		396	531		756	1512	
Manufacturing Steer														
0-540		C	3	3	233.0	- 233.0	233.0	N/Q	448	- 448	448	1258	- 1258	1258
	DA	D	3	6	244.0	- 244.0	244.0	N/Q	469	- 469	469	1318	- 1318	1318
540+		C	3	6	253.2	- 260.0	257.7	N/Q	469	- 500	480	1508	- 1722	1670
		D	3	4	238.0	- 238.0	238.0	N/Q	458	- 458	458	1380	- 1380	1380
	DA	D	3	3	230.0	- 230.0	230.0	-15	434	- 434	434	1426	- 1426	1426
		D	4	1	215.2	- 215.2	215.2	N/Q	399	- 399	399	1679	- 1679	1679
					23	215.2	260.0		399	500		1258	1722	
Bulls														
0-450		C	2	3	265.0	- 270.0	268.3	N/Q	491	- 500	497	636	- 945	842

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
	RS	C	2	3	285.0	- 285.0	285.0	N/Q	-			912	- 912	912
				6	265.0	285.0			491	500		636	945	

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2016. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.