

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

CTLX

report date 07 Jun 2016

Yarding Change 1333
-817

comparison date 31/05/2016

Rain in the supply area reduced numbers and the quality remained average. Prime young cattle were limited and most suited feeder orders. Grown steers and bullocks remain in short supply and around 350 cows were offered. All the usual buyers competed in a strong market that lifted 20c/kg and more across most of the yarding.

Light restocking vealer steers reached 367c and heavy heifer vealers ranged from 334c to 348c/kg. Feeder steers received 327c to 366c, with heavy weights topping at 364c/kg. Heifers going onto feed ranged from 300c to 331c/kg. Trade heifers sold from 300c to 333c and the steers averaged 335c/kg.

Grown steers and bullocks to processors ranged from 282c to 311c and 2 tooth steers reached 321c/kg to a feeder order. The 2 score medium weight cows ranged from 212c to 235c and the heavy 3 and 4 scores made from 224c to a single cow at 268c to average 246c/kg. The best of the heavy bulls reached 265c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
Calves															
80+	RS	C	2	2	355.2	- 355.2	355.2	N/Q	-			568	- 568	568	
				2	355.2	355.2			0	0		568	568		
Vealer Steer															
0-200	RS	D	2	8	241.6	- 295.0	255.0	N/Q	-			435	- 531	459	
200-280	RS	C	2	26	319.6	- 367.6	361.3	31	-			752	- 956	858	
		C	2	2	309.2	- 330.0	319.6	N/Q	595	- 623	609	649	- 743	696	
		C	3	3	340.0	- 340.0	340.0	4	630	- 630	630	884	- 884	884	
280-330	FD	C	2	9	324.6	- 344.6	342.4	6	-			974	- 1034	1027	
		RS	C	2	1	312.6	- 312.6	312.6	N/Q	-			891	- 891	891
		C	3	1	308.2	- 308.2	308.2	N/Q	571	- 571	571	925	- 925	925	
330+	FD	C	2	7	335.2	- 335.2	335.2	N/Q	-			1140	- 1140	1140	
		C	3	9	361.6	- 361.6	361.6	27	-			1229	- 1229	1229	
				66	241.6	367.6			571	630		435	1229		
Vealer Heifer															
0-200	RS	C	2	1	280.0	- 280.0	280.0	N/Q	-			476	- 476	476	
	RS	D	2	6	300.0	- 300.0	300.0	N/Q	-			495	- 495	495	
200-280	RS	C	2	23	290.0	- 340.0	305.1	14	-			618	- 918	801	
		FD	C	2	3	310.0	- 310.0	310.0	19	-			806	- 806	806
		C	2	19	300.0	- 330.0	309.5	30	556	- 611	590	630	- 858	728	
	RS	D	2	8	240.0	- 295.2	284.1	N/Q	-			528	- 768	713	
	FD	D	2	4	269.6	- 269.6	269.6	N/Q	-			647	- 647	647	
280-330		D	3	1	241.6	- 241.6	241.6	N/Q	483	- 483	483	652	- 652	652	
	C	2	11	308.6	- 333.6	327.6	N/Q	593	- 618	609	960	- 1034	1010		
		3	2	337.2	- 337.2	337.2	N/Q	624	- 624	624	961	- 961	961		
	RS	C	3	7	335.0	- 335.0	335.0	N/Q	-			1072	- 1072	1072	
	D	3	2	325.0	- 325.0	325.0	N/Q	613	- 613	613	975	- 975	975		
330+		C	3	22	334.6	- 348.2	337.0	18	608	- 645	617	1174	- 1232	1201	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
					109	240.0	348.2			483	645		476	1232	
Yearling Steer															
200-280		C	3	7	357.2	- 357.2	357.2	N/Q	662	- 662	662	964	- 964	964	
	RS	D	2	9	246.0	- 246.0	246.0	N/Q		-		640	- 640	640	
280-330	FD	C	2	65	318.0	- 355.0	345.3	7		-		934	- 1148	1082	
	RS	C	2	12	349.2	- 358.6	356.3	51		-		981	- 1022	1012	
		C	2	3	280.0	- 280.0	280.0	N/Q	539	- 539	539	896	- 896	896	
	FD	C	3	6	354.6	- 354.6	354.6	N/Q		-		1170	- 1170	1170	
		C	3	1	350.0	- 350.0	350.0	N/Q	673	- 673	673	1085	- 1085	1085	
330-400	RS	C	2	14	362.4	- 362.4	362.4	N/Q		-		1268	- 1268	1268	
	FD	C	2	139	327.6	- 366.6	351.7	21		-		1122	- 1369	1302	
		C	3	11	314.2	- 365.0	357.2	N/Q	582	- 676	662	1084	- 1314	1288	
	FD	C	3	18	332.0	- 358.6	352.6	5		-		1262	- 1416	1374	
	FD	D	2	4	358.2	- 358.2	358.2	N/Q		-		1290	- 1290	1290	
	RS	D	2	2	267.0	- 267.0	267.0	N/Q		-		961	- 961	961	
400+	FD	C	2	63	343.0	- 364.0	352.4	12		-		1428	- 1612	1543	
	RS	C	3	15	363.2	- 363.2	363.2	N/Q		-		1562	- 1562	1562	
	FD	C	3	37	320.0	- 363.8	349.0	20		-		1449	- 1673	1600	
		C	3	6	320.0	- 344.2	335.4	19	593	- 637	621	1344	- 1514	1438	
					412	246.0	366.6		539	676		640	1673		
Yearling Heifer															
200-280		D	2	1	218.0	- 218.0	218.0	N/Q	428	- 428	428	567	- 567	567	
	RS	D	2	2	273.2	- 273.2	273.2	N/Q		-		738	- 738	738	
280-330	FD	C	2	19	310.0	- 327.2	321.5	17		-		899	- 1047	1005	
		C	2	18	317.6	- 336.2	330.0	N/Q	611	- 647	635	1016	- 1076	1056	
	FD	D	2	5	308.2	- 358.2	348.2	N/Q		-		986	- 1146	1114	
	RS	D	2	21	270.0	- 306.0	289.7	N/Q		-		837	- 885	862	
	FD	D	3	1	280.0	- 280.0	280.0	N/Q		-		896	- 896	896	
330-400	FD	C	2	1	310.0	- 310.0	310.0	N/Q		-		1116	- 1116	1116	
	RS	C	2	4	306.0	- 306.0	306.0	N/Q		-		1132	- 1132	1132	
	FD	C	3	1	300.0	- 300.0	300.0	N/Q		-		1140	- 1140	1140	
		C	3	25	300.0	- 333.2	328.7	11	556	- 617	609	1072	- 1259	1197	
400+	FD	C	2	22	300.0	- 331.6	330.2	22		-		1260	- 1376	1371	
	RS	C	3	3	324.2	- 324.2	324.2	N/Q		-		1491	- 1491	1491	
		C	3	5	303.6	- 330.0	320.7	12	562	- 611	594	1275	- 1419	1360	
	FD	C	3	2	331.6	- 331.6	331.6	N/Q		-		1393	- 1393	1393	
					130	218.0	358.2		428	647		567	1491		
Grown Steer															
400-500	FD	C	2	2	330.0	- 330.0	330.0	N/Q		-		1452	- 1452	1452	
	FD	C	3	16	290.0	- 331.0	302.8	27		-		1407	- 1589	1463	
		C	3	3	288.6	- 288.6	288.6	N/Q	534	- 534	534	1385	- 1385	1385	
500-600		C	3	23	290.2	- 311.8	306.9	27	537	- 567	564	1538	- 1764	1747	
	FD	C	3	13	321.2	- 321.2	321.2	N/Q		-		1670	- 1670	1670	
600-750		C	3	14	310.0	- 310.0	310.0	N/Q	574	- 574	574	2077	- 2077	2077	
		C	4	1	282.6	- 282.6	282.6	N/Q	523	- 523	523	2035	- 2035	2035	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
				72	282.6	331.0			523	574		1385	2077	
Grown Heifer														
0-540	RS	C	2	28	265.2	- 265.2	265.2	56	-			1087	- 1087	1087
	FD	C	2	16	285.0	- 289.2	288.4	53	-			983	- 1056	1042
		C	3	2	280.0	- 290.0	285.0	N/Q	539	- 558	548	1456	- 1508	1482
		D	1	6	155.2	- 185.2	180.2	N/Q	353	- 412	402	435	- 667	628
		D	2	6	230.0	- 248.0	243.7	N/Q	442	- 517	503	1032	- 1141	1111
	FD	D	2	12	256.0	- 270.0	263.9	N/Q	-			987	- 1166	1049
	RS	D	2	1	202.0	- 202.0	202.0	N/Q	-			687	- 687	687
	RS	D	3	2	290.2	- 290.2	290.2	N/Q	-			1219	- 1219	1219
	FD	D	3	1	278.6	- 278.6	278.6	N/Q	-			1309	- 1309	1309
		D	3	16	257.8	- 269.2	263.2	N/Q	491	- 518	503	915	- 1389	1194
		E	1	1	160.0	- 160.0	160.0	N/Q	364	- 364	364	576	- 576	576
				91	155.2	290.2			353	558		435	1508	
Manufacturing Steer														
0-540	DA	D	1	1	190.0	- 190.0	190.0	N/Q	396	- 396	396	912	- 912	912
		D	2	5	273.2	- 273.2	273.2	N/Q	546	- 546	546	1202	- 1202	1202
540+		D	3	1	250.0	- 250.0	250.0	N/Q	481	- 481	481	1400	- 1400	1400
				7	190.0	273.2			396	546		912	1400	
Cows														
0-400		D	1	13	140.0	- 160.0	158.5	N/Q	318	- 356	353	364	- 576	560
		D	2	6	211.2	- 211.2	211.2	49	459	- 459	459	803	- 803	803
	RS	D	2	41	211.2	- 211.8	211.6	N/Q	-			803	- 805	804
400-520		D	1	3	190.2	- 205.0	200.1	N/Q	414	- 466	448	818	- 841	833
		D	2	152	212.0	- 235.2	222.4	42	442	- 490	470	903	- 1094	996
	RS	D	2	22	218.2	- 218.2	218.2	23	-			1004	- 1004	1004
		D	3	13	222.0	- 245.2	239.8	28	444	- 481	472	1066	- 1275	1228
		D	5	1	180.0	- 180.0	180.0	N/Q	360	- 360	360	918	- 918	918
		E	1	1	100.0	- 100.0	100.0	N/Q	217	- 217	217	420	- 420	420
520+		C	4	5	252.0	- 252.0	252.0	N/Q	467	- 467	467	1613	- 1613	1613
		D	3	32	224.2	- 255.0	238.1	22	441	- 500	472	1198	- 1502	1299
		D	4	38	232.0	- 268.2	246.0	18	455	- 516	482	1296	- 1862	1477
		D	5	1	180.0	- 180.0	180.0	N/Q	353	- 353	353	1368	- 1368	1368
				328	100.0	268.2			217	516		364	1862	
Bulls														
0-450		C	2	8	203.0	- 290.0	220.7	-1	376	- 527	408	568	- 1218	749
450-600		C	2	5	230.0	- 255.6	244.2	25	426	- 473	451	1116	- 1213	1159
600+		B	2	1	265.0	- 265.0	265.0	N/Q	457	- 457	457	1908	- 1908	1908
		C	2	2	230.0	- 240.0	235.0	N/Q	418	- 444	431	1488	- 1564	1526
				16	203.0	290.0			376	527		568	1908	

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2016. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.