

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

CTLX

report date 14 Jun 2016

Yarding Change ²⁴⁵⁰/₁₁₁₇

comparison date 07/06/2016

Numbers lifted and the quality was fair. Yearlings made up the majority of the yarding and feeders were active on most of the yearlings. There were some very good supplementary fed trade cattle. Grown steers and bullocks were very limited and the quality was plainer. Around 450 cows were also penned to the usual group of buyers in a firm to dearer market.

Vealer steers to restock and feed sold from 315c to 361c/kg. Heavy vealers to the trade reached 353c/kg. The medium weight feeder steers gained 5c, and heavy weights 3c/kg. Medium weight heifers to feed jumped 10c/kg. Steers sold from 320c to 369c and heifers 310c to 336c/kg. Trade steers averaged 344c for the medium weights and trade heifers gained 8c on a limited supply and sold to 340c/kg.

Grown steers and bullocks received 278c to 311c on plainer quality. Medium weight cows were unchanged, selling from 210c to 238c, and heavy cows gained 7c to 10c to range between 210c and 262c, averaging 256c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
80+		C	1	4	324.6	- 324.6	324.6	N/Q	649	- 649	649	292	- 292	292
				4	324.6	324.6			649	649		292	292	
Vealer Steer														
0-200	RS	C	2	6	326.2	- 326.2	326.2	N/Q	-	-	-	603	- 603	603
	RS	D	1	2	320.0	- 320.0	320.0	N/Q	-	-	-	544	- 544	544
200-280	FD	C	2	6	320.0	- 338.6	326.2	N/Q	-	-	-	864	- 897	875
	RS	C	2	80	315.6	- 362.2	343.9	-17	-	-	-	694	- 996	874
280-330	RS	C	2	3	360.6	- 360.6	360.6	48	-	-	-	1082	- 1082	1082
	FD	C	2	18	350.0	- 356.2	354.1	12	-	-	-	1015	- 1120	1050
		C	3	18	350.0	- 350.0	350.0	42	648	- 648	648	1120	- 1120	1120
330+		C	3	2	353.2	- 353.2	353.2	N/Q	642	- 642	642	1201	- 1201	1201
	FD	C	3	2	353.2	- 353.2	353.2	N/Q	-	-	-	1201	- 1201	1201
		C	4	7	353.0	- 353.0	353.0	N/Q	642	- 642	642	1341	- 1341	1341
				144	315.6	362.2			642	648		544	1341	
Vealer Heifer														
0-200		C	2	1	320.0	- 320.0	320.0	N/Q	640	- 640	640	576	- 576	576
	RS	D	1	2	284.0	- 284.0	284.0	N/Q	-	-	-	454	- 454	454
	RS	D	2	17	319.2	- 319.2	319.2	19	-	-	-	575	- 575	575
200-280	FD	C	2	26	310.0	- 312.0	311.1	1	-	-	-	806	- 842	826
	RS	C	2	25	270.0	- 340.0	297.1	-8	-	-	-	621	- 884	721
		C	2	4	312.2	- 331.6	325.8	16	589	- 614	606	799	- 862	827
		C	3	15	304.6	- 337.2	322.0	N/Q	564	- 624	596	670	- 877	780
	RS	C	3	1	320.0	- 320.0	320.0	N/Q	-	-	-	784	- 784	784
	FD	D	2	13	280.0	- 280.0	280.0	10	-	-	-	700	- 700	700
280-330	RS	C	2	1	290.0	- 290.0	290.0	N/Q	-	-	-	827	- 827	827
	FD	C	2	18	300.2	- 326.6	317.8	N/Q	-	-	-	901	- 931	921
		C	3	24	321.2	- 339.2	333.7	-4	591	- 617	609	964	- 1052	1032

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
330+	FD	C	3	2	345.2	- 345.2	345.2	N/Q	-			1243	- 1243	1243	
		C	4	4	320.0	- 320.0	320.0	N/Q	582	- 582	582	1216	- 1216	1216	
					153	270.0	345.2			564	640	454	1243		
Yearling Steer															
200-280	FD	D	2	7	320.6	- 320.6	320.6	N/Q	-			866	- 866	866	
		RS	D	2	8	334.2	- 334.2	334.2	N/Q	-			936	- 936	936
280-330	FD	C	2	38	341.2	- 357.6	352.9	8	-			1092	- 1180	1144	
		RS	C	2	36	349.0	- 363.6	356.8	1	-			995	- 1164	1126
330-400	RS	C	2	20	358.2	- 363.2	360.5	-2	-			1200	- 1217	1208	
		FD	C	2	347	320.0	- 366.2	356.9	5	-			1062	- 1402	1271
		C	2	1	320.0	- 320.0	320.0	N/Q	615	- 615	615	1088	- 1088	1088	
		RS	C	3	13	361.8	- 361.8	361.8	N/Q	-			1339	- 1339	1339
		FD	C	3	21	338.0	- 355.6	350.5	-2	-			1254	- 1351	1325
		C	3	28	334.2	- 359.2	344.2	-13	619	- 665	638	1190	- 1365	1277	
		RS	D	2	2	286.2	- 286.2	286.2	N/Q	-			1002	- 1002	1002
		DA	D	2	2	220.0	- 220.0	220.0	N/Q	458	- 458	458	759	- 759	759
400+	FD	C	2	83	269.2	- 369.4	355.8	3	-			1238	- 1588	1517	
		C	3	2	310.0	- 320.0	315.0	N/Q	582	- 585	583	1333	- 1344	1339	
		FD	C	3	75	324.2	- 365.4	346.5	-3	-			1365	- 1747	1616
		FD	C	4	1	340.0	- 340.0	340.0	N/Q	-			1564	- 1564	1564
		C	4	25	317.2	- 340.0	322.7	N/Q	587	- 630	598	1560	- 1681	1630	
					709	220.0	369.4			458	665	759	1747		
Yearling Heifer															
200-280	FD	C	2	1	298.2	- 298.2	298.2	N/Q	574	- 574	574	835	- 835	835	
		RS	D	2	8	285.0	- 290.0	287.5	14	-			770	- 783	776
		FD	D	2	7	289.2	- 289.2	289.2	N/Q	-			781	- 781	781
280-330	FD	C	2	2	333.6	- 333.6	333.6	N/Q	642	- 642	642	1068	- 1068	1068	
		RS	C	2	1	305.0	- 305.0	305.0	N/Q	-			976	- 976	976
		FD	C	2	45	297.6	- 334.6	316.5	-5	-			893	- 1071	952
		RS	D	2	17	280.0	- 307.2	302.4	13	-			896	- 983	968
		FD	D	2	36	321.6	- 321.6	321.6	-27	-			1029	- 1029	1029
330-400	FD	C	2	175	310.0	- 336.2	320.1	10	-			1039	- 1262	1125	
		C	3	3	316.0	- 316.0	316.0	16	-			1153	- 1153	1153	
		C	3	25	320.0	- 340.0	331.5	3	593	- 630	614	1072	- 1241	1188	
		FD	D	2	5	320.0	- 320.0	320.0	N/Q	-			1104	- 1104	1104
		D	2	1	205.0	- 205.0	205.0	N/Q	402	- 402	402	718	- 718	718	
400+	FD	C	2	20	320.0	- 320.0	320.0	-10	-			1344	- 1344	1344	
		C	3	57	318.6	- 335.0	325.8	-6	-			1369	- 1529	1420	
		C	3	24	314.2	- 337.2	328.4	8	582	- 638	620	1320	- 1537	1418	
					441	205.0	340.0			402	642	718	1537		
Grown Steer															
400-500	FD	C	2	1	285.0	- 285.0	285.0	N/Q	548	- 548	548	1226	- 1226	1226	
		C	2	21	310.0	- 310.0	310.0	-20	-			1488	- 1488	1488	
		FD	C	3	1	290.0	- 290.0	290.0	N/Q	-			1392	- 1392	1392

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
500-600	FD	C	3	16	303.2	- 303.2	303.2	-18	-			1546	- 1546	1546
		C	3	4	269.4	- 269.4	269.4	-38	499	- 499	499	1509	- 1509	1509
		C	4	4	305.2	- 305.2	305.2	N/Q	565	- 565	565	1770	- 1770	1770
600-750		C	3	2	278.2	- 278.2	278.2	N/Q	515	- 515	515	1780	- 1780	1780
		C	4	19	279.2	- 311.2	298.1	15	517	- 576	552	1740	- 2213	1930
				68	269.4	311.2			499	576		1226	2213	
Grown Heifer														
0-540	FD	C	2	1	260.0	- 260.0	260.0	N/Q	-			1092	- 1092	1092
		C	3	16	280.0	- 300.0	291.3	N/Q	-			1344	- 1380	1364
		C	3	19	281.6	- 301.2	285.3	N/C	522	- 558	528	1145	- 1506	1349
		C	4	1	315.0	- 315.0	315.0	N/Q	583	- 583	583	1528	- 1528	1528
	FD	D	2	12	240.0	- 300.0	249.1	-15	-			899	- 1260	935
		D	2	4	236.2	- 250.0	239.7	-4	463	- 490	470	992	- 1050	1007
	FD	D	3	1	280.0	- 280.0	280.0	N/Q	-			1218	- 1218	1218
		D	3	15	255.0	- 295.0	289.3	26	481	- 557	546	1316	- 1431	1367
540+		C	3	1	279.2	- 279.2	279.2	N/Q	517	- 517	517	1564	- 1564	1564
		C	4	3	285.0	- 300.2	295.1	N/Q	528	- 556	547	1625	- 1681	1662
		D	4	6	278.2	- 279.6	278.9	N/Q	525	- 528	526	1794	- 1845	1820
				79	236.2	315.0			463	583		899	1845	
Manufacturing Steer														
0-540		C	2	2	265.0	- 265.0	265.0	N/Q	510	- 510	510	1193	- 1193	1193
		FD	C	2	3	240.0	- 240.0	240.0	N/Q	-			1020	- 1020
540+		C	3	2	280.0	- 280.0	280.0	N/Q	528	- 528	528	1568	- 1568	1568
				7	240.0	280.0			510	528		1020	1568	
Cows														
0-400		D	1	19	180.0	- 213.2	197.9	39	400	- 474	439	703	- 853	768
400-520		C	3	1	260.0	- 260.0	260.0	N/Q	510	- 510	510	1352	- 1352	1352
		D	1	1	205.0	- 205.0	205.0	N/Q	466	- 466	466	841	- 841	841
		D	2	149	210.0	- 238.0	223.3	1	442	- 496	475	882	- 1095	971
520+		D	3	49	225.0	- 254.2	239.2	-1	450	- 508	478	1058	- 1249	1153
		D	3	79	224.0	- 257.6	244.7	7	448	- 505	488	1198	- 1481	1328
		D	4	117	248.0	- 262.2	256.8	11	477	- 514	503	1344	- 1835	1633
		D	5	1	235.0	- 235.0	235.0	N/Q	461	- 461	461	1316	- 1316	1316
				416	180.0	262.2			400	514		703	1835	
Bulls														
0-450	RS	C	2	1	230.0	- 230.0	230.0	N/Q	-			840	- 840	840
		C	2	6	220.0	- 250.0	230.8	10	407	- 455	426	759	- 1075	931
450-600		C	2	5	237.6	- 295.2	257.2	13	431	- 527	464	1316	- 1417	1368
		RS	C	2	1	265.0	- 265.0	265.0	N/Q	-			1246	- 1246
600+		B	2	5	257.2	- 265.0	260.9	-4	451	- 465	458	1626	- 2253	2071
		C	2	8	210.0	- 258.0	243.9	9	375	- 469	437	1662	- 2117	1824
				26	210.0	295.2			375	527		759	2253	

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© 2016 Meat and Livestock Australia Limited

Page: 3 of 4

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg

© MLA 2016. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.