

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

CTLX

report date 28 Jun 2016

Yarding Change ¹³¹²
-248

comparison date 21/06/2016

Numbers were back and the quality varied. Weaners were better supplied while feeder steers and heifers were limited. Well finished trade cattle were in good numbers. Grown steers and bullocks were also better supplied and carrying more weight and around 250 mixed quality cows were penned. All the usual buyers operated in a dearer market.

Weaner steers returning to the paddock gained 25c selling from 345c to 400c, and the heifer portion 320c to 350c/kg. Heavy feeder steers were best supplied and sold 14c stronger ranging from 359c to 381c to average 375c/kg. Heifers to feed lifted 9c receiving 312c to 348c/kg. Trade steers gained 2c, while the medium weight heifers to kill lifted 7c/kg. Steers and heifers sold between 328c and 369c/kg.

Grown steers and bullocks gained 3c on average but some sales on age were 10c/kg and stronger. Prices ranged from 296c to 355c/kg. The 2 score medium weight cows averaged firm, but the overall quality was back and sold from 210c to 258c/kg. The heavy weight cows were 10c to 11c dearer selling from 266c to 291c to average 281c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
0-80		C	1	1	389.2	- 389.2	389.2	N/Q	749	- 749	749	311	- 311	311
	RS	C	1	2	312.6	- 400.2	356.4	N/Q				219	- 320	269
80+	RS	C	1	6	410.2	- 410.2	410.2	N/Q				369	- 369	369
				9	312.6	410.2			749	749		219	369	
Vealer Steer														
0-200	RS	C	1	16	400.0	- 400.0	400.0	N/Q				660	- 660	660
	RS	C	2	4	310.6	- 310.6	310.6	-19				559	- 559	559
200-280	RS	C	2	122	345.6	- 400.2	388.4	23				786	- 1038	967
	FD	C	2	9	360.2	- 360.2	360.2	N/Q				955	- 955	955
	RS	C	3	14	394.8	- 394.8	394.8	N/Q				1086	- 1086	1086
280-330	RS	C	2	65	386.2	- 397.6	395.7	N/Q				1153	- 1159	1154
	FD	C	2	2	364.2	- 364.2	364.2	N/Q				1093	- 1093	1093
		C	3	7	370.0	- 380.0	378.6	N/Q	685	- 704	701	1083	- 1110	1087
330+		C	3	4	366.6	- 366.6	366.6	N/Q	679	- 679	679	1576	- 1576	1576
				243	310.6	400.2			679	704		559	1576	
Vealer Heifer														
0-200	RS	D	2	20	280.0	- 328.6	294.6	-23				476	- 608	516
200-280	FD	C	2	75	324.0	- 341.2	334.4	19				701	- 921	865
	RS	C	2	53	320.0	- 350.2	347.8	17				726	- 928	902
		C	2	5	340.0	- 355.0	351.0	24	630	- 683	665	918	- 980	933
		C	3	1	343.2	- 343.2	343.2	N/Q	636	- 636	636	841	- 841	841
	FD	D	2	9	335.2	- 335.2	335.2	N/Q				754	- 754	754
	RS	D	2	49	356.0	- 356.0	356.0	N/Q				854	- 854	854
280-330	FD	C	2	12	324.6	- 324.6	324.6	N/Q				925	- 925	925
		C	2	6	351.2	- 351.2	351.2	18	650	- 650	650	1018	- 1018	1018
		C	3	1	347.2	- 347.2	347.2	N/Q	643	- 643	643	1007	- 1007	1007
330+		C	2	1	338.2	- 338.2	338.2	N/Q	638	- 638	638	1167	- 1167	1167

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
		C	3	7	342.0	- 345.0	343.3	N/Q	633	- 639	636	1163	- 1208	1182
					239	280.0	356.0		630	683		476	1208	
Yearling Steer														
280-330	RS	C	2	16	387.2	- 387.2	387.2	30	-			1239	- 1239	1239
	FD	C	2	28	356.2	- 375.6	370.4	14	-			1070	- 1197	1109
	RS	D	2	8	353.2	- 353.2	353.2	N/Q	-			1060	- 1060	1060
330-400		B	2	1	369.6	- 369.6	369.6	N/Q	684	- 684	684	1238	- 1238	1238
	FD	C	2	76	343.2	- 374.2	366.2	1	-			1184	- 1433	1255
	RS	C	2	3	360.4	- 360.4	360.4	-7	-			1225	- 1225	1225
		C	3	2	368.2	- 368.2	368.2	N/Q	682	- 682	682	1326	- 1362	1344
400+	FD	C	2	75	359.2	- 381.2	375.0	14	-			1542	- 1646	1563
	FD	C	3	15	338.2	- 374.2	349.3	-11	-			1522	- 1728	1610
		C	3	2	330.0	- 330.0	330.0	N/Q	611	- 611	611	1634	- 1634	1634
		C	4	4	340.0	- 340.0	340.0	2	630	- 630	630	1768	- 1768	1768
					230	330.0	387.2		611	684		1060	1768	
Yearling Heifer														
200-280	FD	C	2	10	343.6	- 343.6	343.6	N/Q	-			928	- 928	928
	FD	D	2	3	309.6	- 309.6	309.6	11	-			805	- 805	805
	RS	D	2	10	322.0	- 322.0	322.0	15	-			886	- 886	886
280-330	FD	C	2	21	339.6	- 348.6	342.8	16	-			1034	- 1088	1064
		C	3	1	340.0	- 340.0	340.0	N/Q	630	- 630	630	1088	- 1088	1088
	FD	D	2	23	312.2	- 343.2	336.5	33	-			877	- 995	970
	RS	D	2	5	318.2	- 318.2	318.2	N/Q	-			955	- 955	955
330-400		B	2	2	369.0	- 369.0	369.0	N/Q	683	- 683	683	1402	- 1402	1402
	RS	C	2	1	358.2	- 358.2	358.2	N/Q	-			1218	- 1218	1218
	FD	C	2	7	335.6	- 343.2	342.1	9	-			1158	- 1167	1166
	RS	C	3	3	347.6	- 347.6	347.6	N/Q	-			1269	- 1269	1269
		C	3	11	328.2	- 351.2	346.1	7	611	- 650	642	1116	- 1299	1241
		C	4	12	365.6	- 365.6	365.6	N/Q	677	- 677	677	1444	- 1444	1444
	FD	D	2	1	334.6	- 334.6	334.6	N/Q	-			1154	- 1154	1154
400+		C	3	8	335.0	- 335.0	335.0	-6	620	- 620	620	1457	- 1457	1457
		C	4	6	340.0	- 351.6	345.8	N/Q	630	- 651	640	1428	- 1688	1569
					124	309.6	369.0		611	683		805	1688	
Grown Steer														
400-500	FD	C	2	5	300.0	- 340.0	332.0	N/Q	-			1290	- 1632	1564
		C	2	1	282.2	- 282.2	282.2	N/Q	543	- 543	543	1298	- 1298	1298
	FD	C	3	2	333.2	- 333.2	333.2	N/C	-			1533	- 1533	1533
500-600	FD	C	2	6	310.0	- 310.0	310.0	N/Q	-			1612	- 1612	1612
	FD	C	3	9	310.0	- 310.0	310.0	-14	-			1612	- 1643	1626
		C	3	12	305.0	- 331.2	322.3	N/Q	565	- 613	597	1617	- 1888	1733
		C	4	11	296.6	- 355.6	328.8	-3	549	- 659	609	1602	- 2027	1834
600-750		C	4	13	330.2	- 348.2	339.3	3	612	- 645	628	2072	- 2435	2234
750+		C	4	1	319.2	- 319.2	319.2	N/Q	591	- 591	591	2586	- 2586	2586
					60	282.2	355.6		543	659		1290	2586	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Grown Heifer														
0-540	FD	C	2	5	290.2	- 290.2	290.2	-37	-			871	- 871	871
		C	2	11	300.2	- 300.2	300.2	N/Q	600	- 600	600	1261	- 1261	1261
		C	4	3	330.0	- 330.0	330.0	8	611	- 611	611	1716	- 1782	1760
		D	1	4	200.0	- 200.0	200.0	N/Q	426	- 426	426	820	- 820	820
		D	2	2	295.2	- 295.2	295.2	N/Q	590	- 590	590	1240	- 1240	1240
	FD	D	2	9	251.2	- 280.0	264.0	-24	-			955	- 1176	1053
		D	3	10	270.0	- 304.6	297.9	17	500	- 575	560	1361	- 1591	1481
540+		C	4	14	347.6	- 347.6	347.6	N/Q	644	- 644	644	1947	- 1947	1947
				58	200.0	347.6			426	644		820	1947	
Manufacturing Steer														
0-540		C	2	5	277.6	- 277.6	277.6	N/Q	534	- 534	534	1266	- 1266	1266
		D	3	1	287.2	- 287.2	287.2	N/Q	552	- 552	552	1522	- 1522	1522
				6	277.6	287.2			534	552		1266	1522	
Cows														
0-400		D	1	25	180.0	- 222.0	207.3	N/Q	400	- 493	462	684	- 844	775
		D	2	2	225.0	- 225.0	225.0	N/Q	489	- 489	489	855	- 855	855
		E	1	1	60.0	- 60.0	60.0	N/Q	136	- 136	136	168	- 168	168
400-520		D	2	92	210.0	- 258.2	243.4	N/C	447	- 535	509	903	- 1184	1053
		D	3	40	257.6	- 270.0	263.4	8	515	- 540	530	1161	- 1310	1234
520+		D	3	14	250.0	- 271.0	265.6	11	500	- 542	531	1325	- 1463	1424
		D	4	62	266.0	- 291.2	281.6	10	522	- 571	552	1477	- 2035	1631
				236	60.0	291.2			136	571		168	2035	
Bulls														
450-600		B	2	6	248.6	- 248.6	248.6	N/Q	444	- 444	444	1193	- 1193	1193
		C	2	11	220.0	- 268.0	249.6	20	407	- 470	445	1067	- 1554	1404
		D	1	1	180.0	- 180.0	180.0	N/Q	346	- 346	346	1044	- 1044	1044
600+		B	2	4	280.0	- 288.0	284.5	10	467	- 480	474	2744	- 3024	2839
		C	2	3	244.2	- 250.0	248.1	6	436	- 455	446	1514	- 1625	1580
		D	2	2	230.0	- 248.0	239.0	N/Q	442	- 459	451	1538	- 1656	1597
				27	180.0	288.0			346	480		1044	3024	

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2016. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.