

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Dubbo

report date 07 Jul 2016

Yarding Change 1635
-510

comparison date 30/06/2016

Following the wet conditions numbers were back on the expected draw. There was only a limited supply of prime conditioned young cattle, although there was a fair selection to suit the feeders and restockers. There was a good selection of properly finished grown steers and cows yarded.

Young cattle to the trade were 2c to 5c dearer with vealers selling to 369c/kg. The prime steer yearlings sold from 330c to 360c, while the prime heifer yearlings sold from 315c to 362c/kg. The feeder steers were firm to 2c dearer, while the feeder heifers were 10c/kg cheaper. Feeder steers sold from 314c to 379c, while the feeder heifers sold to 359c/kg. Young steers to the restockers were dearer selling to 404c/kg.

Grown steers were 7c cheaper with the prime medium and heavy weights selling from 300c to 340c/kg. Grown heifers sold to 342c/kg. Plain conditioned cows were 20c to 30c cheaper, while the properly finished cows were 10c/kg easier. 2 score cows sold from 180c to 225c, while the better 3 and 4 scores sold from 193c to 271c, with the 4 score heavy weights averaging 257c/kg. Bulls sold to 280c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
80+		C	2	5	448.0	- 448.0	448.0	N/Q	862	- 862	862	381	- 381	381
	RS	C	2	1	378.0	- 378.0	378.0	N/Q		-		416	- 416	416
				6	378.0	448.0			862	862		381	416	
Vealer Steer														
0-200	RS	C	2	9	404.0	- 404.0	404.0	39		-		788	- 788	788
200-280	RS	C	2	72	344.0	- 403.0	379.3	62		-		774	- 1028	926
	FD	C	2	1	351.0	- 351.0	351.0	N/Q		-		842	- 842	842
		C	3	1	354.0	- 354.0	354.0	N/Q	681	- 681	681	832	- 832	832
280-330		C	3	1	369.0	- 369.0	369.0	N/Q	683	- 683	683	1089	- 1089	1089
330+	RS	C	2	2	378.0	- 378.0	378.0	N/Q		-		1266	- 1266	1266
		C	3	1	357.0	- 357.0	357.0	N/Q	674	- 674	674	1482	- 1482	1482
	FD	C	3	2	362.0	- 362.0	362.0	N/Q		-		1321	- 1321	1321
				89	344.0	404.0			674	683		774	1482	
Vealer Heifer														
200-280		C	2	1	280.0	- 280.0	280.0	N/Q	539	- 539	539	742	- 742	742
	FD	C	2	5	334.0	- 334.0	334.0	-15		-		852	- 852	852
	RS	C	2	45	314.0	- 375.0	355.1	N/Q		-		658	- 919	826
280-330	RS	C	2	1	270.0	- 270.0	270.0	N/Q		-		837	- 837	837
	FD	C	2	16	310.0	- 349.0	342.8	-5		-		965	- 1008	994
330+		C	3	4	354.0	- 357.0	355.5	9	668	- 687	677	1186	- 1196	1191
				72	270.0	375.0			539	687		658	1196	
Yearling Steer														
200-280	FD	C	2	1	363.0	- 363.0	363.0	N/Q		-		998	- 998	998
	RS	C	2	6	270.0	- 352.0	324.7	N/Q		-		689	- 898	828
280-330	RS	C	2	14	378.0	- 378.0	378.0	2		-		1096	- 1096	1096
	FD	C	2	64	328.0	- 380.0	370.7	3		-		968	- 1235	1143

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
330-400	FD	C	2	139	320.0	- 379.0	366.9	2	-			1099	- 1481	1316
		C	3	7	336.0	- 360.0	355.9	20	634	- 679	671	1226	- 1422	1289
400+	FD	C	3	7	340.0	- 375.0	365.0	2	-			1207	- 1444	1376
		C	2	3	282.0	- 282.0	282.0	N/Q	542	- 542	542	1283	- 1283	1283
	FD	C	2	21	330.0	- 378.0	364.1	-2	-			1436	- 1756	1635
	RS	C	2	1	316.0	- 316.0	316.0	N/Q	-			1375	- 1375	1375
		C	3	10	330.0	- 360.0	348.9	7	623	- 679	658	1482	- 1746	1625
	FD	C	3	75	314.0	- 377.0	369.9	3	-			1303	- 1814	1680
	C	4	1	345.0	- 345.0	345.0	N/Q	651	- 651	651	1811	- 1811	1811	
				349	270.0	380.0			542	679		689	1814	
Yearling Heifer														
200-280	FD	C	2	10	315.0	- 318.0	317.4	-18	-			803	- 875	860
		RS	C	2	12	340.0	- 340.0	340.0	N/Q	-			935	- 935
280-330	RS	C	2	4	311.0	- 311.0	311.0	-29	-			964	- 964	964
		FD	C	2	33	269.0	- 348.0	330.8	-10	-			874	- 1079
330-400	FD	C	2	57	214.0	- 359.0	327.4	-15	-			717	- 1351	1189
		C	3	20	323.0	- 355.0	338.3	2	613	- 670	641	1142	- 1336	1269
	FD	C	3	27	307.0	- 354.0	340.9	N/Q	-			1090	- 1292	1234
	RS	D	3	4	306.0	- 306.0	306.0	N/Q	-			1178	- 1178	1178
400+	FD	C	2	8	325.0	- 335.0	332.5	-14	-			1374	- 1479	1400
		C	3	36	315.0	- 362.0	337.3	5	594	- 683	641	1365	- 1644	1473
	FD	C	3	19	319.0	- 348.0	333.7	13	-			1312	- 1544	1466
				230	214.0	362.0			594	683		717	1644	
Grown Steer														
0-400	FD	C	2	9	348.0	- 348.0	348.0	64	-			1235	- 1235	1235
		RS	C	2	2	272.0	- 272.0	272.0	N/Q	-			1020	- 1020
400-500	FD	C	2	12	306.0	- 364.0	338.6	9	-			1484	- 1643	1552
		C	3	16	310.0	- 353.0	331.6	3	-			1461	- 1615	1496
		C	3	7	285.0	- 330.0	323.6	N/Q	548	- 623	612	1382	- 1601	1569
	C	4	20	329.0	- 338.0	336.7	N/Q	621	- 638	635	1563	- 1673	1657	
500-600	C	2	1	290.0	- 290.0	290.0	N/Q	569	- 569	569	1465	- 1465	1465	
		FD	C	3	5	330.0	- 330.0	330.0	-9	-			1733	- 1733
		C	3	20	280.0	- 325.0	305.5	-23	539	- 613	582	1470	- 1771	1636
	C	4	126	314.0	- 340.0	325.0	-8	593	- 642	613	1638	- 1890	1760	
600-750		C	4	29	300.0	- 327.0	317.6	-7	566	- 617	599	1875	- 2064	1983
				247	272.0	364.0			539	642		1020	2064	
Grown Heifer														
0-540	C	2	11	240.0	- 258.0	254.7	-25	471	- 506	500	993	- 1164	1024	
		FD	C	2	44	273.0	- 352.0	285.7	-49	-			854	- 1443
	RS	C	3	1	244.0	- 244.0	244.0	N/Q	-			1110	- 1110	1110
	FD	C	3	22	324.0	- 342.0	327.1	N/Q	-			1474	- 1549	1500
		C	3	74	280.0	- 342.0	295.9	-12	528	- 658	560	1451	- 1552	1469
		C	4	20	280.0	- 315.0	310.5	-2	528	- 594	587	1455	- 1654	1601
	FD	D	3	1	257.0	- 257.0	257.0	N/Q	-			989	- 989	989
540+		C	4	19	281.0	- 323.0	306.8	3	540	- 621	581	1531	- 1938	1875

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
				192	240.0	352.0			471	658		854	1938	
Manufacturing Steer														
540+		D	3	4	235.0	- 235.0	235.0	-50	461	- 461	461	1492	- 1492	1492
				4	235.0	235.0			461	461		1492	1492	
Cows														
0-400	RS	D	2	21	197.0	- 197.0	197.0	-45		-		650	- 650	650
		D	2	35	180.0	- 215.0	207.7	N/Q	409	- 489	472	693	- 828	800
400-520		D	2	37	187.0	- 225.0	206.5	-33	425	- 511	469	776	- 956	863
		D	3	77	193.0	- 238.0	226.2	-26	411	- 506	478	917	- 1200	1066
520+		D	3	8	240.0	- 245.0	244.4	-19	510	- 511	510	1260	- 1286	1283
		D	4	152	242.0	- 271.0	257.2	-9	475	- 531	501	1271	- 1651	1446
		D	5	1	230.0	- 230.0	230.0	N/Q	460	- 460	460	1438	- 1438	1438
				331	180.0	271.0			409	531		650	1651	
Bulls														
0-450	RS	C	2	8	319.0	- 326.0	322.5	10		-		813	- 994	904
		D	3	2	180.0	- 180.0	180.0	N/Q	353	- 353	353	693	- 693	693
600+		B	2	7	255.0	- 280.0	269.9	N/C	472	- 525	500	1781	- 2940	2324
		C	2	3	220.0	- 247.0	238.0	-7	407	- 475	453	1683	- 1692	1689
				20	180.0	326.0			353	525		693	2940	

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2016. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.