

## Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

### Dubbo

report date 25 Aug 2016

Yarding Change 2430  
-2852

comparison date 18/08/2016

It was a good quality yarding with a good selection of prime cattle in all sections, a number of which had been crop fattened or grain assisted. There were only a couple of consignments from the far west.

Young cattle to the trade were 2c to 6c dearer with vealers selling to 402c/kg. Prime steer yearlings sold from 350c to 398c while the heifer yearlings sold to 391c/kg. Feeder steers and the medium weight feeder heifers were 5c to 9c cheaper while the heavier weight heifers were 3c/kg dearer. The feeder steers sold from 333c to 405c while the feeder heifers sold from 325c to 383c/kg. Young steers to the restockers were dearer selling to 456c/kg.

Grown steers were 8c dearer with the prime medium and heavy weights selling from 324c to 367c/kg. Grown heifers sold to 350c/kg. Cows were firm to a little dearer with the 2 scores selling from 210c to 258c, while the better 3 and 4 scores sold from 250c to 293c, with the 4 score heavy weights averaging 280c/kg. Bulls sold to 292c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
<b>Calves</b>														
0-80	RS	C	2	3	260.0	- 400.0	353.3	N/Q	-	-	-	143	- 320	261
80+	RS	C	2	6	366.0	- 376.0	374.3	N/Q	-	-	-	403	- 432	427
				<b>9</b>	<b>260.0</b>	<b>400.0</b>			<b>0</b>	<b>0</b>		<b>143</b>	<b>432</b>	
<b>Vealer Steer</b>														
0-200	RS	C	2	9	456.0	- 456.0	456.0	N/Q	-	-	-	844	- 844	844
		C	3	1	400.0	- 400.0	400.0	N/Q	769	- 769	769	600	- 600	600
200-280	RS	C	2	15	394.0	- 436.0	433.2	N/Q	-	-	-	847	- 1068	1053
280-330	RS	C	2	35	394.0	- 412.0	403.3	N/Q	-	-	-	1174	- 1241	1207
330+		C	3	21	360.0	- 402.0	399.8	N/Q	679	- 759	754	1343	- 1476	1381
				<b>81</b>	<b>360.0</b>	<b>456.0</b>			<b>679</b>	<b>769</b>		<b>600</b>	<b>1476</b>	
<b>Vealer Heifer</b>														
0-200		C	2	1	355.0	- 355.0	355.0	N/Q	683	- 683	683	337	- 337	337
	RS	C	2	11	368.0	- 408.0	404.4	N/Q	-	-	-	510	- 607	519
		C	3	1	380.0	- 380.0	380.0	N/Q	731	- 731	731	570	- 570	570
200-280	RS	C	2	1	350.0	- 350.0	350.0	N/Q	-	-	-	788	- 788	788
		C	2	2	385.0	- 385.0	385.0	N/Q	740	- 740	740	828	- 828	828
	FD	C	2	10	357.0	- 372.0	370.5	N/Q	-	-	-	910	- 1023	1012
		C	3	1	395.0	- 395.0	395.0	N/Q	760	- 760	760	968	- 968	968
280-330		C	3	6	370.0	- 395.0	378.3	N/Q	712	- 745	723	1203	- 1225	1210
330+		C	3	9	370.0	- 395.0	389.4	N/Q	698	- 745	735	1351	- 1442	1421
				<b>42</b>	<b>350.0</b>	<b>408.0</b>			<b>683</b>	<b>760</b>		<b>337</b>	<b>1442</b>	
<b>Yearling Steer</b>														
200-280	FD	C	2	7	388.0	- 388.0	388.0	7	-	-	-	989	- 989	989
280-330	FD	C	2	82	333.0	- 393.0	380.0	-20	-	-	-	1082	- 1277	1188
	RS	C	2	21	411.0	- 411.0	411.0	5	-	-	-	1254	- 1254	1254
		C	2	6	346.0	- 346.0	346.0	N/Q	665	- 665	665	1125	- 1125	1125
330-400		C	2	1	375.0	- 375.0	375.0	N/Q	708	- 708	708	1369	- 1369	1369
	RS	C	2	7	384.0	- 384.0	384.0	2	-	-	-	1286	- 1286	1286

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
400+	FD	C	2	138	352.0	- 401.0	387.1	-7	-			1179	- 1500	1376	
	FD	C	3	15	370.0	- 390.0	382.0	-9	-			1351	- 1475	1433	
		C	3	4	350.0	- 391.0	380.5	19	660	- 738	718	1383	- 1502	1435	
		C	2	14	334.0	- 334.0	334.0	N/Q	642	- 642	642	1369	- 1369	1369	
		FD	C	2	60	352.0	- 404.0	390.9	-5	-			1558	- 1829	1659
		FD	C	3	192	350.0	- 405.0	389.2	10	-			1598	- 1900	1734
		C	3	35	344.0	- 398.0	374.8	21	649	- 751	707	1569	- 1942	1759	
				<b>582</b>	<b>333.0</b>	<b>411.0</b>			<b>642</b>	<b>751</b>		<b>989</b>	<b>1942</b>		
<b>Yearling Heifer</b>															
200-280	RS	C	2	9	370.0	- 370.0	370.0	-5	-			944	- 944	944	
280-330	RS	C	2	31	360.0	- 360.0	360.0	-28	-			1026	- 1026	1026	
	FD	C	2	39	340.0	- 374.0	367.0	1	-			1054	- 1216	1169	
		C	3	12	370.0	- 370.0	370.0	40	698	- 698	698	1221	- 1221	1221	
330-400	RS	D	3	22	268.0	- 268.0	268.0	N/Q	-			764	- 764	764	
		C	2	8	330.0	- 330.0	330.0	-54	635	- 635	635	1271	- 1271	1271	
	FD	C	2	98	330.0	- 380.0	359.7	-1	-			1106	- 1459	1321	
400+	FD	C	3	119	350.0	- 383.0	371.8	-4	-			1278	- 1513	1423	
		C	3	92	327.0	- 391.0	351.9	-9	629	- 738	668	1194	- 1541	1314	
	FD	C	4	3	325.0	- 325.0	325.0	N/Q	-			1251	- 1251	1251	
	FD	C	2	13	326.0	- 376.0	372.2	N/Q	-			1549	- 1636	1629	
		C	3	50	325.0	- 364.0	345.8	2	613	- 700	657	1381	- 1728	1527	
	FD	C	3	114	330.0	- 375.0	359.8	10	-			1390	- 1601	1498	
		C	4	1	350.0	- 350.0	350.0	N/Q	673	- 673	673	1838	- 1838	1838	
				<b>611</b>	<b>268.0</b>	<b>391.0</b>			<b>613</b>	<b>738</b>		<b>764</b>	<b>1838</b>		
<b>Grown Steer</b>															
0-400	FD	C	2	33	346.0	- 379.0	374.0	N/Q	-			1298	- 1421	1403	
	RS	C	2	3	313.0	- 313.0	313.0	N/Q	-			1142	- 1142	1142	
400-500	RS	C	2	1	320.0	- 320.0	320.0	N/Q	-			1392	- 1392	1392	
	FD	C	2	22	297.0	- 380.0	337.7	19	-			1351	- 1805	1571	
		C	3	34	319.0	- 360.0	334.9	26	614	- 679	636	1456	- 1710	1612	
	FD	C	3	38	322.0	- 378.0	351.2	24	-			1479	- 1615	1575	
500-600		D	3	12	295.0	- 295.0	295.0	N/Q	567	- 567	567	1342	- 1342	1342	
		C	3	19	293.0	- 345.0	317.7	-8	564	- 651	605	1505	- 1742	1703	
		C	4	109	334.0	- 367.0	344.1	N/Q	630	- 693	649	1746	- 2100	1880	
	FD	C	4	9	345.0	- 350.0	348.9	N/Q	-			1777	- 2048	1987	
600-750		C	4	37	324.0	- 347.0	338.2	N/Q	623	- 662	644	2131	- 2349	2200	
				<b>317</b>	<b>293.0</b>	<b>380.0</b>			<b>564</b>	<b>693</b>		<b>1142</b>	<b>2349</b>		
<b>Grown Heifer</b>															
0-540	FD	C	2	2	300.0	- 300.0	300.0	N/Q	-			1275	- 1275	1275	
	FD	C	3	27	303.0	- 345.0	326.7	N/Q	-			1379	- 1501	1468	
		C	3	34	320.0	- 350.0	336.6	37	615	- 660	641	1411	- 1663	1510	
		C	4	65	310.0	- 345.0	331.4	N/Q	585	- 651	626	1507	- 1785	1671	
		D	2	12	218.0	- 218.0	218.0	-32	436	- 436	436	643	- 643	643	
540+		C	4	25	310.0	- 330.0	323.9	17	594	- 635	618	1843	- 2096	1975	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
					<b>165</b>	<b>218.0</b>	<b>350.0</b>			<b>436</b>	<b>660</b>		<b>643</b>	<b>2096</b>	
<b>Manufacturing Steer</b>															
0-540	RS	D	2	14	265.0	- 265.0	265.0	N/Q	-				1100	- 1100	1100
		D	3	5	282.0	- 282.0	282.0	N/Q	553	- 553	553		1311	- 1311	1311
540+		D	3	1	285.0	- 285.0	285.0	N/Q	570	- 570	570		1610	- 1610	1610
					<b>20</b>	<b>265.0</b>	<b>285.0</b>						<b>1100</b>	<b>1610</b>	
<b>Cows</b>															
0-400		D	2	9	244.0	- 244.0	244.0	N/Q	542	- 542	542		842	- 842	842
		D	3	4	262.0	- 262.0	262.0	N/Q	582	- 582	582		1009	- 1009	1009
400-520		D	2	2	210.0	- 258.0	234.0	N/Q	477	- 586	532		851	- 1097	974
		D	3	46	250.0	- 271.0	262.2	-1	532	- 589	560		1153	- 1370	1271
520+		D	3	31	253.0	- 272.0	261.7	-2	538	- 579	557		1328	- 1455	1376
		D	4	146	260.0	- 293.0	279.6	1	504	- 562	541		1407	- 1978	1620
					<b>238</b>	<b>210.0</b>	<b>293.0</b>		<b>477</b>	<b>589</b>			<b>842</b>	<b>1978</b>	
<b>Bulls</b>															
0-450	RS	C	2	34	300.0	- 344.0	332.1	N/Q	-				875	- 1021	985
450-600		C	2	24	283.0	- 292.0	289.0	-6	544	- 573	563		1329	- 1373	1343
		C	3	1	330.0	- 330.0	330.0	N/Q	623	- 623	623		1568	- 1568	1568
600+		B	2	31	239.0	- 292.0	276.3	N/Q	451	- 541	517		1836	- 2893	2036
					<b>90</b>	<b>239.0</b>	<b>344.0</b>		<b>451</b>	<b>623</b>			<b>875</b>	<b>2893</b>	

#### Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross  
FD: Feeder DP: Dorper

#### Disclaimer:

© MLA 2016. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.