

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Naracoorte

report date 30 Aug 2016

Yarding Change ¹⁰⁴⁰/₁₀₀

comparison date 23/08/2016

Cattle numbers increased by 100 with 1,040 head yarded. The regular buying group operated in a firm to dearer market and quality was from average to good, with several pens of grain assisted young cattle offered. Vealer steers and heifers were in limited numbers, with most going to restockers and feeders. Good numbers of supplementary fed yearlings were yarded selling from unchanged to 10c/kg dearer. The few grown steers also sold stronger along with the grown heifers. Medium weight C and D muscle cows were a few cents dearer with the heavier cows a few cents easier. The yarding consisted of 824 young cattle, 143 cows, 16 bulls and 55 open auction young cattle.

Vealer steers to feeders sold from 345c to 370c with heifers to feeders making from 357c to 371c and those to trade making from 348c to 370c/kg. Yearling steers sold from 330c to 372c to the trade and those to feeders mostly paid from 321c to 377c/kg. Yearling heifers sold from 310c to 370c to the trade and feeders paid from 321c to 376c/kg.

Grown steers were dearer selling from 340c to 363c, with manufacturing steers selling from 288c to 310c/kg. Grown heifers sold from 285c to 340c with restockers paying from 255c to 312c/kg. Medium weight C muscle cows sold from 245c to 268c, with the heavier cows selling from 240c to 285c/kg. D muscle cows sold from 222c to 250c and restockers paid from 215c to 243c/kg for cows. Heavy bulls made from 224c to 245c/kg to be easier.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Vealer Steer														
200-280	RS	D	2	3	233.0	- 233.0	233.0	N/Q	-			513	- 513	513
280-330	RS	C	3	1	350.0	- 350.0	350.0	N/Q	-			1103	- 1103	1103
	FD	C	3	3	345.0	- 345.0	345.0	N/Q	-			1070	- 1070	1070
330+	FD	C	2	17	370.0	- 370.0	370.0	N/Q	-			1425	- 1425	1425
		C	3	5	365.0	- 365.0	365.0	5	689	- 689	689	1223	- 1223	1223
				29	233.0	370.0			689	689		513	1425	
Vealer Heifer														
200-280	FD	C	1	4	315.0	- 315.0	315.0	N/Q	-			788	- 788	788
280-330		B	3	1	346.0	- 346.0	346.0	N/Q	641	- 641	641	1125	- 1125	1125
	FD	C	2	23	357.0	- 371.0	368.6	N/Q	-			1035	- 1076	1069
	RS	C	2	34	368.0	- 368.0	368.0	N/Q	-			1178	- 1178	1178
	RS	C	3	12	366.0	- 366.0	366.0	N/Q	-			1208	- 1208	1208
		C	3	1	348.0	- 348.0	348.0	N/Q	644	- 644	644	992	- 992	992
		C	4	6	370.0	- 370.0	370.0	N/Q	673	- 673	673	1221	- 1221	1221
330+		C	3	17	340.0	- 365.0	360.6	N/Q	630	- 664	658	1156	- 1314	1286
				98	315.0	371.0			630	673		788	1314	
Yearling Steer														
280-330	FD	C	2	2	334.0	- 334.0	334.0	N/Q	-			1069	- 1069	1069
	FD	C	3	8	355.0	- 355.0	355.0	N/C	-			1172	- 1172	1172
	FD	D	2	4	340.0	- 340.0	340.0	N/Q	-			1088	- 1088	1088
330-400	FD	C	1	4	356.0	- 356.0	356.0	N/Q	-			1388	- 1388	1388
	FD	C	2	32	364.0	- 377.0	371.9	N/Q	-			1288	- 1401	1331
		C	4	17	368.0	- 368.0	368.0	N/Q	694	- 694	694	1472	- 1472	1472
400+		C	2	1	330.0	- 330.0	330.0	N/Q	623	- 623	623	1386	- 1386	1386
	RS	C	2	15	321.0	- 370.0	351.6	N/Q	-			1445	- 1702	1609

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
		C	3	48	348.0	- 368.0	357.3	-8	657	- 685	672	1470	- 1748	1622
		C	4	96	345.0	- 372.0	364.5	4	627	- 700	673	1584	- 2065	1784
		D	2	9	309.0	- 340.0	326.2	N/Q	618	- 680	652	1313	- 1530	1434
				236	309.0	377.0			618	700		1069	2065	
Yearling Heifer														
200-280	FD	E	1	1	179.0	- 179.0	179.0	N/Q	-	-	-	394	- 394	394
280-330	FD	C	2	16	280.0	- 355.0	332.2	N/Q	-	-	-	854	- 1136	1055
		C	2	1	321.0	- 321.0	321.0	N/Q	629	- 629	629	1011	- 1011	1011
	FD	C	3	5	332.0	- 332.0	332.0	N/Q	-	-	-	1062	- 1062	1062
	RS	D	1	6	220.0	- 280.0	270.0	N/Q	-	-	-	638	- 812	783
	FD	D	2	5	230.0	- 310.0	273.0	N/Q	-	-	-	656	- 961	809
330-400	FD	B	2	18	365.0	- 365.0	365.0	N/Q	-	-	-	1460	- 1460	1460
	FD	C	2	59	320.0	- 370.0	359.0	11	-	-	-	1104	- 1400	1340
	RS	C	2	95	355.0	- 370.0	367.2	N/Q	-	-	-	1225	- 1292	1261
		C	2	11	345.0	- 345.0	345.0	25	664	- 664	664	1380	- 1380	1380
		C	3	22	330.0	- 358.0	346.4	-4	630	- 663	646	1238	- 1432	1340
	FD	C	3	26	365.0	- 376.0	368.0	9	-	-	-	1354	- 1387	1378
	RS	D	2	3	320.0	- 320.0	320.0	N/Q	-	-	-	1120	- 1120	1120
		D	2	1	250.0	- 250.0	250.0	N/Q	500	- 500	500	863	- 863	863
400+	FD	B	2	2	346.0	- 346.0	346.0	N/Q	-	-	-	1453	- 1453	1453
	FD	C	2	18	330.0	- 362.0	351.3	N/Q	-	-	-	1386	- 1484	1451
		C	2	21	310.0	- 340.0	334.3	-11	596	- 642	633	1530	- 1612	1546
		C	3	21	348.0	- 370.0	359.4	3	644	- 698	675	1566	- 2072	1811
		C	4	7	352.0	- 361.0	354.6	N/C	652	- 669	657	1588	- 1866	1786
				338	179.0	376.0			500	698		394	2072	
Grown Steer														
400-500	FD	C	2	1	299.0	- 299.0	299.0	N/Q	-	-	-	1450	- 1450	1450
600-750		C	3	3	340.0	- 345.0	343.3	11	639	- 642	640	2105	- 2210	2140
		C	4	8	350.0	- 363.0	358.1	17	648	- 685	671	2251	- 2275	2260
				12	299.0	363.0			639	685		1450	2275	
Grown Heifer														
0-540		C	2	10	290.0	- 320.0	311.0	61	558	- 604	593	1102	- 1664	1530
	RS	C	2	6	255.0	- 280.0	267.5	N/Q	-	-	-	587	- 672	629
		C	3	49	278.0	- 340.0	306.1	-2	535	- 642	584	1244	- 1802	1500
		C	4	13	334.0	- 334.0	334.0	44	619	- 619	619	1804	- 1804	1804
		D	2	14	208.0	- 330.0	308.6	37	425	- 635	600	676	- 1485	1337
	FD	D	2	4	312.0	- 312.0	312.0	N/Q	-	-	-	1170	- 1170	1170
540+		C	2	7	285.0	- 285.0	285.0	N/Q	548	- 548	548	1568	- 1568	1568
				103	208.0	340.0			425	642		587	1804	
Manufacturing Steer														
0-540	RS	D	1	3	310.0	- 310.0	310.0	N/Q	-	-	-	1178	- 1178	1178
		D	2	3	288.0	- 290.0	289.3	N/Q	600	- 604	603	1368	- 1407	1394
				6	288.0	310.0			600	604		1178	1407	
Cows														
0-400		D	1	3	170.0	- 175.0	173.3	N/Q	389	- 405	397	630	- 700	659

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400-520	RS	D	2	5	210.0	- 278.0	232.2	N/Q	438	- 567	490	788	- 1070	901
		D	2	5	220.0	- 220.0	220.0	N/Q	-	-	-	836	- 836	836
		E	1	2	80.0	- 120.0	100.0	N/Q	191	- 286	238	280	- 426	353
	RS	C	2	11	243.0	- 243.0	243.0	-26	-	-	-	1215	- 1215	1215
		C	2	8	245.0	- 268.0	259.4	37	490	- 536	519	1103	- 1394	1284
		C	3	1	260.0	- 260.0	260.0	N/Q	520	- 520	520	1352	- 1352	1352
520+	RS	D	2	1	215.0	- 215.0	215.0	N/Q	-	-	-	903	- 903	903
		D	2	5	224.0	- 250.0	234.0	-9	467	- 532	490	1098	- 1150	1122
	DA	B	4	6	275.0	- 275.0	275.0	N/Q	539	- 539	539	1870	- 1870	1870
		C	2	10	265.0	- 270.0	266.0	4	530	- 540	532	1418	- 1537	1513
		C	3	29	240.0	- 278.0	267.8	-10	471	- 550	530	1391	- 1726	1511
		C	4	18	258.0	- 285.0	275.7	-2	506	- 559	541	1355	- 1724	1621
DA	D	2	2	160.0	- 160.0	160.0	N/Q	364	- 364	364	880	- 880	880	
DA	D	2	1	222.0	- 222.0	222.0	N/Q	444	- 444	444	1221	- 1221	1221	
					107	80.0	285.0		191	567		280	1870	
Bulls														
0-450	FD	C	1	5	262.0	- 285.0	266.6	N/Q	-	-	-	884	- 983	963
		C	1	3	250.0	- 250.0	250.0	N/Q	490	- 490	490	650	- 650	650
450-600	B	C	2	5	280.0	- 315.0	295.0	N/Q	518	- 583	544	1624	- 1733	1685
		C	2	7	230.0	- 286.0	264.4	6	442	- 561	513	1150	- 1344	1269
600+	B	C	2	11	224.0	- 245.0	239.5	-10	407	- 454	439	2047	- 2430	2230
		C	2	2	215.0	- 215.0	215.0	N/Q	398	- 414	406	1548	- 2107	1828
					33	215.0	315.0		398	583		650	2430	

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral CATTLE SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2016. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.