

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Dubbo

report date 08 Sep 2016

Yarding Change 2355
-1060

comparison date 01/09/2016

Numbers were down by 1,000 for a yarding of 2,355 head. It was a mixed yarding with a fair selection of prime cattle coming off crops or grain assisted. There was a larger percentage of plainer cattle than previous sales.

Young cattle to the trade were firm with vealers selling to 400c/kg. Prime steer yearlings sold from 330c to 390c while the prime heifer yearlings sold from 316c to 388c/kg. Feeder steers were firm to 4c dearer while the feeder heifers were cheaper. The feeder steers sold from 300c to 393c with the heavier weights averaging 378c/kg. The feeder heifers sold from 345c to 364c/kg. Young steers to the restockers were dearer selling to 479c/kg.

Grown steers were firm to 2c dearer with the prime medium and heavy weights selling from 300c to 368c/kg. Grown heifers were dearer selling to 365c/kg. Plainer conditioned cows were 5c to 8c dearer while the properly finished cows were 2c/kg dearer. 2 score cows sold from 180c to 251c while the better 3 and 4 scores sold from 238c to 298c for C muscle cows. The 4 score heavy weights averaged 276c and bulls sold to 292c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
0-80	RS	C	2	1	375.0	- 375.0	375.0	N/Q	-			281	- 281	281
				1	375.0	375.0			0	0		281	281	
Vealer Steer														
0-200	RS	C	2	23	479.0	- 479.0	479.0	N/Q	-			790	- 790	790
200-280	RS	C	2	24	360.0	- 407.0	386.2	N/Q	-			774	- 1084	948
		C	2	1	320.0	- 320.0	320.0	N/Q	615	- 615	615	672	- 672	672
	FD	C	2	3	377.0	- 377.0	377.0	N/Q	-			924	- 924	924
280-330		C	2	2	326.0	- 326.0	326.0	N/Q	627	- 627	627	929	- 929	929
	RS	C	2	1	380.0	- 380.0	380.0	N/Q	-			1121	- 1121	1121
330+		B	2	1	400.0	- 400.0	400.0	N/Q	714	- 714	714	1540	- 1540	1540
		C	3	2	385.0	- 398.0	391.5	N/Q	726	- 765	746	1333	- 1367	1350
				57	320.0	479.0			615	765		672	1540	
Vealer Heifer														
200-280	RS	C	2	54	310.0	- 394.0	388.6	19	-			853	- 965	956
		C	3	6	357.0	- 380.0	369.5	N/Q	687	- 731	702	803	- 1007	881
280-330		C	2	18	352.0	- 352.0	352.0	N/Q	664	- 664	664	1144	- 1144	1144
		C	3	10	369.0	- 369.0	369.0	N/C	710	- 710	710	1089	- 1089	1089
330+	FD	C	2	5	350.0	- 350.0	350.0	N/Q	-			1173	- 1173	1173
		C	3	25	372.0	- 396.0	385.4	1	702	- 762	735	1406	- 1432	1417
				118	310.0	396.0			664	762		803	1432	
Yearling Steer														
280-330	RS	C	2	17	402.0	- 402.0	402.0	11	-			1307	- 1307	1307
	FD	C	2	13	396.0	- 406.0	399.1	9	-			1279	- 1287	1285
330-400	FD	C	2	100	322.0	- 393.0	379.1	17	-			1213	- 1463	1374
	RS	C	2	22	402.0	- 402.0	402.0	32	-			1347	- 1347	1347
		C	3	10	330.0	- 388.0	370.0	-6	635	- 732	701	1205	- 1471	1389
	FD	C	3	51	368.0	- 386.0	379.4	5	-			1306	- 1485	1401

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400+	FD	D	3	1	320.0	- 320.0	320.0	N/Q	-			1232	- 1232	1232
	FD	C	2	207	300.0	- 388.0	377.8	9	-			1365	- 1805	1660
	FD	C	3	86	362.0	- 390.0	376.7	5	-			1519	- 1880	1718
		C	3	125	338.0	- 390.0	369.5	5	638	- 736	698	1536	- 1848	1675
				632	300.0	406.0			635	736		1205	1880	
Yearling Heifer														
200-280	RS	C	2	16	353.0	- 353.0	353.0	-15	-			971	- 971	971
	FD	C	2	7	349.0	- 364.0	359.7	N/Q	-			960	- 1001	989
280-330	RS	C	2	59	355.0	- 379.0	371.2	-17	-			1063	- 1175	1107
		C	3	6	390.0	- 390.0	390.0	42	736	- 736	736	1268	- 1268	1268
330-400	RS	C	2	15	349.0	- 350.0	349.9	-16	-			1169	- 1208	1202
	FD	C	2	54	345.0	- 364.0	357.4	15	-			1213	- 1438	1364
		C	3	76	342.0	- 388.0	360.0	-4	653	- 732	684	1146	- 1494	1351
400+	FD	C	3	3	353.0	- 353.0	353.0	-3	-			1183	- 1183	1183
	FD	C	2	2	340.0	- 340.0	340.0	N/Q	-			1411	- 1411	1411
	FD	C	3	25	340.0	- 351.0	347.2	-13	-			1457	- 1639	1546
		C	3	118	316.0	- 371.0	352.5	-1	604	- 714	669	1411	- 1761	1537
				381	316.0	390.0			604	736		960	1761	
Grown Steer														
0-400	FD	C	2	5	344.0	- 344.0	344.0	N/Q	-			1359	- 1359	1359
	RS	C	2	35	399.0	- 399.0	399.0	N/Q	-			1496	- 1496	1496
		C	3	4	338.0	- 366.0	352.0	N/Q	638	- 704	671	1234	- 1373	1303
400-500		C	2	2	263.0	- 263.0	263.0	N/Q	516	- 516	516	1249	- 1249	1249
	FD	C	2	1	310.0	- 310.0	310.0	N/Q	-			1411	- 1411	1411
	FD	C	3	20	339.0	- 385.0	361.6	25	-			1625	- 1906	1737
		C	3	6	289.0	- 342.0	329.7	-1	556	- 645	630	1402	- 1625	1504
		C	4	14	343.0	- 366.0	357.3	N/Q	647	- 691	674	1588	- 1703	1688
500-600	FD	C	4	8	352.0	- 352.0	352.0	N/Q	-			1672	- 1672	1672
		C	3	12	310.0	- 320.0	318.3	-34	596	- 604	603	1628	- 1680	1671
		C	4	188	315.0	- 368.0	346.6	13	594	- 694	652	1680	- 2082	1875
600-750		C	4	35	314.0	- 346.0	335.0	2	582	- 665	633	2147	- 2339	2204
750+		C	4	2	300.0	- 300.0	300.0	N/Q	546	- 546	546	2475	- 2475	2475
	PC	C	4	1	347.0	- 347.0	347.0	N/Q	655	- 655	655	2620	- 2620	2620
				333	263.0	399.0			516	704		1234	2620	
Grown Heifer														
0-540	FD	C	2	10	288.0	- 288.0	288.0	-27	-			1224	- 1224	1224
	FD	C	3	38	343.0	- 343.0	343.0	17	-			1492	- 1492	1492
		C	3	49	270.0	- 330.0	319.8	5	519	- 635	611	1155	- 1586	1459
		C	4	44	295.0	- 365.0	337.3	1	557	- 702	640	1499	- 1811	1736
		FD	C	4	18	340.0	- 340.0	340.0	N/Q	-			1649	- 1649
540+		D	3	1	287.0	- 287.0	287.0	N/Q	552	- 552	552	1507	- 1507	1507
		C	4	48	290.0	- 340.0	327.3	22	558	- 642	617	1743	- 2219	1948
				208	270.0	365.0			519	702		1155	2219	
Manufacturing Steer														
540+		D	4	3	285.0	- 285.0	285.0	N/Q	559	- 559	559	2494	- 2494	2494

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
				3	285.0	285.0			559	559		2494	2494	
Cows														
0-400		D	2	8	200.0	- 200.0	200.0	-12	455	- 455	455	710	- 770	725
400-520		C	3	3	298.0	- 298.0	298.0	N/Q	584	- 584	584	1475	- 1475	1475
	DA	D	2	5	180.0	- 180.0	180.0	N/Q	409	- 409	409	855	- 855	855
		D	2	10	215.0	- 251.0	237.0	-1	457	- 558	530	978	- 1067	1020
		D	3	33	238.0	- 266.0	248.0	N/C	506	- 566	528	1083	- 1288	1158
		D	4	37	260.0	- 281.0	271.0	14	540	- 560	542	1235	- 1447	1387
520+	DA	D	2	11	215.0	- 215.0	215.0	N/Q	489	- 489	489	1258	- 1258	1258
		D	3	21	242.0	- 268.0	256.4	-1	481	- 532	514	1271	- 1702	1390
		D	4	94	260.0	- 286.0	275.6	2	500	- 557	534	1391	- 2152	1695
				222	180.0	298.0			409	584		710	2152	
Bulls														
0-450	RS	C	2	6	374.0	- 374.0	374.0	11		-		954	- 954	954
450-600		B	2	1	316.0	- 316.0	316.0	N/Q	596	- 596	596	1438	- 1438	1438
		C	3	6	358.0	- 358.0	358.0	N/Q	676	- 676	676	1665	- 1665	1665
600+	RS	B	2	4	303.0	- 303.0	303.0	N/Q		-		2076	- 2076	2076
		B	2	29	253.0	- 292.0	279.9	7	469	- 541	519	1935	- 3250	2534
				46	253.0	374.0			469	676		954	3250	

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2016. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.