

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Naracoorte

report date 13 Sep 2016

Yarding Change 1149
451

comparison date 06/09/2016

Overall numbers were up by 450 with a total of 1,149 head yarded. Quality improved with more grain assisted yearlings yarded. The usual buying group, plus some extra competition operated in a firm to dearer market. Vealer steers sold to 410c to be dearer, C and B muscle yearlings to the trade were from unchanged and up to 10c/kg dearer in places. Lighter grown steers were dearer with heavier steers and grown heifers easing a few cents. Cows mostly sold to a dearer trend to be 5c to 10c/kg dearer and more in places. The yarding included 764 young cattle, 331 cows, 20 bulls and 15 open auction young cattle.

Vealer steers and heifers sold mostly from 355c to 410c with lighter weights selling from 335c to 385c, feeders paid from 346c to 385c/kg. Yearling steers sold from 330c to 390c, with feeders paying from 335c to 344c/kg. Yearling heifers sold from 330c to 385c with feeders paying from 290c to 362c/kg.

Grown steers sold from 305c to 363c with lighter weights selling from 340c to 372c/kg to be dearer. Grown heifers eased slightly, with the better covered C3's a little dearer, they sold from 295c to 343c with others selling from 265c to 305c/kg. Cows mostly sold dearer, with lighter C muscle cows making from 236c to 290c, and D muscle cows making from 222c to 275c/kg. Heavier weights sold from 245c to 287c, with 2 and 3 score D muscle cows making from 245c to 275c/kg. Heavy bulls sold from 230c to 286c/kg to be a few cents easier.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Vealer Steer														
200-280	FD	E	2	1	140.0	- 140.0	140.0	N/Q	-			350	- 350	350
280-330		C	3	10	371.0	- 407.0	385.1	21	675	- 727	696	1187	- 1216	1202
	FD	C	3	2	374.0	- 374.0	374.0	N/Q	-			1197	- 1197	1197
330+	FD	B	2	2	385.0	- 385.0	385.0	N/Q	-			1309	- 1309	1309
		B	4	7	381.0	- 381.0	381.0	N/Q	680	- 680	680	1524	- 1524	1524
		C	3	2	386.0	- 386.0	386.0	N/Q	715	- 715	715	1467	- 1467	1467
		C	4	2	410.0	- 410.0	410.0	N/Q	732	- 732	732	1394	- 1394	1394
		D	3	1	345.0	- 345.0	345.0	N/Q	651	- 651	651	1173	- 1173	1173
				27	140.0	410.0			651	732		350	1524	
Vealer Heifer														
200-280		C	3	3	365.0	- 365.0	365.0	N/Q	652	- 652	652	1004	- 1004	1004
280-330		C	2	1	348.0	- 348.0	348.0	N/Q	657	- 657	657	1114	- 1114	1114
	FD	C	2	1	335.0	- 335.0	335.0	N/Q	-			1106	- 1106	1106
	FD	C	3	1	346.0	- 346.0	346.0	N/Q	-			1038	- 1038	1038
		C	3	14	335.0	- 385.0	368.1	-23	620	- 688	670	1079	- 1190	1141
330+		C	3	4	355.0	- 370.0	366.3	N/Q	657	- 673	669	1225	- 1295	1277
	FD	C	3	3	355.0	- 355.0	355.0	-7	-			1207	- 1207	1207
		C	4	5	380.0	- 398.0	387.2	N/Q	691	- 737	709	1311	- 1393	1344
				32	335.0	398.0			620	737		1004	1393	
Yearling Steer														
330-400		C	2	3	340.0	- 370.0	350.0	N/Q	654	- 698	669	1224	- 1462	1303
	FD	C	2	1	345.0	- 345.0	345.0	N/Q	-			1380	- 1380	1380
		C	3	10	365.0	- 374.0	368.2	N/C	673	- 693	681	1259	- 1421	1311
	RS	D	2	4	285.0	- 285.0	285.0	N/Q	-			1083	- 1083	1083
		D	3	4	385.0	- 385.0	385.0	N/Q	688	- 688	688	1405	- 1405	1405

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400+		B	2	6	335.0	- 335.0	335.0	N/Q	609	- 609	609	1441	- 1441	1441
		B	3	13	365.0	- 382.0	374.2	N/Q	652	- 695	675	1679	- 1719	1701
		B	4	41	347.0	- 390.0	377.6	N/Q	631	- 696	684	1558	- 1753	1705
		C	2	2	341.0	- 341.0	341.0	N/Q	656	- 656	656	1535	- 1535	1535
	FD	C	2	8	334.0	- 344.0	339.0	-24	-	-	-	1436	- 1531	1484
		C	3	32	330.0	- 384.0	356.1	-14	623	- 698	657	1487	- 1716	1583
		C	4	23	363.0	- 385.0	370.1	20	660	- 688	672	1562	- 1795	1709
	D	3	11	330.0	- 380.0	358.2	N/Q	630	- 691	665	1428	- 1596	1552	
				158	285.0	390.0			609	698		1083	1795	
Yearling Heifer														
280-330	FD	B	3	2	342.0	- 342.0	342.0	N/Q	-	-	-	1129	- 1129	1129
	FD	C	2	3	322.0	- 322.0	322.0	-28	-	-	-	1063	- 1063	1063
	FD	D	2	1	265.0	- 265.0	265.0	N/Q	-	-	-	848	- 848	848
330-400		B	3	7	377.0	- 377.0	377.0	N/Q	686	- 686	686	1489	- 1489	1489
	FD	C	1	1	280.0	- 280.0	280.0	N/Q	-	-	-	980	- 980	980
	FD	C	2	36	290.0	- 357.0	342.2	-7	-	-	-	1088	- 1396	1293
		C	2	7	363.0	- 363.0	363.0	27	685	- 685	685	1416	- 1416	1416
	FD	C	3	17	350.0	- 362.0	353.4	5	-	-	-	1225	- 1444	1277
		C	3	57	338.0	- 385.0	360.9	5	630	- 713	670	1225	- 1521	1412
		C	4	1	362.0	- 362.0	362.0	N/Q	658	- 658	658	1448	- 1448	1448
	FD	D	2	13	230.0	- 320.0	278.9	-29	-	-	-	863	- 1120	1020
		D	2	4	320.0	- 320.0	320.0	38	615	- 615	615	1200	- 1200	1200
FD	D	3	4	305.0	- 305.0	305.0	N/Q	-	-	-	1205	- 1205	1205	
400+		B	3	5	364.0	- 364.0	364.0	N/Q	662	- 662	662	1638	- 1638	1638
		B	4	8	330.0	- 387.0	378.0	-1	600	- 704	687	1485	- 1703	1658
		C	2	4	318.0	- 318.0	318.0	-8	600	- 600	600	1304	- 1304	1304
	FD	C	3	7	335.0	- 358.0	344.9	6	-	-	-	1374	- 1504	1429
		C	3	118	334.0	- 373.0	358.1	2	619	- 691	663	1411	- 1820	1526
		C	4	62	355.0	- 373.0	367.5	14	657	- 678	671	1456	- 1692	1656
	FD	D	2	1	279.0	- 279.0	279.0	N/Q	-	-	-	1144	- 1144	1144
	FD	D	3	4	330.0	- 330.0	330.0	-13	-	-	-	1403	- 1403	1403
				362	230.0	387.0			600	713		848	1820	
Grown Steer														
400-500		C	2	1	305.0	- 305.0	305.0	N/Q	576	- 576	576	1495	- 1495	1495
		C	3	17	340.0	- 372.0	357.5	7	630	- 676	655	1666	- 1786	1738
		C	4	20	362.0	- 375.0	372.4	N/Q	658	- 682	677	1738	- 1838	1818
500-600		B	4	4	344.0	- 344.0	344.0	N/Q	626	- 626	626	1789	- 1789	1789
		C	3	18	305.0	- 347.0	334.6	-7	576	- 643	626	1768	- 1980	1905
		C	4	2	363.0	- 363.0	363.0	N/Q	660	- 660	660	2105	- 2105	2105
		D	3	7	248.0	- 350.0	304.0	-31	468	- 660	564	1265	- 1847	1603
600-750		C	4	2	362.0	- 362.0	362.0	N/Q	658	- 658	658	2208	- 2208	2208
				71	248.0	375.0			468	682		1265	2208	
Grown Heifer														
0-540	FD	C	2	13	308.0	- 308.0	308.0	N/Q	-	-	-	1540	- 1540	1540
		C	2	6	250.0	- 285.0	275.8	-19	481	- 548	530	1150	- 1283	1245

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
540+		C	3	31	295.0	- 343.0	314.6	3	557	- 635	585	1418	- 1744	1603
		C	4	4	305.0	- 305.0	305.0	-20	576	- 576	576	1647	- 1647	1647
	FD	D	1	3	182.0	- 200.0	188.0	N/Q	-	-	-	640	- 728	699
		D	2	18	188.0	- 308.0	290.3	-16	384	- 592	560	808	- 1355	1272
		D	3	2	300.0	- 300.0	300.0	N/Q	577	- 577	577	1470	- 1470	1470
		B	3	2	305.0	- 305.0	305.0	N/Q	576	- 576	576	1708	- 1708	1708
		C	2	9	296.0	- 296.0	296.0	N/Q	559	- 559	559	1613	- 1613	1613
	FD	C	2	1	296.0	- 296.0	296.0	N/Q	-	-	-	1613	- 1613	1613
	C	4	1	265.0	- 265.0	265.0	N/Q	491	- 491	491	1537	- 1537	1537	
				90	182.0	343.0		384	635		640	1744		
Manufacturing Steer														
0-540	FD	D	2	5	280.0	- 306.0	300.8	N/Q	-	-	-	1330	- 1469	1441
				5	280.0	306.0		0	0		1330	1469		
Cows														
0-400		C	3	6	272.0	- 272.0	272.0	N/Q	544	- 544	544	1088	- 1088	1088
400-520	RS	C	1	25	241.0	- 260.0	253.2	N/Q	-	-	-	1205	- 1352	1299
		C	2	3	236.0	- 236.0	236.0	-9	472	- 472	472	1204	- 1204	1204
		C	3	2	290.0	- 290.0	290.0	N/Q	558	- 558	558	1421	- 1421	1421
		D	1	4	239.0	- 239.0	239.0	19	498	- 498	498	1243	- 1243	1243
	RS	D	1	9	231.0	- 231.0	231.0	18	-	-	-	1120	- 1120	1120
	RS	D	2	7	251.0	- 251.0	251.0	N/Q	-	-	-	1192	- 1192	1192
		D	2	22	222.0	- 275.0	269.0	43	463	- 561	547	1154	- 1430	1385
520+		B	2	2	248.0	- 248.0	248.0	N/Q	496	- 496	496	1488	- 1488	1488
		B	3	9	245.0	- 278.0	270.7	N/Q	480	- 535	518	1544	- 1696	1653
		C	2	36	253.0	- 276.0	259.8	21	516	- 552	524	1392	- 1573	1472
		C	3	133	260.0	- 285.0	281.4	8	500	- 559	543	1430	- 1767	1677
		C	4	31	276.0	- 287.0	283.7	4	521	- 542	535	1779	- 1830	1808
		D	2	10	245.0	- 260.0	255.3	9	500	- 520	516	1286	- 1430	1408
		D	3	29	251.0	- 275.0	267.1	-9	502	- 550	524	1381	- 1595	1530
				328	222.0	290.0		463	561		1088	1830		
Bulls														
0-450		B	2	1	340.0	- 340.0	340.0	N/Q	618	- 618	618	1530	- 1530	1530
	FD	B	2	1	312.0	- 312.0	312.0	N/Q	-	-	-	1092	- 1092	1092
	FD	C	1	1	310.0	- 310.0	310.0	N/Q	-	-	-	930	- 930	930
		C	2	1	290.0	- 290.0	290.0	N/Q	537	- 537	537	928	- 928	928
450-600		C	2	4	265.0	- 316.0	285.5	38	482	- 575	526	1370	- 1548	1458
600+		B	2	17	230.0	- 286.0	264.1	-9	426	- 520	482	1794	- 2475	2079
		C	2	2	185.0	- 232.0	208.5	N/Q	343	- 430	386	1573	- 1972	1772
				27	185.0	340.0		343	618		928	2475		

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2016. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.