

Over the hooks indicator - cattle

Market information provided by MLA's National Livestock Reporting Service

Victoria

report generated on Monday for the week ending 30 Sep 2016

MLA's Victorian over-the-hook (OTH) indicators are weighted averages, derived from grids supplied by approximately 80% of the processing capacity in Victoria on a weekly basis.

An indicator is used to assess market trends. Consistent contributors and methodology mean they can accurately be used for this purpose. For cattle, given there is variation across regions and classes, MLA has a range of indicators to best match individual needs. Other non-agricultural examples of indicators include the All Ords or the Brent Crude Oil Index.

How are they calculated?

MLA's Victorian OTH indicators are weighted averages, based on each contributing processing plants annual cattle slaughter. The greater the plant's slaughter, the greater the weighting that plant's prices have upon the indicator - e.g. the prices offered from a plant processing 1,000 head/week will be twice that of a plant processing 500 head/week.

How to apply it?

The indicators should be used as a means of following rises and falls in the market and should not be assumed as the actual price received.

In addition, premiums and discounts to the OTH indicators may include, but are not limited to:

- **HGP** status

- Certified programs (e.g. MSA, PCAS or EU)
- Bruises
- Fat and meat colour

- Weight
- Fat depth
- Butt shape

Some of these discounts and premiums are reflected in the MLA OTH indicators, but many are excluded. Further penalties can apply for incorrect or incomplete documentation, no NLIS tag, and any residue found in the meat deeming the carcase unfit for human consumption. Please consult your local processor for specific


For the full indicator report, please refer to the following pages. To subscribe to the email report, please send a request to marketinfo@mla.com.au.

Grown steers* 300-400kg cwt === 260-280kg cwt 650 600 550 450 400 350



Yearling steers** 300-320kg cwt ____ 240-260kg cwt 60 550 50 450 400 350 Jun 2016 Aug 2016

^{*} all quoted indicators have 5-22mm fat, A-C butt shape and 0-2 tooth (YG)



all quoted indicators have 3-12mm fat, A-D butt shape and 0-8 tooth (C)

600 55 50 c/kg cwt

Yearling heifers****

300-320kg cwt

Feb

350

Prepared by MLA on: 26/09/2016 3:18:04 PM

Aug 2016

^{****} all quoted indicators have 5-22mm fat, A-C butt shape and 0-2 tooth (YG)



Over the hooks indicator - cattle

Market information provided by MLA's National Livestock Reporting Service

Victoria report date 30 Sep 2016

With scattered showers continuing in some parts of the state, the Victorian over-the-hook indicators remained mostly unchanged this week. Most contributors held quotes firm, however some female categories were the exception - lifting marginally.

Grade	Weight Range (cwt kg)	Dentition	Muscle Score	Fat (mm)	Average (c/kg cwt)	Trend	
Yearlings							
Steers	220-240	0-2 (YG)	A-C	5-22	592	NC	
	240-260	0-2 (YG)	A-C	5-22	596	NC	
	260-280	0-2 (YG)	A-C	5-22	598	NC	
	280-300	0-2 (YG)	A-C	5-22	599	NC	
	300-320	0-2 (YG)	A-C	5-22	599	NC	
Heifers	220-240	0-2 (YG)	A-C	5-22	570	NC	
	240-260	0-2 (YG)	A-C	5-22	574	NC	
	260-280	0-2 (YG)	A-C	5-22	577	NC	
	280-300	0-2 (YG)	A-C	5-22	579	NC	
	300-320	0-2 (YG)	A-C	5-22	582	NC	
Grown Steers							
	240-260	0-4 (YP)	A-C	5-22	580	NC	
		0-6 (PR)	A-C	5-22	574	NC	
		0-8 (S)	A-C	5-22	555	NC	
	260-280	0-4 (YP)	A-C	5-22	590	NC	
		0-6 (PR)	A-C	5-22	585	NC	
		0-8 (S)	A-C	5-22	566	NC	
	280-300	0-4 (YP)	A-C	5-22	593	NC	
		0-6 (PR)	A-C	5-22	588	NC	
		0-8 (S)	A-C	5-22	570	NC	
	300-400	0-4 (YP)	A-C	5-22	596	NC	
		0-6 (PR)	A-C	5-22	591	NC	
		0-8 (S)	A-C	5-22	572	NC	
0							
Cows	100 000	0.0(0)		40.00			
	180-200	0-8 (C)	A-D	13-22	441	1	
		0-8 (C)	A-D	3-12	448	1	
		0-8 (C)	A-E	0-32	435	1	
	200-220	0-8 (C)	A-D	13-22	461	1	
		0-8 (C)	A-D	3-12	467	1	
		0-8 (C)	A-E	0-32	454	1	
	220-240	0-8 (C)	A-D	13-22	468	1	
		0-8 (C)	A-D	3-12	473	1	
		0-8 (C)	A-E	0-32	460	1	
	240-260	0-8 (C)	A-D	13-22	475	1	
		0-8 (C)	A-D	3-12	484	1	

Grade	Weight Range (cwt kg)	Dentition	Muscle Score	Fat (mm)	Average (c/kg cwt)	Trend	
		0-8 (C)	A-E	0-32	466	1	
	260-280	0-8 (C)	A-D	13-22	486	1	
		0-8 (C)	A-D	3-12	493	1	
		0-8 (C)	A-E	0-32	476	1	
	280-300	0-8 (C)	A-D	13-22	490	1	
		0-8 (C)	A-D	3-12	496	1	
		0-8 (C)	A-E	0-32	479	1	
	300-400	0-8 (C)	A-D	13-22	497	1	
		0-8 (C)	A-D	3-12	501	1	
		0-8 (C)	A-E	0-32	486	1	
Bulls							
	260-280	0-8 (B)	A-E	0-32	438	1	
	280-300	0-8 (B)	A-E	0-32	440	1	
	300-320	0-8 (B)	A-E	0-32	445	1	
	320-440	0-8 (B)	A-E	0-32	445	1	

Disclaimer:

© MLA 2016. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.